

ISSN 1672-1535

CN11-4971/R



QK1822274

# 癌症进展

No. 4  
Apr. 2018 Vol. 16

## ONCOLOGY PROGRESS

中国科技论文统计源期刊（中国科技核心期刊）

中国核心期刊（遴选）数据库

中国生物医学文献数据库收录期刊

中国学术期刊综合评价数据库收录期刊

中国临床肿瘤学会（CSCO）推荐读物

中国医学科学院 主办

ISSN 1672-1535



9 771672 153189

万方数据

# 癌 症 进 展

AIZHENG JINZHAN

月刊 2003 年 5 月创刊 第 16 卷 第 4 期 2018 年 4 月 20 日出版

## 主 管

国家卫生和计划生育委员会

## 主 办

中国医学科学院

社 长 袁 钟

主 编 赵 平

编辑部主任 骆春瑶

编辑部副主任 陈闻

## 编辑出版

中国协和医科大学出版社

《癌症进展》编辑部

100730, 北京东单三条9号

电话: (010) 69155967

传真: (010) 65266927

E-mail: aizhengjinzhan@126.com

http://www.aizhengjinzhan.com

## 市场运营

惠生文化传媒(北京)有限公司

李长松 沈杰

电话: (010) 65264353

E-mail: azjzzz@163.com

## 印 刷

北京联合互通彩色印刷有限公司

## 国内统一连续出版物号

CN 11-4971/R

## 国际标准连续出版物号

ISSN 1672-1535

## 广告许可证

京东工商广字第0342号

## 订 购

邮发代号 80-243

## 定 价

每期18.00元

2018 年版权归中国协和医科大学出版社所有

# 目 次

## 综述

鼻咽原发性腺癌的治疗现状 ..... 孙萌, 罗京伟(399)

肾细胞癌的诊疗进展 ..... 刘长城, 孙冠铎, 刘云力, 等(402)

尿路上皮癌免疫治疗的研究进展 ..... 钟巧凤, 周爱萍(406)

血管内皮生长因子表达与肿瘤干细胞关系的研究进展

..... 孔泽, 汪建林, 于静萍(410)

BRCA1 与 miRNA 在三阴性乳腺癌中的研究进展 ..... 苏日雅, 呼群, 苏乌云(414)

Slit/Robo 信号通路在肿瘤发生发展中的作用 ..... 梁刚, 马清涌, 王智翔, 等(417)

## 论著

肝细胞癌侧群/非侧群细胞中 miRNA-21 表达差异的检测

..... 吕洋, 杨珮珮, 叶龙, 等(421)

上调 miRNA-335 表达对肺癌细胞增殖、凋亡及对 survivin 表达的影响

..... 高立伟, 兰守丽, 闫江涛, 等(425)

下调 TPX2 表达对卵巢癌细胞增殖、凋亡的影响及其机制研究

..... 郑爱华, 金健, 王彦秋, 等(428)

干扰 miRNA-183 表达对食管癌细胞凋亡的影响及机制研究

..... 常国涛, 杨玉伦, 宋国趁, 等(432)

肺癌三维适形放疗联合 TP 方案应用于非小细胞肺癌的回顾性分析

..... 左文伟, 陈灿, 张艳玲(436)

|                                                      |                       |
|------------------------------------------------------|-----------------------|
| 影像引导下微波消融联合化疗治疗非小细胞肺癌的疗效观察 .....                     | 王启船, 张鹏, 万里新, 等(439)  |
| 肝细胞肝癌的多层螺旋CT征象与肿瘤血管生成指标的相关性探讨 .....                  | 康霞, 张斯佳(442)          |
| 宫颈癌患者调强放疗的照射剂量与安全性研究 .....                           | 宋瑜, 王艳艳, 邓嘉鸣(445)     |
| 肌层浸润性膀胱癌保留膀胱术后不同化疗给药途径疗效分析 .....                     | 张道秀, 赵会平, 高丽娜, 等(448) |
| 31例原发性双侧乳腺癌患者的临床特征分析 .....                           | 吕淑贞, 李艳萍, 吕大鹏, 等(452) |
| 57例大型听神经瘤患者的显微手术治疗报道 .....                           | 张猛, 马庆防, 安刚, 等(455)   |
| 影响胃癌肺转移患者预后的相关因素分析 .....                             | 张凡勇, 方亮, 张娜, 等(458)   |
| 恩度联合紫杉醇、卡培他滨治疗晚期胃癌合并腹膜转移的疗效分析 .....                  | 肖芳芳, 郭茜, 齐秀恒(461)     |
| 贝伐珠单抗治疗难治性脑转移瘤周水肿的临床观察 .....                         | 董文静, 宫满成, 萧剑军, 等(465) |
| 健脾益胃汤联合化疗治疗胃癌的临床疗效研究 .....                           | 王菲, 娄静, 赵雷, 等(469)    |
| C-met蛋白在食管癌组织中的表达及其与临床特征的关系 .....                    | 陈焱, 宋小平, 汤小虎, 等(472)  |
| 紧密连接相关蛋白在肺癌脑转移瘤中的表达及临床意义 .....                       | 鄢少聪, 应学明(475)         |
| miRNA-214在甲状腺乳头状癌患者血清中的表达水平及临床意义 .....               | 郭辉, 张斌, 胡利民(480)      |
| c-Myb和PCNA在甲状腺乳头状癌患者中的表达及与颈部淋巴结转移的关系 .....           | 张寅, 刘军, 苏磊, 等(484)    |
| TOP2A与乳腺癌临床特征及新辅助化疗效果的关系研究 .....                     | 乔江华, 焦得闯, 王丽娜, 等(488) |
| ER $\beta$ 表达与原发乳腺癌预后的相关性分析 .....                    | 王雪宁, 朱明慧, 纪增辉, 等(492) |
| 右美托咪定对乳腺癌根治术患者的麻醉效果及T淋巴细胞亚群的影响分析 .....               | 杨红星, 贾国丛, 王阳(495)     |
| microRNA-376c在人结直肠癌组织中的表达水平及其与临床特征和预后的关系 .....       | 袁伟, 马肖, 马洁(499)       |
| 直肠癌及癌前病变患者外周血髓源抑制细胞的表达及其临床意义 .....                   | 张勇超, 李潜, 谢建国, 等(503)  |
| HIF-1 $\alpha$ 与TGF- $\beta$ 蛋白在前列腺癌组织中的表达及其意义 ..... | 郝强, 王涛, 宗焕涛, 等(506)   |
| 前列腺癌患者免疫功能指标变化及临床特征对免疫功能影响的分析 .....                  | 罗林, 王海洋, 邱凌, 等(509)   |
| 急性髓系白血病患者外周血WTI基因的表达水平及其与血清IL-6、C3、C4的关系 .....       | 何玲, 吴红卫, 谭大为(512)     |
| 初诊宫颈癌磁共振平扫、DWI特征及与患者临床特征的相关性 .....                   | 向科, 曲别雪蕾, 关鉴, 等(516)  |
| CT与MRI联合诊断肝内胆管细胞癌的临床价值研究 .....                       | 周建房(519)              |
| 肥胖对女性乳腺癌患者腋窝淋巴结转移的影响 .....                           | 张晓静, 杨磊, 樊翠珍, 等(522)  |
| 肺癌合并肺栓塞患者的临床表现及易患因素分析 .....                          | 帖晓静, 郎波, 申凤乾, 等(526)  |
| 围手术期程序化综合干预在小儿肾母细胞瘤中的应用效果 .....                      | 袁寅莲, 张菁菁, 董斐婷(529)    |

# ONCOLOGY PROGRESS

Monthly    Established in May 2003    Vol. 16    No. 4    20 Apr, 2018

## Responsible Institution

National Health and Family  
Planning Commission of the  
People's Republic of China

## Sponsor

Chinese Academy of Medical  
Sciences

## Director of the press

YUAN Zhong

## Editor-in-Chief

ZHAO Ping

## Editing & Publishing

*ONCOLOGY PROGRESS*  
Editorial Department,  
Peking Union Medical College Press  
9, Dong Dan San Tiao, Beijing  
100730, P. R. China  
Phone: 0086-10-69155967  
Fax: 0086-10-65266927  
E-mail: aizhengjinzhan@126.com  
<http://www.aizhengjinzhan.com>

## Market Operations

Phone: 0086-10-65264353  
E-mail: azjzzz@163.com

## CSSN

CN 11-4971/R

## ISSN

ISSN 1672-1535

## Price

RMB    ¥ 18.00(China)

© 2018 by the Peking Union Medical  
College Press, P. R. China

## Contents

### Originals

- Differential expression of miRNA-21 between SP and NSP hepatocellular carcinoma cells ..... *LYU Yang, YANG Peipei, YE Long, et al* (421)
- Effects of up-regulation of miRNA-335 expression on the proliferation, apoptosis in lung cancer cells and on survivin expression ..... *GAO Liwei, LAN Shouli, YAN Jiangtao, et al* (425)
- The effect of down-regulation of TPX2 on the proliferation and apoptosis of ovarian cancer cells and its mechanism ..... *JIA Aihua, JIN Jian, WANG Yanqiu, et al* (428)
- Effects of miRNA-183 expression interference on apoptosis of esophageal carcinoma cells and its mechanism ..... *CHANG Guotao, YANG Yulun, SONG Guochen, et al* (432)
- Three-dimensional conformal radiotherapy combined with TP regimen for non-small cell lung cancer: a retrospective analysis ..... *ZUO Wenwei, CHEN Can, ZHANG Yanling* (436)
- Clinical observation of image-guided microwave ablation combined with chemotherapy in the treatment of non-small cell lung cancer ..... *WANG Qichuan, ZHANG Peng, WAN Lixin, et al* (439)
- The correlation between the features of multi-slice computed tomography and angiogenesis index in hepatocellular carcinoma ... *KANG Xia, ZHANG Sijia* (442)
- Study on dose analysis and safety of intensity-modulated radiotherapy for cervical cancer ..... *SONG Yu, WANG Yanyan, DENG Jiaming* (445)
- Analysis of the curative effect of different route of administration for chemo-therapy in muscle invasive bladder cancer after bladder sparing surgery ..... *ZHANG Daoxiu, ZHAO Huiping, GAO Lina, et al* (448)
- Analysis of the clinical characteristics of 31 cases of primary bilateral breast cancer ..... *LYU Shuzhen, LI Yanping, LYU Dapeng, et al* (452)

|                                                                                                                                                                      |                                                       |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|
| Report for microsurgical treatment in 57 cases of large acoustic neuroma ...                                                                                         | ZHANG Meng, MA Qingfang, AN Gang, et al(455)          |
| Prognostic factors of pulmonary metastasis in patients with gastric carcinoma<br>.....                                                                               | ZHANG Fanyong, FANG Liang, ZHANG Na, et al(458)       |
| Analysis on the clinical efficacy of Endostar combined with paclitaxel and capecitabine in the treatment of advanced gastric cancer with peritoneal metastasis ..... | XIAO Fangfang, GUO Qian, QI Xiuheng(461)              |
| Clinical observation of bevacizumab in the treatment of peritumoral brain edema in refractory brain metastases<br>.....                                              | DONG Wenjing, GONG Mancheng, XIAO Jianjun, et al(465) |
| Clinical efficacy of Jianpi Yiwei Decoction combined with chemotherapy in the treatment of gastric cancer<br>.....                                                   | WANG Fei, LOU Jing, ZHAO Lei, et al(469)              |
| Study on the relationship between C-met protein expression and the clinical characteristics of esophageal cancer<br>.....                                            | CHEN Yan, SONG Xiaoping, TANG Xiaohu, et al(472)      |
| Expression and clinical significance of tight junction proteins in brain metastases from lung cancer<br>.....                                                        | YAN Shaocong, YING Xueming(475)                       |
| Expression of serum miRNA-214 in papillary thyroid carcinoma patients and its clinical significance<br>.....                                                         | GUO Hui, ZHANG Bin, HU Limin(480)                     |
| The expression of c-Myb and PCNA in the thyroid papillary carcinoma and its relationship with cervical lymph node metastasis<br>.....                                | ZHANG Yin, LIU Jun, SU Lei, et al(484)                |
| The relationship between TOP2A and the clinical pathological characteristics and efficacy of neoadjuvant chemotherapy in breast cancer .....                         | QIAO Jianghua, JIAO Dechuang, WANG Lina, et al(488)   |
| The correlation analysis of ER $\beta$ expression in tissues and the prognosis of primary breast cancer<br>.....                                                     | WANG Xuening, ZHU Minghui, JI Zenghui, et al(492)     |
| Influence of dexmedetomidine on the effect of anesthesia in patients with radical mastectomy and on the T-lymphocyte subsets<br>.....                                | YANG Hongxing, JIA Guocong, WANG Yang(495)            |
| Expression level of microRNA-376c in human colorectal cancer tissues and its relationship with clinical characteristics and prognosis .....                          | YUAN Wei, MA Xiao, MA Jie(499)                        |
| The expression and clinical significance of myeloid derived suppressor cell in peripheral blood of patients with rectal cancer and precancerous lesion .....         | ZHANG Yongchao, LI Qian, XIE Jianguo, et al(503)      |
| Expression of HIF-1 $\alpha$ and TGF- $\beta$ protein in prostate cancer tissue and its significance<br>.....                                                        | HAO Qiang, WANG Tao, ZONG Huantao, et al(506)         |
| The changes of immune function indexes and the effect of clinical features on immune function in patients with prostate cancer<br>.....                              | LUO Lin, WANG Haiyang, QIU Ling, et al(509)           |
| Peripheral blood <i>WT1</i> gene expression level of patients with acute myeloid leukemia and its relationship with serum IL-6, C3 and C4 .....                      | HE Ling, WU Hongwei, TAN Dawei(512)                   |
| Magnetic resonance scan, DWI features and correlation with clinical characteristics in the newly diagnosed cervical cancer<br>.....                                  | XIANG Ke, QUBIE Xuelei, GUAN Jian, et al(516)         |
| Clinical value of combined CT and MRI in the diagnosis of intrahepatic cholangiocarcinoma .....                                                                      | ZHOU Jianfang(519)                                    |
| Effect of obesity on axillary lymph node metastasis in patients with female breast cancer<br>.....                                                                   | ZHANG Xiaojing, YANG Lei, FAN Cuizhen, et al(522)     |
| Analysis of clinical manifestation and predisposing factors in lung cancer patients with pulmonary embolism<br>.....                                                 | TIE Xiaojing, LANG Bo, SHEN Fengqian, et al(526)      |
| Application of perioperative procedural comprehensive intervention in pediatric Wilms tumor<br>.....                                                                 | YUAN Yinlian, ZHANG Qingqing, DONG Feiting(529)       |



国药准字H19980092(10mg)

国药准字H19980093(30mg)

# 百士欣®

## Ubenimex Capsules

### 乌苯美司胶囊

# CD13靶向性抗肿瘤药物

## 抗肿瘤治疗—调节免疫功能

【适应症】本品可增强免疫功能，用于抗癌化疗、放疗的辅助治疗，老年性免疫功能缺陷等。

可配合化疗、放疗及联合应用于白血病、多发性骨髓瘤、骨髓增生异常综合症及造血干细胞移植后，以及其它实体瘤患者。

【用法用量】成人，一日30mg，1次（早晨空腹口服）或分3次口服；儿童酌减。症状减轻或长期服用，也可每周服用2~3次，10个月为一疗程。

【不良反应】剂量超过200mg/日，可使T细胞减少。偶有皮疹、瘙痒、头痛、面部浮肿和一些消化道反应如恶心、呕吐、腹泻、软便。个别可出现一过性轻度AST升高。一般在口服过程中或停药后消失。

【禁忌】未进行该项实验且无可靠参考文献。

【包装规格】10mg×15粒/盒；30mg×10粒/盒

本广告仅供医学药学专业人士阅读 浙药广审（文）第2017050098号



## APELOA 普洛

股票代码：000739

浙江普洛康裕制药有限公司

地址：浙江省东阳市横店江南路333号

电话号码：0579-86558503 86558105

邮政编码：322118

传真号码：0579-86558102