


ISSN 0253-9837  
CN 21-1601/O6



# Chinese Journal of Catalysis

[www.cjcatal.org](http://www.cjcatal.org)

Volume 39 | Number 12 | December 2018




Editors-in-Chief Can Li (李灿) Tao Zhang (张涛)  
Transaction of The Catalysis Society of China



available at www.sciencedirect.com



journal homepage: www.elsevier.com/locate/chnjc



## Chinese Journal of Catalysis

### Graphical Contents

#### Review


Chin. J. Catal., 2018, 39: 1861–1868 doi: 10.1016/S1872-2067(18)63144-4

#### Advancements in biocatalysis: From computational to metabolic engineering

Aqib Zafar Khan, Muhammad Bilal \*, Tahir Rasheed, Hafiz M. N. Iqbal \*

Shanghai Jiao Tong University, China;  
Huaiyin Institute of Technology, China;  
Tecnológico de Monterrey, Mexico


Designing novel biocatalysts with high-values and applied perspectives for different industrial and medicinal sectors is a pursuit central to modern industry. Herein, we highlight the role of synthetic biology and metabolic engineering in bio-catalysis.



#### Articles

Chin. J. Catal., 2018, 39: 1869–1880 doi: 10.1016/S1872-2067(18)63153-5

#### Effect of the support on cobalt carbide catalysts for sustainable production of olefins from syngas

Xinxing Wang, Wen Chen, Tiejun Lin, Jie Li, Fei Yu, Yunlei An, Yuanyuan Dai, Hui Wang, Liangshu Zhong \*, Yuhan Sun  
Shanghai Advanced Research Institute, Chinese Academy of Sciences; University of Chinese Academy of Sciences; ShanghaiTech University


The cobalt-support interaction has a great impact on the Co<sub>2</sub>C morphology and catalytic performance of the Fischer-Tropsch to olefin reaction.

*Chin. J. Catal.*, 2018, 39: 1881–1889 doi: 10.1016/S1872-2067(18)63154-7

**Co(III)/Zn(II)-catalyzed dearomatization of indoles and coupling with carbenes from ene-yne ketones via intramolecular cyclopropanation**

Na Li, Junbiao Chang \*, Lingheng Kong, Shuangjing Wang, Dandan Wang, Miao Cheng, Xingwei Li \*

*Henan Normal University; Xinxiang Medical University; Dalian Institute of Chemical Physics, Chinese Academy of Sciences*




A straightforward and efficient protocol for dearomatizing indoles is described. The reaction, catalyzed by an inexpensive  $\text{Co(III)}/\text{Zn(II)}$  catalyst, starts from conveniently accessible *N*-pyrimidinyl indoles and ene-yne ketones. Mild reaction conditions, high diastereoselectivity, a broad substrate scope, reasonable functional group tolerance, and reasonable to remarkable yields were observed.

*Chin. J. Catal.*, 2018, 39: 1890–1900 doi: 10.1016/S1872-2067(18)63152-3

**Enhanced visible-light photocatalytic oxidation capability of carbon-doped  $\text{TiO}_2$  via coupling with fly ash**

Ning An, Yuwei Ma, Juming Liu \*, Huiyan Ma, Jucai Yang, Qiancheng Zhang \*

*Inner Mongolia University of Technology; University of Science and Technology Beijing*




The coupling between  $\text{C}-\text{TiO}_2$  and FAS led to a positive shift of the valence band edge of  $\text{C}-\text{TiO}_2$ , enhancing its oxidation capability of photo-generated holes and improving its methyl orange photodegradation efficiency.

*Chin. J. Catal.*, 2018, 39: 1901–1909 doi: 10.1016/S1872-2067(18)63137-7

**$\text{ZnIn}_2\text{S}_4$  flowerlike microspheres embedded with carbon quantum dots for efficient photocatalytic reduction of Cr(VI)**

Baibai Liu, Xinjuan Liu \*, Lei Li, Jianwei Li, Can Li, Yinyan Gong, Lengyuan Niu, Xinsheng Zhao, Chang Q. Sun  
*China Jiliang University, China;*  
*Yangtze Normal University, China;*  
*Jiangsu Normal University, China;*  
*Nanyang Technological University, Singapore*


$\text{ZnIn}_2\text{S}_4$ /carbon quantum dot hybrid photocatalysts display excellent visible-light catalytic activity for the reduction of Cr(VI) with a reduction rate of 93%.



*Chin. J. Catal.*, 2018, 39: 1910–1918 doi: 10.1016/S1872-2067(18)63140-7

### Fabrication of $\text{Bi}_2\text{WO}_6$ quantum dots/ultrathin nanosheets 0D/2D heterojunctions with enhanced photocatalytic activity under visible light irradiation

Jingjing Xu\*, Junpeng Yue, Junfeng Niu, Mindong Chen, Fei Teng  
Nanjing University of Information Sciences and Technology; Dongguan University of Technology




$\text{Bi}_2\text{WO}_6$  quantum dots and  $\text{Bi}_2\text{WO}_6$  nanosheets form a unique zero-dimensional (0D)/two-dimensional (2D) heterojunction. This structure promotes the transfer and separation of photogenerated electron-hole pairs, which greatly enhances the photocatalytic activity.

*Chin. J. Catal.*, 2018, 39: 1919–1928 doi: 10.1016/S1872-2067(18)63143-2

### Hierarchical Ni-Al hydrotalcite supported Pt catalyst for efficient catalytic oxidation of formaldehyde at room temperature

Zhaoxiong Yan, Zhihua Xu\*, Lin Yue, Ling Shi,  
Lingyong Huang\*  
*Jianghan University; Huanggang Normal University*


Ni-Al hydrotalcite supported Pt catalyst (Pt/NiAl21) showed an excellent activity toward room-temperature decomposition of HCHO into  $\text{CO}_2$  and  $\text{H}_2\text{O}$  due to its plenty of reactive surface oxygen species and unique flower-like structure.



*Chin. J. Catal.*, 2018, 39: 1929–1941 doi: 10.1016/S1872-2067(18)63146-8

### Relationship between oxygen species and activity/stability in heteroatom (Zr, Y)-doped cerium-based catalysts for catalytic decomposition of $\text{CH}_3\text{SH}$

Dingkai Chen, Dehua Zhang\*, Dedong He, Jichang Lu, Liping Zhong, Caiyun Han, Yongming Luo\*  
*Kunming University of Science and Technology*




Surface lattice oxygen plays a key role in decomposing  $\text{CH}_3\text{SH}$ . Oxygen vacancies promote bulk lattice oxygen migration. The valence difference between the doped ions affects the catalytic behavior.

*Chin. J. Catal.*, 2018, 39: 1942–1950 doi: 10.1016/S1872-2067(18)63133-X

### Hierarchical 0D/2D $\text{Co}_3\text{O}_4$ hybrids rich in oxygen vacancies as catalysts towards styrene epoxidation reaction

Jiangyong Liu\*, Tingting Chen, Panming Jian, Lixia Wang  
Yangzhou University




The hierarchical 0D/2D  $\text{Co}_3\text{O}_4$  hybrids rich in oxygen vacancies exhibit a much better catalytic performance than the  $\text{Co}_3\text{O}_4$  sheets in the styrene epoxidation reaction, with the yield of styrene oxide more than doubled.

*Chin. J. Catal.*, 2018, 39: 1951–1959 doi: 10.1016/S1872-2067(18)63155-9

### Amorphous $\text{CoSnO}_3@r\text{GO}$ nanocomposite as an efficient cathode catalyst for long-life Li-O<sub>2</sub> batteries

Guanghui Yue\*, Jiandi Liu, Jiangtao Han, Donghui Qin, Qiang Chen\*, Jianxiong Shao  
Xiamen University; Lanzhou University




Amorphous  $\text{CoSnO}_3$  nanoboxes intertwined with the rGO as the highly efficient cathode catalyst for the Li-O<sub>2</sub> batteries to reduce the overpotential and improve the cycling performance.

*Chin. J. Catal.*, 2018, 39: 1960–1970 doi: 10.1016/S1872-2067(18)63147-X

### Investigation of the coupled reaction of methyl acetate and *n*-hexane over HZSM-5

Kuo Yang, Jinzhe Li, Xiao Zhang\*, Zhongmin Liu\*  
Dalian Institute of Chemical Physics, Chinese Academy of Sciences; China University of Petroleum; University of Chinese Academy of Sciences


The coupling of methyl acetate (hydrogen-deficient) and *n*-hexane (hydrogen-rich) not only exhibits thermal coupling but also chemical coupling, whereby the product distribution is improved compared to the catalytic cracking of individual *n*-hexane.



*Chin. J. Catal.*, 2018, 39: 1971–1979 doi: 10.1016/S1872-2067(18)63158-4

**Iron-based catalysts encapsulated by nitrogen-doped graphitic carbon for selective synthesis of liquid fuels through the Fischer-Tropsch process**

Lei Tang, Xiao-Ling Dong, Wei Xu, Lei He, An-Hui Lu \*  
Dalian University of Technology



The catalyst consisting of iron nanoparticles encapsulated by nitrogen-doped graphitic carbon exhibits excellent catalytic activity, high gasoline-range hydrocarbon selectivity, and good stability.


**Information**

*Chin. J. Catal.*, 2018, 39: 1980–2004

**Contents for Volume 39 (2018)**

*Chin. J. Catal.*, 2018, 39: 2005–2015

**Author Index for Volume 39 (2018)**



中国科学院科学出版基金资助出版



## 目 次

### 综 述

1861

生物催化进展：从计算到代谢工程

Aqib Zafar Khan, Muhammad Bilal, Tahir Rasheed,  
Hafiz M. N. Iqbal

### 论 文

1869

合成气直接制烯烃碳化钴基催化剂的载体效应

王新星, 陈文, 林铁军, 李杰, 于飞, 安芸蕾, 代元元, 王慧,  
钟良枢, 孙予罕

1881

Co(III)/Zn(II)催化吲哚的分子内环丙烷化

李娜, 常俊标, 孔令恒, 王栓景, 王丹丹, 程森, 李兴伟

1890

与粉煤灰耦合增强碳掺杂TiO<sub>2</sub>的可见光催化氧化能力

安宁, 马雨威, 刘聚明, 马惠言, 杨桔材, 张前程

1901

花状微球ZnIn<sub>2</sub>S<sub>4</sub>/碳量子点复合物用于光催化还原Cr(VI)

刘白白, 刘心娟, 李蕾, 李建伟, 李灿, 宫银燕, 牛棱渊,  
赵新生, 孙长庆

1910

可见光照射下具有增强光催化活性的Bi<sub>2</sub>WO<sub>6</sub>量子点-超薄纳米片(0D/2D)同质结结构

徐晶晶, 岳俊鹏, 牛军峰, 陈敏东, 滕飞

1919

分等级结构的镍铝水滑石负载Pt催化剂高效室温催化氧化甲醛

严朝雄, 徐志花, 岳琳, 石零, 黄林勇

1929

杂原子(Zr, Y)掺杂的铈基催化剂中氧物种与其催化 CH<sub>3</sub>SH 分解的活性/稳定性之间的关系

陈定凯, 张德华, 何德东, 陆继长, 钟丽萍, 韩彩云, 罗永明

1942

富含氧空位的多级0D/2D Co<sub>3</sub>O<sub>4</sub>催化剂在苯乙烯环氧化反应中的应用

刘江永, 陈婷婷, 蒲盈铭, 王理霞

1951

石墨烯包覆无定形CoSnO<sub>3</sub>纳米复合材料用作锂空气电池阴极催化剂的性能

岳光辉 刘建蒂, 韩江涛, 覃东慧, 陈强, 邵剑雄

1960

乙酸甲酯和正己烷在HZSM-5上耦合反应的研究

杨阔, 李金哲, 张潇, 刘中民

1971

氮掺杂石墨化炭包覆的铁基催化剂的制备及其费托合成反应性能

唐磊, 董晓玲, 徐薇, 贺雷, 陆安慧

### 相关信息

1980 Contents for Volume 39 (2018)

1996 2018年总目次

2005 Author Index for Volume 39 (2018)

2011 2018年作者索引

英文全文电子版(国际版)由Elsevier出版社在ScienceDirect上出版

<http://www.sciencedirect.com/science/journal/18722067>

<http://www.elsevier.com/locate/chinjc>

[www.cjcatl.org](http://www.cjcatl.org)

在线投审稿网址

<https://mc03.manuscriptcentral.com/cjcatl>