


ISSN 0253-9837
CN 21-1601/O6



Chinese Journal of Catalysis

www.cjcat.org

Volume 42 | Number 6 | June 2021



Editors-in-Chief Can Li Tao Zhang
Transaction of The Catalysis Society of China

万方数据

催化学报 CHINESE JOURNAL OF CATALYSIS

June 2021

Vol. 42 No. 6


Pages 855-1050

科学出版社



available at www.sciencedirect.com

journal homepage: www.elsevier.com/locate/chnjc




Chinese Journal of Catalysis Graphical Contents

Reviews

Chin. J. Catal., 2021, 42: 855–871 doi: 10.1016/S1872-2067(20)63714-7

Research advances of light-driven hydrogen evolution using polyoxometalate-based catalysts

Mo Zhang, Huijie Li, Junhao Zhang, Hongjin Lv *, Guo-Yu Yang *
Beijing Institute of Technology




This critical review addresses the research advances of light-driven hydrogen evolution using polyoxometalate-based catalysts (including plenary POMs, transition-metal-substituted POMs, POM@MOF composites, and POM-Semiconductor hybrids) under UV, near UV, and visible light irradiation.

Chin. J. Catal., 2021, 42: 872–903 doi: 10.1016/S1872-2067(20)63715-9

Design of metal-organic frameworks (MOFs)-based photocatalyst for solar fuel production and photo-degradation of pollutants

Xiaoxue Zhao, Jinze Li, Xin Li, Pengwei Huo *, Weidong Shi *
Jiangsu University




The design factors of MOFs-based photocatalysts and strategies to improve the activity of MOFs-based photocatalysts are discussed, and their application progress and challenges in reducing CO₂, decomposing water and degrading organic pollutants are summarized.

Chin. J. Catal., 2021, 42: 904–919 doi: 10.1016/S1872-2067(20)63712-3

Recent strategies to enhance the efficiency of hematite photoanodes in photoelectrochemical water splitting

Dinghua Zhou, Ke Fan *
Dalian University of Technology

Widely applied strategies to enhance the photoelectrochemical performance of hematite photoanodes for water splitting.




Chin. J. Catal., 2021, 42: 920–937 doi: 10.1016/S1872-2067(20)63718-4

Progress of electrochemical CO₂ reduction reactions over polyoxometalate-based materials

Jing Du, Yuan-Yuan Ma, Huaqiao Tan *, Zhen-Hui Kang *,
Yangguang Li *
Northeast Normal University; Soochow University;
Hebei Normal University

Recent progress in the field of electrochemical CO₂ reduction reactions over polyoxometalate (POM)-based materials have been summarized and critically reviewed, highlighting the activity origin and reaction mechanisms of POM-based materials.




Articles

Chin. J. Catal., 2021, 42: 938–944 doi: 10.1016/S1872-2067(20)63701-9

Regulating carbon work function to boost electrocatalytic activity for the oxygen reduction reaction

Yazhi Cai, Li Tao, Gen Huang, Nana Zhang, Yuqin Zou *,
Shuangyin Wang
Hunan University

The cesium-doping could regulate the work function of N-doped carbon and boost the electrocatalytic activity for the ORR.




Chin. J. Catal., 2021, 42: 945–952 doi: 10.1016/S1872-2067(20)63713-5

Intrinsic photocatalytic water oxidation activity of Mn-doped ferroelectric BiFeO₃

Jafar Hussain Shah, Anum Shahid Malik, Ahmed Mahmoud Idris,
Saadia Rasheed, Hongxian Han *, Can Li
Dalian Institute of Chemical Physics, Chinese Academy of Sciences;
University of Chinese Academy of Sciences

Mn-doped BiFeO₃ enhances intrinsic photocatalytic OER activity due to synergetic improvement of light absorption and charge separation as well as lowering the water oxidation activation energy.




Chin. J. Catal., 2021, 42: 953–962 doi: 10.1016/S1872-2067(20)63719-6

N-doped carbon-coated Fe₃N composite as heterogeneous electro-Fenton catalyst for efficient degradation of organics

Juan Xiao, Junwei Chen, Zuqiao Ou, Junhang Lai, Tongwen Yu, Yi Wang*

Sun Yat-sen University

Iron-based metal organic framework derived Fe₃N/@NG/NC catalyst exhibits outstanding heterogeneous electro-Fenton performance for removing organic pollutants with good reusability and low iron leaching over a wide pH range of 3.0–9.0.




Chin. J. Catal., 2021, 42: 963–970 doi: 10.1016/S1872-2067(20)63716-0

Enhanced oxygen reduction reaction performance over Pd catalysts by oxygen-surface-modified SiC

Jing Li, Xiang Sun, Yongzheng Duan, Dongmei Jia, Yuejin Li, Jianguo Wang*

Binzhou University; Zhejiang University of Technology

Charge transfer from SiC_xO_y on the surface of SiC to Pd NPs enhanced the ORR activity by inducing electron-rich Pd.



Chin. J. Catal., 2021, 42: 971–979 doi: 10.1016/S1872-2067(20)63710-X


Atomic structures and electronic properties of Cr-doped ZnO(10 $\bar{1}$ 0) surfaces

Wugen Huang, Jun Cai, Jun Hu, Junfa Zhu, Fan Yang*, Xinhe Bao*

Dalian Institute of Chemical Physics, Chinese Academy of Sciences; University of Chinese Academy of Sciences

ShanghaiTech University; University of Science and Technology of China

Cr islands and isolated Cr³⁺ atoms deposited on ZnO(10 $\bar{1}$ 0) at 300 K would re-disperse into ZnO lattice after annealing at above 600 K owing to the strong interaction between Cr and ZnO.




Chin. J. Catal., 2021, 42: 980–993 doi: 10.1016/S1872-2067(20)63724-X

Critical roles of molybdate anions in enhancing capacitive and oxygen evolution behaviors of LDH@PANI nanohybrids

Qiang Hu, Hua Wang, Feifei Xiang, Qiaoji Zheng, Xinguo Ma, Yu Huo, Fengyu Xie, Chenggang Xu, Dunmin Lin*, Jisong Hu*

Sichuan Normal University; Hubei University of Technology


A polyaniline-coated NiCo layered double hydroxide intercalated with MoO₄²⁻ (M-LDH@PANI) composite electrode is used in high-performance supercapattery and oxygen evolution reactions.



Chin. J. Catal., 2021, 42: 994–1003 doi: 10.1016/S1872-2067(20)63720-2

Straightforward synthesis of beta zeolite encapsulated Pt nanoparticles for the transformation of 5-hydroxymethyl furfural into 2,5-furandicarboxylic acid

Xiaoling Liu, Lei Chen, Hongzhong Xu, Shi Jiang, Yu Zhou *, Jun Wang *
Nanjing Tech University




Beta zeolite-encapsulated Pt NPs provided a high yield and turnover number in the oxidation of HMF into FDCA with atmospheric O₂.

Chin. J. Catal., 2021, 42: 1004–1012 doi: 10.1016/S1872-2067(20)63717-2

Surface assembly of cobalt species for simultaneous acceleration of interfacial charge separation and catalytic reactions on Cd_{0.9}Zn_{0.1}S photocatalyst

Khakemin Khan, Lifen Xu, Ming Shi, Jiangshan Qu, Xiaoping Tao, Zhaochi Feng, Can Li, Rengui Li*
Dalian Institute of Chemical Physics, Chinese Academy of Sciences,
Dalian National Laboratory for Clean Energy;
University of Chinese Academy of Sciences




The hierarchical CZS@CoO_x heterostructure, synthesized via surface assembly of CoO_x species on the surface of CZS, exhibits efficient interfacial charge separation and accelerated surface HER activity.

Chin. J. Catal., 2021, 42: 1013–1023 doi: 10.1016/S1872-2067(20)63708-1

Chloridion-induced dual tunable fabrication of oxygen-deficient Bi₂WO₆ atomic layers for deep oxidation of NO

Xianglong Yang, Shengyao Wang, Ting Chen, Nan Yang, Kai Jiang, Pei Wang, Shu Li, Xing Ding *, Hao Chen *
Huazhong Agricultural University




Chloridion plays an indispensable role in the fabrication of oxygen-deficient Bi₂WO₆ atomic layers: ultrathinning and defect-engineering. The as-prepared BWO-Cl displayed intriguing photoelectrochemical properties and O₂ activation ability, thereby exerting ultrahigh activity in the visible-light powered deep oxidation of NO.

Chin. J. Catal., 2021, 42: 1024–1029 doi: 10.1016/S1872-2067(20)63704-4

Commercial indium-tin oxide glass: A catalyst electrode for efficient N₂ reduction at ambient conditions

Ting Wang, Shaoxiong Li, Bingling He, Xiaojuan Zhu, Yonglan Luo*, Qian Liu, Tingshuai Li, Siyu Lu, Chen Ye, Abdullah M. Asiri, Xuping Sun*
China West Normal University, China; Xinxiang University, China; University of Electronic Science and Technology of China, China; Zhengzhou University, China; Sichuan University, China; King Abdulaziz University, Saudi Arabia

Commercial indium-tin oxide glass acts as an efficient electrocatalyst for the conversion of N₂ to NH₃ in 0.5 M LiClO₄, achieving a large NH₃ yield of 1.06×10^{-10} mol s⁻¹ cm⁻² and a high FE of 6.17%.




Chin. J. Catal., 2021, 42: 1030–1039 doi: 10.1016/S1872-2067(20)63707-X

Mn-corrolazine-based 2D-nanocatalytic material with single Mn atoms for catalytic oxidation of alkane to alcohol

Chun Zhu, Jin-Xia Liang, Yang Meng, Jian Lin*, Zexing Cao*
Guizhou University; Guizhou Education University; Dalian Institute of Chemical Physics, Chinese Academy of Sciences; Xiamen University


Novel two-dimensional (2D) Mn-corrolazine nanocatalytic materials bearing Mn atoms as single-atom catalyst centers can efficiently and selectively oxidize C-H to C-OH bonds through the regulation of an external electric field.




Chin. J. Catal., 2021, 42: 1040–1050 doi: 10.1016/S1872-2067(20)63706-8

Rational design of stratified material with spatially separated catalytic sites as an efficient overall water-splitting photocatalyst

Yi-Lei Li, Xiao-Jing Wang, Ying-Juan Hao, Jun Zhao, Ying Liu, Hui-Ying Mu, Fa-Tang Li*
Hebei University of Science and Technology



Stratified Co-MnO₂@CdS/CoS hollow cubes enable rapid transfer of photoinduced electrons and holes from CdS to the CoS and Co-MnO₂ catalytic sites, respectively, thereby enhancing overall water-splitting performance.



中国科学院科学出版基金资助出版

月刊 SCI收录 2021年6月 第42卷 第6期



目次

综述

855

基于多金属氧酸盐催化剂的光驱动产氢研究进展

张默, 李慧杰, 张峻豪, 吕红金, 杨国显

872

金属有机框架(MOFs)基光催化剂的设计及其太阳能转化和污染物降解的研究进展

赵小雪, 李金择, 李鑫, 霍鹏伟, 施伟东

904

提高氧化铁光电催化分解水效率的策略进展

周定华, 范科

920

多金属氧酸盐材料在二氧化碳电催化还原领域中的研究进展

都京, 马媛媛, 谭华桥, 康振辉, 李阳光

论文

938

调控碳材料的功函数以大幅度提升其电催化氧化还原性能

蔡雅芝, 陶李, 黄根, 张娜娜, 邹雨芹, 王双印

945

Mn掺杂的铁电半导体BiFeO₃本征光催化氧化水活性的研究

Jafar Hussain Shah, Anum Shahid Malik, Ahmed Mahmoud Idris, Saadia Rasheed, 韩洪宪, 李灿

953

基于N-掺杂碳包覆Fe₃N复合材料的高效异相电芬顿降解有机物

肖娟, 陈军伟, 欧祖翘, 赖俊杭, 俞同文, 王毅

963

部分氧化碳化硅提高钨催化氧化还原反应性能

李晶, 孙翔, 段永正, 贾冬梅, 李跃金, 王建国

971

Cr掺杂ZnO(10 $\bar{1}$ 0)表面的原子结构和电子性质研究

黄武根, 蔡军, 胡俊, 朱俊发, 杨帆, 包信和

980

钨酸根阴离子在增强聚苯胺包覆的镍钴层状氢氧化物的电容和析氧行为中的关键作用

胡强, 王华, 向飞菲, 郑莽信, 马新国, 霍瑜, 谢奉好, 徐成刚, 赁敦敏, 胡吉松

994

直接合成Beta沸石封装Pt纳米粒子用于5-羟甲基糠醛合成2,5-呋喃二甲酸

刘晓玲, 陈磊, 许红中, 蒋师, 周瑜, 王军

1004

表面组装钴物种同时促进Cd_{0.9}Zn_{0.1}S光催化剂的界面电荷分离和表面反应

Khakemin Khan, 徐丽粉, 石明, 曲江珊, 陶晓萍, 冯兆池, 李灿, 李仁贵

1013

Cl诱导的含氧空位原子层厚Bi₂WO₆的可控合成及其深度氧化NO性能

杨祥龙, 汪圣尧, 陈婷, 杨楠, 江开, 汪佩, 李淑, 丁星, 陈浩

1024

商用氧化铟锡玻璃: 室温高效还原氮气的催化剂电极

王婷, 李绍雄, 赫丙玲, 朱晓娟, 罗永岚, 刘倩, 李廷帅, 卢思宇, 叶晨, Abdullah M. Asiri, 孙旭平

1030

基于氮杂Mn卟啉二维纳米材料的单原子Mn中心催化氧化烷烃制醇

朱纯, 梁锦霞, 孟洋, 林坚, 曹泽星

1040

合理设计具有空间分离催化位点的中空立方体顺序材料作为高效的全解水光催化剂

李义磊, 王晓静, 郝影娟, 赵君, 刘英, 穆惠英, 李发堂

英文全文电子版(国际版)由Elsevier出版社在ScienceDirect上出版

<http://www.sciencedirect.com/science/journal/18722067>

<http://www.elsevier.com/locate/chnjc>

www.cjatal.org

在线投审稿网址

<https://mc03.manuscriptcentral.com/cjatal>