



ISSN 1001 - 0505
CODEN DDXZB9

东南大学学报

(自然科学版)

JOURNAL OF SOUTHEAST UNIVERSITY

(NATURAL SCIENCE EDITION)

第43卷 第4期

Vol.43 No.4



中国 南京
Nanjing, China

4
2013

目 次

中继网络中基于能量效率的动态用户接入算法	李欣	王浩	孟超	刘楠	尤肖虎	(675)
两跳中继 TDD-CDMA 蜂窝网络容量分析	鲁蔚峰		杨绿溪		吴蒙	(681)
一种基于自适应竞争窗口的无线传感器网络拥塞缓解策略	方晨		刘昊		时龙兴	(686)
动态应力下功率 n-LDMOS 器件热载流子退化恢复效应						
应用于低功耗嵌入式处理器的功耗动态管理策略设计	孙大鹰	徐申	徐玉珉	王永平	孙伟峰	(691)
基于双频 PFM 控制模式的升压式 DC-DC 变换器	常昌远	陈瑶	李俊	陆生礼	朱铭强	(695)
基于议题分类的 Web 服务协商机制	曹玖新	杨鹏伟	刘波	吴江林	董丹	(701)
基于立体视觉的一般物体识别方法			钱玉侠	张晓	朱博	(706)
基于四元数表示的彩色图像泊松噪声去噪	陈北京	戴慧	刘全升	舒华忠		(711)
λ -DNA 通过纳米通道产生电流信号的 $1/f$ 噪声分析	顾兴中	刘磊	王霏	倪中华		(717)
多模式驱动的机器人关节控制器设计及实验	夏磊	范坚	郝风吉	闫雪	罗翔	(729)
仿生柔性并联机器人的逆运动学与优化设计	孙黎霞	宋洪刚	高丙团	汤奕		(736)
多自由度双柔性杆月壤取样器			凌云	宋爱国	卢伟	(742)
基于数字锁相环控制的硅微陀螺仪驱动模态分析与实验	王晓雷	张印强	杨成	李宏生		(747)
GNSS 多系统基线解算中的病态性分析与评价	王胜利	王庆	高旺	潘树国		(753)
基于非负 Tucker 3 分解的稀疏分量分析在故障信号提取中的应用			王海军	许飞云		(758)
基于三维动力学模型的重型卡车动态参数对平顺性的影响						
Le Van Quynh 张建润 王园 孙小娟 Nguyen Van Liem						(763)
高速列车座椅外观设计“特征-风格”映射机制的推理方法						
亚微米电解加工的试验研究	周蕾	薛澄岐	汤文成	王海燕	吴闻宇	(771)
高速工具约束磨料表面光整工艺	吴修娟	曲宁松	曾永彬	王玉峰	朱荻	(777)
逆流热源塔传热传质模型建立与凝水调节的可行性	庄曙东	安鲁陵	王婷婷	郭光辉		(782)
周向重叠三分螺旋折流板换热器性能比较	刘成兴	梁彩华	文先太	张小松		(788)
微型有机朗肯循环热电系统建模与性能分析	董聪	陈亚平	吴嘉峰	操瑞兵		(793)
多模型块结构 Laguerre 函数预测控制在再热汽温系统中的应用	邵应娟	金保昇	钟文琪	Liu Hao		(798)
化学链高温空分制氧性能评价	崔晓波	陈雨亭	秦文炜	王致新	吕剑虹	(803)
以活性炭为载体的负载型催化剂的 SCR 脱硝性能			赵亚仙	向文国	陈时熠	(809)
诱导结晶对反硝化除磷的强化作用	吴海苗		王晓波	归柯庭		(814)
人体呼吸道内可吸入颗粒径向平面运动的 CFD-DEM 模拟	顾倩	吕锡武	史静	李洁		(819)
纳米 TiO_2 颗粒强化 MDEA 溶液鼓泡吸收 CO_2 的特性	陈晓乐	钟文琪	孙宝宾	金保昇	周献光	(824)
微波辅助 NH_4Cl 改性沸石及其在调湿材料中的应用	李舒宏	丁一	杜垲	张小松		(830)
硅藻土基调湿建筑材料的应用仿真模拟			郑佳宜	陈振乾		(835)
热力氧耦合环境下 C/C 复合材料的力学性能表征	闵昌万	谭志勇	龙丽平	费庆国		(845)
孔口应力集中问题的 Cosserat 连续体有限元分析			唐洪祥	管毓辉		(849)
盾构隧道邻近建筑物施工的地面变形分析及预测			朱逢斌	缪林昌		(856)
高架地铁列车环境振动传播规律的数值模拟	张辰辰		钱振东	张晓春		(863)
沥青路面黏弹性泊松比近似方法的比较	陈静云	孙依人	刘佳音	徐辉		(868)
纳米改性沥青混合料路用性能			辛宪涛	任皎龙		(873)
城市中心区土地集约利用的评价模型: 基于 50 个样本的定量分析	杨俊宴		史北祥	杨扬		(877)
一种车速截断对数正态分布的车队离散模型	魏明		陈学武	孙博		(885)
基于交叉口多相位信号控制的路网容量			王建	邓卫		(890)
地铁网络无标度特性分析	王志如	梁作论	袁竞峰	李启明		(895)
模糊社会网络的结构洞分析方法			廖丽平	胡仁杰		(900)

本期责任编辑: 沈慧 黄岚

CONTENTS

- Dynamic user association algorithm based on energy efficiency
in relay networks *Li Xin, Wang Hao, Meng Chao, Liu Nan, You Xiaohu* (675)
- Capacity analysis of two-hop-relay TDD-CDMA cellular networks *Lu Weifeng, Yang Luxi, Wu Meng* (681)
- Congestion alleviation strategy based on adaptive contention window
for wireless sensor networks *Fang Chen, Liu Hao, Shi Longxing* (686)
- Recovery effect of hot-carrier degradation for n-LDMOS device
under dynamic conditions *Xu Shen, Zhang Chunwei, Liu Siyang, Wang Yongping, Sun Weifeng* (691)
- Design of power dynamic management strategy for low-power embedded microprocessor
..... *Sun Daying, Xu Shen, Xu Yumin, Sun Weifeng, Lu Shengli* (695)
- Boost DC-DC converter based on bi-frequency PFM control mode *Chang Changyuan, Chen Yao, Li Jun, Zhu Mingqiang* (701)
- Web services negotiation based on issues classification *Cao Jiuxin, Yang Pengwei, Liu Bo, Qian Yuxia, Wu Jianglin, Dong Dan* (706)
- Generic object recognition method based on stereo vision *Li Xinde, Zhang Xiao, Zhu Bo* (711)
- Poisson noise removal for color images using quaternion representation *Chen Beijing, Dai Hui, Liu Quansheng, Shu Huazhong* (717)
- 1/f noise analysis of current signals generated by λ -DNA translocation through nanochannel *Gu Xingzhong, Liu Lei, Wang Fei, Ni Zhonghua* (724)
- Design of robot joint controller by multi-mode driving and its experiment
..... *Xia Lei, Fan Jian, Ge Yiwen, Hao Fengji, Yan Xue, Luo Xiang* (729)
- Inverse kinematics and optimal design of bio-inspired flexible parallel robot
..... *Sun Lixia, Song Honggang, Gao Bingtuan, Tang Yi* (736)
- Multi-DOF lunar sampler with double flexible rod *Ling Yun, Song Aiguo, Lu Wei* (742)
- Analysis and experiment of drive mode of silicon micro-gyroscope
based on digital phased-locked loop control *Wang Xiaolei, Zhang Yinqiang, Yang Cheng, Li Hongsheng* (747)
- Analysis and valuation of ill-condition in baseline solution
of GNSS multi-system *Wang Shengli, Wang Qing, Gao Wang, Pan Shuguo* (753)
- Sparse component analysis based on nonnegative Tucker 3 decomposition
for fault signal extraction *Wang Haijun, Xu Feiyun* (758)
- Influence of heavy truck dynamic parameters on ride comfort
using 3D dynamic model *Le Van Quynh, Zhang Jianrun, Wang Yuan, Sun Xiaojuan, Nguyen Van Liem* (763)
- Reasoning method of "feature-style" mapping mechanism of high-speed train seat appearance design
..... *Zhou Lei, Xue Chengqi, Tang Wengcheng, Wang Haiyan, Wu Wenyu* (771)
- Experimental study on submicron electrochemical machining
..... *Wu Xiujuan, Qu Ningsong, Zeng Yongbin, Wang Yufeng, Zhu Di* (777)
- Surface finishing technology with high-speed tool restrained abrasives
..... *Zhuang Shudong, An Luling, Wang Tingting, Guo Guanghui* (782)
- Modeling of heat and mass transfer in counterflow heat-source tower and feasibility study
of moisture condensation control *Liu Chengxing, Liang Caihua, Wen Xiantai, Zhang Xiaosong* (788)
- Performance comparison of circumferential overlap trisection helical baffle heat exchanger
..... *Dong Cong, Chen Yaping, Wu Jiafeng, Cao Ruibing* (793)
- Modeling and performance analysis of micro-CHP system with organic rankine cycle
..... *Shao Yingjuan, Jin Baosheng, Zhong Wenqi, Liu Hao* (798)
- Multiple model block Laguerre function predictive control and its application
in reheated steam temperature system *Cui Xiaoobo, Chen Yuting, Qin Wenwei, Wang Zhixin, Lü Jianhong* (803)
- Performance evaluation of chemical looping air separation/oxygen production
at high temperatures *Zhao Yaxian, Xiang Wenguo, Chen Shiyi* (809)
- Performance of SCR denitrification of impregnated catalysts using activated carbon as support
..... *Wu Haimiao, Wang Xiaobo, Gui Keting* (814)
- Enhancing effect of induced crystallization process on denitrifying phosphorus removal
..... *Gu Qian, Lü Xiwu, Shi Jing, Li Jie* (819)
- CFD-DEM simulation of inhalable particle motion in radial plane of human airway
..... *Chen Xiaole, Zhong Wenqi, Sun Baobin, Jin Baosheng, Zhou Xianguang* (824)
- CO_2 bubble absorption performance enhancement
by TiO_2 nanoparticles in MDEA solution *Li Shuhong, Ding Yi, Du Kai, Zhang Xiaosong* (830)
- Modification of natural zeolite by microwave assisted ammonium chloride
and its application to humidity-controlling materials *Zhou Bo, Zheng Jiayi, Chen Zhenqian* (835)
- Application analogue simulation of diatomite-based humidity control building material *Zheng Jiayi, Chen Zhenqian* (840)
- Mechanical properties characterization of C/C composite subjected
to thermo-mechanical-oxygenic coupling environment *Min Changwan, Tan Zhiyong, Long Liping, Fei Qingguo* (845)
- Finite element analysis of Cosserat continuum for stress concentration of holes *Tang Hongxiang, Guan Yuhui* (849)
- Analysis and prediction of ground deformation caused by shield tunnelling
adjacent to existing building *Zhu Fengbin, Miao Linchang* (856)
- Numerical simulation of environmental vibration induced by viaduct rail transit
..... *Zhang Chenchen, Qian Zhendong, Zhang Xiaochun* (863)
- Comparison of approximate methods of viscoelastic Poisson's ratio for asphalt pavements
..... *Chen Jingyun, Sun Yiren, Liu Jiayin, Xu Hui* (868)
- Pavement performance of nanomaterial modified asphalt mixture *Sun Lu, Xin Xiantao, Ren Jiaolong* (873)
- Research on evaluation model of intensive use of land in urban central district:
quantitative analysis based on 50 samples *Yang Junyan, Shi Beixiang, Yang Yang* (877)
- Platoon dispersion model based on truncated lognormal distribution of speed *Wei Ming, Chen Xuewu, Sun Bo* (885)
- Capacity of road network with multi-phase signal controlled intersections *Wang Jian, Deng Wei* (890)
- Scale-free analysis of subway network *Wang Zhiru, Liang Zuolun, Yuan Jingfeng, Li Qiming* (895)
- Structural holes analysis of fuzzy social network *Liao Liping, Hu Renjie, Zhang Guangyu* (900)