


复合材料学报




**Acta Materiae
Compositae
Sinica**



2013. 6

北京航空航天大学 主办
中国复合材料学会



目 次

石墨烯气凝胶/环氧树脂复合材料的制备及导电性能	王学宝, 李晋庆, 罗运军 (1)
碳纤维上原位生长碳纳米管对 C/C 复合材料弯曲性能的影响	文诗琦, 李克智, 宋 强 (7)
石墨烯微片/聚丙烯导热复合材料的制备与性能	汪 文, 丁宏亮, 张子宽, 沈 烈 (14)
快速固化环氧树脂及其碳纤维/环氧复合材料性能	张靠民, 顾轶卓, 李 敏, 王超然, 张佐光 (21)
水热处理对可逆热致变色竹粉/塑料复合材料性能的影响	吴秋宁, 杨文斌, 余方兵, 陈丽红 (28)
Laser ablation behaviors of C/SiC composites in air	 SU Meng, CHENG Laifei, LUAN Xingang, ZHANG Litong (37)
超支化聚酯基二茂铁/环氧树脂复合材料的制备及性能	 张 雅, 柴春鹏, 罗运军, 卢明明, 李国平, 王 鲁 (48)
Fe ₃ O ₄ - MWCNTs 在环氧树脂中的定向排列	陈 伟, 郑亚萍 (54)
聚乙烯醇纤维增强水泥基复合材料在长期浸泡作用下抗硫酸盐侵蚀性能	 刘曙光, 赵晓明, 张 菊, 闫长旺 (60)
碱环境下不同应力水平 GFRP 筋抗拉性能试验	薛伟辰, 王 伟, 付 凯 (67)
低损耗 ZrTi ₂ O ₆ 填充 PTFE 复合基板性能	吴开拓, 袁 颖, 张树人, 闫翔宇, 崔毓仁 (76)
z 向流动 RTM 工艺树脂的流动浸润行为	李伟东, 刘 刚, 安学锋, 益小苏 (82)
VARI 工艺成型纤维增强树脂复合材料层合板厚度和纤维体积分数的影响因素	 刘 强, 赵 龙, 曹正华 (90)
生物活性玻璃/PLA - PEG - PLA/聚乳酸组织工程支架在 SBF 溶液中的降解和矿化	 葛建华, 王迎军, 陈晓峰, 郑裕东 (96)
电气石/壳聚糖复合纤维的表征及细胞相容性	赵 凯, 肖建刚, 李峻峰, 李玉宝, 邹 琴 (101)
SiO ₂ - TiO ₂ /聚四氟乙烯复合材料的制备及热膨胀性能	 闫翔宇, 袁 颖, 张树人, 吴开拓, 崔毓仁 (108)
TiC 增强颗粒进入钢液的条件判据	宾仕博, 邢书明, 郭莉军, 鲍培玮, 郭洪钢 (114)
二组元 (RuO ₂ - TiO ₂) 及三组元 (RuO ₂ - SnO ₂ - TiO ₂) Ti 阳极涂层的微观组织对其电化学性能的影响	 韩朝辉, 竺培显, 郭佳鑫, 马会宇 (121)
WC - 40% Al ₂ O ₃ 复合粉末二步热压烧结	裴 杨, 朱世根, 瞿海霞 (127)
纳米 SiO ₂ /PUA - EA 布拉格光栅传感器涂层耐热性能评估	杨泽惠, 倪爱清, 殷燕子, 王继辉 (135)
钢渣改性硅酸盐水泥-水玻璃双液注浆复合材料的试验研究	陈 洋, 黄蓓丽, 巴明芳, 鲍旭东 (139)
Tb _{1-x} Dy _x Fe _{2-y} -BaTi _{0.99} Mn _{0.01} O _{3+δ} 层状复合材料的低频磁电耦合	曹鸿霞, 刘清悛, 王友保 (146)
放电等离子烧结技术制备 Fe ₇₈ Si ₁₃ B ₉ 块体非晶纳米晶磁性材料	王兴华, 王 葛, 李 强 (153)
基于周期性边界条件的炭黑填充橡胶复合材料力学行为的预测	李 庆, 杨晓翔 (159)
高温载荷下金属蜂窝夹芯结构的相变和塑性分析	纪占玲, 李运泽, 李运华 (168)
TATB 填充高聚物复合材料有效热导率数值模拟	韦兴文, 周筱雨, 黄 忠, 李 明, 李敬明 (177)
拉伸状态下碳纤维复合材料 T 型接头的断裂行为	 盛 仪, 熊 克, 卞 侃, 熊 璇, 陈 宏, 郝银凤 (185)

接头局部增强的复合材料层合板螺栓连接试验与数值模拟 章继峰, 谢永刚, 张璐 (191)

复合材料加筋壁板长桁终止端混合连接设计分析 钟小丹, 陈普会 (197)

橡胶相尺度对亚微米或纳米橡胶颗粒填充环氧复合材料性能的影响 宋品, 张晖, 张忠, 彭志坚 (203)

温度-机械混合载荷作用下先进复合材料格栅加筋截顶圆锥壳体的屈曲分析..... 石姗姗, 孙直, 任明法, 陈浩然 (209)

复合材料热膨胀性能预报的随机扰动模型与实验验证 冉治国, 燕瑛, 李剑峰, 从强, 陈海峰, 闫亮 (215)

考虑剪切非线性影响的复合材料连续损伤模型及损伤参数识别 刘伟先, 周光明, 高军, 钱元 (221)

基于区域叠合技术的三维编织复合材料渐进损伤过程数值模拟 张芳芳, 姜文光, 刘才, 闫丽娟 (227)

考虑主动散热圆柱多孔夹层材料等效热导率及散热性能..... 张凯, 邓子辰, 王博, 周加喜 (237)

过盈配合和预紧力的混合作用对复合材料机械连接结构的影响及其机制 陈昆昆, 刘龙权, 汪海 (243)

基于材料选型优化的金属-复合材料组合结构-声辐射优化 陈炉云, 张裕芳, 刘勇 (252)

航空发动机复合材料主轴优化方案设计方法 孙庆伟, 陆山 (258)

无参考 Lamb 波相控阵结构损伤监测成像方法 孙亚杰, 张永宏, 袁慎芳, 钱承山, 张自嘉 (264)

Keywords for composites (270)

《复合材料学报》征稿简则..... (封三)

期刊基本参数: CN 11-1801/TB*1984*b*A4*270*zh*P*¥50.00*1100*39*2013-12 (卷终)

责任编辑: 吴红丽
审校: 孙丽娟 李玉彬

CONTENTS

Preparation and conductivity property of graphene aerogel/epoxy composites	WANG Xuebao, LI Jinqing, LUO Yunjun (1)
Influence of in-situ grown carbon nanotubes on carbon fiber on the flexural properties of C/C composites	WEN Shiqi, LI Kezhi, SONG Qiang (7)
Preparation and properties of graphene nanoplatelets/PP thermal conductive composites	WANG Wen, DING Hongliang, ZHANG Zikuan, SHEN Lie (14)
Rapid curing epoxy resin and the properties of carbon fiber/epoxy composite	ZHANG Kaomin, GU Yizhuo, LI Min, WANG Chaoran, ZHANG Zuoguang (21)
Effect of hydrothermal treatment on properties of reversibly thermochromic bamboo/plastic composite	WU Qiuning, YANG Wenbin, YU Fangbing, CHEN Lihong (28)
Laser ablation behaviors of C/SiC composites in air	SU Meng, CHENG Laifei, LUAN Xingang, ZHANG Litong (37)
Preparation and characterization of ferrocenyl-terminated hyperbranched polyesters/epoxy resin composite	HANG Ya, CHAI Chunpeng, LUO Yunjun, LU Mingming, LI Guoping, WANG Lu (48)
Alignment of Fe_3O_4 - MWCNTs in epoxy resin	CHEN Wei, ZHENG Yaping (54)
Resistance of polyvinyl alcohol fiber reinforced cementitious composites to sulfate attack under long-term immersion	LIU Shuguang, ZHAO Xiaoming, ZHANG Ju, YANG Changwang (60)
Experimental study on tensile properties of GFRP rebars under different stress levels as exposed to alkaline solution	XUE Weichen, WANG Wei, FU Kai (67)
Properties of low loss ZrTi_2O_6 filled PTFE composite substrates	WU Kaituo, YUAN Ying, ZHANG Shuren, YAN Xiangyu, CUI Yuren (76)
Investigation of resin flowing and infiltration behavior during z direction flowing RTM process	LI Weidong, LIU Gang, AN Xuefeng, YI Xiaosu (82)
Key factors on the thickness and volume fraction of fiber reinforced resin composite laminates molded via VARI technology	LIU Qiang, ZHAO Long, CAO Zhenghua (90)
Degradable performance and bio-mineralization function of bioglass/PLA - PEG - PLA/poly (Lactic acid) tissue engineering scaffold in SBF	GE Jianhua, WANG Yingjun, CHEN Xiaofeng, ZHENG Yudong (96)
Characterization and cytocompatibility of tourmaline/chitosan composite fiber	ZHAO Kai, XIAO Jiangang, LI Junfeng, LI Yubao, ZOU Qin (101)
Fabrication and thermal expansion behavior of SiO_2 - TiO_2 ceramic filled PTFE composites	YAN Xiangyu, YUAN Ying, ZHANG Shuren, WU Kaituo, CUI Yuren (108)
Condition and criterion for TiC particles getting into molten steel	BIN Shibo, XING Shuming, GUO Lijun, BAO Peiwei, GUO Honggang (114)
Effects of microstructures of Ti anode coating with two constituents (RuO_2 - TiO_2) and three constituent (RuO_2 - SnO_2 - TiO_2) on the electrochemical properties	HAN Zhaohui, ZHU Peixian, GUO Jiaxin, MA Huiyu (121)
Two-step hot-pressing sintering of composite WC - 40% Al_2O_3 compacts	PEI Yang, ZHU Shigen, QU Haixia (127)
Evaluation of thermal properties of SiO_2 /polyurethane acrylate - epoxy acrylate as coating for fiber Bragg grating sensor	YANG Zehui, NI Aiqing, YIN Yanzi, WANG Jihui (135)
Experimental study on dual-fluid-grout composite materials with slag steel modified Portland cement and sodium silicate	CHEN Feng, HUANG Beili, BA Mingfang, BAO Xudong (139)

Low-frequency magnetoelectric coupling of $\text{Tb}_{1-x}\text{Dy}_x\text{Fe}_{2-y}-\text{BaTi}_{0.99}\text{Mn}_{0.01}\text{O}_{3+\delta}$ layered composites	CAO Hongxia, LIU Qingquan, WANG Youbao (146)
Fabrication of $\text{Fe}_{78}\text{Si}_{13}\text{B}_9$ magnetic materials by spark plasma sintering technology	WANG Xinghua, WANG Ge, LI Qiang (153)
Prediction on mechanical behavior of carbon black filled rubber composites based on periodic boundary conditions	LI Qing, YANG Xiaoxiang (159)
Phase change and plasticity analysis for metal honeycomb sandwich structure under high temperature load	JI Zhanling, LI Yunze, LI Yunhua (168)
Numerical investigation of the effective thermal conductivity of polymer composite filled by TATB	WEI Xingwen, ZHOU Xiaoyu, HUANG Zhong, LI Ming, LI Jingming (177)
Fracture behavior of carbon fiber T-joints under tensile load	SHENG Yi, XIONG Ke, BIAN Kan, XIONG Xuan, CHEN Hong, HAO Yinfeng (185)
Experimental and numerical simulation of composite laminates bolted joints with local reinforcement	ZHANG Jifeng, XIE Yonggang, ZHANG Lu (191)
Combined joint design and analysis at stringer run-outs in stiffened composite panels	ZHONG Xiaodan, CHEN Puhui (197)
Effect of the rubber size on properties of rubber/epoxy composites filled with sub-micron or nano-sized rubber particles ...	SONG Pin, ZHANG Hui, ZHANG Zhong, PENG Zhijian (203)
Buckling resistance of advanced grid stiffened composite trapped conical shells under thermal and mechanical mixed loading	SHI Shanshan, SUN Zhi, REN Mingfa, CHEN Haoran (209)
Random disturbing model and experimental verification for thermal expansion property prediction of composite	RAN Zhiguo, YAN Ying, LI Jianfeng, CONG Qiang, CHEN Haifeng, YAN Liang (215)
Continuum damage model and damage parameter identifications for composites considering the effect of shear nonlinearity ...	LIU Weixian, ZHOU Guangming, GAO Jun, QIAN Yuan (221)
Simulation of progressive damage of 3D braided composites using domain superposition technique	ZHANG Fangfang, JIANG Wenguang, LIU Cai, YAN Lijuan (227)
Effective thermal conductivity and heat dissipation performance of sandwich cylinder with cellular materials considering the active heat dissipation	ZHANG Kai, DENG Zichen, WANG Bo, ZHOU Jiayi (237)
Combined effects and mechanism of interference fit and clamping force on composite mechanical joints	CHEN Kunkun, LIU Longquan, WANG Hai (243)
Structural-acoustic optimization of hybrid metal-composite structure based on material selection optimization approach ...	CHEN Luyun, ZHANG Yufang, LIU Yong (252)
Design and optimization method for composite main shaft of aircraft engine	SUN Qingwei, LU Shan (258)
Baseline-free Lamb wave phased array imaging method for structural damage monitoring	SUN Yajie, ZHANG Yonghong, YUAN Shenfang, QIAN Chengshan, ZHANG Zijia (264)

欢迎订阅《复合材料学报》

《复合材料学报》(双月刊,每期230多页)是中国复合材料领域的基础性、学术性科技期刊;主要刊载复合材料基础研究和应用研究方面具有创造性、高水平和有重要意义的最新研究成果的论文,以及由该领域专家亲自撰写的反映本学科最新发展状况的文献综述和信息性文章;所刊载的研究成果对科学研究具有参考价值,对生产实践具有指导作用。

《复合材料学报》的学术影响力和办刊质量不断提高,2008 年被评选为“中国精品科技期刊”,2009 年度入选“百种中国杰出学术期刊”,2012 年入选“中国最具国际影响力学术期刊”(TOP5%,共 175 种学术期刊)。目前,本刊已有 3 篇论文入选“中国百篇最具影响国内学术论文”。《复合材料学报》是美国工程索引《Ei》的核心检索收录刊;也是美国化学文摘《CA》、俄罗斯文摘杂志《AJ》、美国应用力学评论《Appl. Mech. Rev.》(《AMR》)、剑桥科学文摘(工程类)《CSA2》等国际检索系统用刊。

《复合材料学报》国内外公开发刊,邮发代号:80-413

刊号:ISSN 1000-3851;CN 11-1801/TB

每期定价 50 元,全年定价 300 元

复合材料学报

Fuhe Cailiao Xuebao 双月刊,1984 年创刊
第 30 卷 第 6 期 2013 年 12 月出版

主管单位:工业和信息化部

主办单位:北京航空航天大学

中国复合材料学会

主 编:益小苏

编辑出版:《复合材料学报》编辑部

北京海淀区学院路 37 号,100191

电 话:(010) 82316907(7099)

网 址:<http://fhclxb.buaa.edu.cn>

印 刷:北京科信印刷有限公司

发 行:北京报刊发行局

发行范围:国内外公开发刊

Acta Materiae Compositae Sinica

Bimonthly, Started in 1984

Vol. 30 No. 6 December 2013

Administrated by Ministry of Industry and Information
Technology of the People's Republic of China

Sponsored by Beihang University (BUAA)

Chinese Society for Composite Materials

Chief Editor: Prof. Yi Xiaosu

Edited and Published by Editorial Office of

Acta Materiae Compositae Sinica

37 Xueyuan Road, Haidian District, Beijing 100191, China

Tel: 0086-10-82316907(7099)

<http://fhclxb.buaa.edu.cn>

Printed by Beijing Kexin Printing Co., Ltd

Distributed by Beijing Bureau for Distribution of
Newspapers and Journals

刊 号: ISSN 1000-3851 (国际标准刊号)
CN 11-1801/TB (国内统一刊号)

国内定价:50.00 元 邮发代号:80-413

ISSN 1000-3851

