

原书缺封面

目 次

高硅氧/酚醛复合材料热-力-化学多物理场耦合计算 ... 陈海龙, 方国东, 李林杰, 时圣波, 梁 军 (533)

纤维增强发泡保温复合材料的制备与性能 李小龙, 李国忠 (541)

高压熔渗金刚石/铜复合材料的低温导热特性 郭 宏, 王光宗, 贾成厂, 张习敏 (550)

等离子加热反应合成 $TiB_2 - TiC - Fe_2Ti$ 复合材料 张珊珊, 崔洪芝, 赫庆坤, 白 斌, 王晓彬 (556)

石英纤维/KH308 复合材料的介电性能 陈 东, 居建国, 郝旭峰 (563)

改性纳米 HA 对 PLA - PBAT 共混体系结晶与流变性能的影响
..... 梁多平, 智 慧, 孙智慧, 张 彪, 何 宏, 刘晓华, 旺盛超 (569)

竹粉接枝改性及其对竹粉/PETG 复合材料流变行为的影响
..... 余方兵, 宋剑斌, 吴秋宁, 陈丽红, 杨文斌, 侯伦灯 (578)

基于宏观各向异性碳纤维增强树脂基复合材料的切削仿真 路 冬, 李志凯, 融亦鸣, 舒 嵘 (584)

MAH - SBS 和纳米 $CaCO_3$ 复合改性 PC - ABS 共混材料 张 宁, 郭 强 (591)

剥离型纳米蒙脱土/聚酰亚胺复合材料的制备与表征
..... 赖登旺, 陈 静, 张 起, 李笃信, 蔡淑容, 杨 军 (597)

超临界 CO_2 方法制备纳米蒙脱土/氢化丁腈橡胶复合材料 孟晓宇, 刘 旭, 丛川波, 周 琼 (604)

鳞片石墨取向对鳞片石墨/聚丙烯、鳞片石墨/尼龙 66 复合材料导热性能的影响
..... 刘 科, 刘 颖, 吴大鸣, 庄 俭, 许 红, 唐胜德 (610)

纳米 Al_2O_3 及酚酞聚芳醚酮改性环氧复合材料性能 沈志军, 张 晖, 刘 刚, 张 忠, 张 晨 (617)

聚噻吩/纳米 MnO_2 复合材料的制备表征及电化学性能
..... 杨 光, 时 宇, 康萌萌, 冯孝中, 张治红 (628)

陶瓷纤维增强氧化硅气凝胶复合材料力学性能试验
..... 米春虎, 姜勇刚, 石多奇, 韩世伟, 孙燕涛, 杨晓光, 冯 坚 (635)

氧化石墨烯纳米片层对水泥基复合材料的增韧效果及作用机制
..... 吕生华, 孙 婷, 刘晶晶, 马宇娟, 邱超超 (644)

C/SiC 陶瓷基复合材料螺栓连接件的振动响应特性及防松性能
..... 郝秉磊, 殷小玮, 刘小瀛, 张立同, 成来飞, 李 权 (653)

多尺度纤维增强水泥基复合材料力学性能试验 张 聪, 曹明莉 (661)

基于扩展有限元的陶瓷复合材料多重增韧机制 李 彬, 李方方, 杨海军, 王传彬 (669)

2D-SiC/SiC 复合材料拉伸加卸载行为 李 潘, 王 波, 甄文强, 矫桂琼 (676)

三维网络结构 Al_2O_3 陶瓷/高铬铸铁复合材料干摩擦磨损性能
..... 杨少锋, 张 炎, 蔡云杰, 沈成相, 陈维平 (683)

基于数值计算方法的 CFRP 层板二维细观形貌多孔隙超声散射衰减
..... 丁珊珊, 罗忠兵, 陈 军, 刘 欢, 林 莉 (692)

不确定条件下复合材料结构的全局灵敏度分析 阮文斌, 吕震宙, 安 军, 彭 湃 (699)

复合材料调制热像检测的数值模拟 郭兴旺, 吴 军, 王育红, 杨 京 (707)

缝合复合材料层板低速冲击损伤数值模拟	王裕龙, 许希武, 毛春见 (715)
基于多相流的 LCM 工艺气泡生成仿真	金天国, 杨波, 李建广, 毕凤阳 (725)
纤维金属层板低速冲击试验和数值仿真	陈勇, 庞宝君, 郑伟, 张志远 (733)
侧边边界条件对复合材料加筋板轴压载荷下屈曲和后屈曲性能的影响	邵青, 何宇廷, 张腾, 冯宇 (741)
脱胶缺陷尺寸对复合材料加筋板屈曲及后屈曲特性的影响	刘璐, 关志东, 徐荣章, 冯翊翎 (749)
中间热处理对薄壁 C/C - SiC 构件制备及力学性能的影响	王玲玲, 嵇阿琳, 崔红, 闫联生, 白杨 (759)
复合材料整体加筋板轴压后屈曲失效评估方法	孔斌, 陈善会, 陈炎 (765)
金属裂纹板复合材料单面胶接修补结构应力分析	苏维国, 穆志韬, 朱做涛, 孔光明 (772)
复合材料圆柱壳轴压屈曲性能分析	闫光, 韩小进, 阎楚良, 左春桢, 程小全 (781)
基于细观结构的 2.5 维机织复合材料强度预测模型	邱睿, 温卫东, 崔海涛 (788)
三维正交机织复合材料低周弯曲疲劳力学性能有限元模拟	汪金花, 方芳, 杨格, 吴利伟, 孙宝忠 (797)
剪切载荷作用下复合材料挖补修理层合板试验及有限元分析	蓝元沛, 徐吉峰, 杜奎 (803)
复合材料拉挤方管型材螺栓节点承载力试验	方海, 徐超, 孙慧明, 刘伟庆 (809)
基于 Lamb 波和 Hilbert 变换的复合材料 T 型加筋损伤监测	刘国强, 孙侠生, 肖迎春, 李明, 白生宝 (818)
正二十烷与膨胀石墨共改性三水合醋酸钠相变材料储热性能	王崇云, 王维, 冯利利, 李国玲, 田文怀, 李星国 (824)
以钛酸四正丁酯为钛源制备超细 Ti (C _{1-x} N _x) 粉体	徐卓, 吴一, 顾强, 邹正光, 龙飞, 沈天宇 (830)
基于多维阵列和空间滤波器的损伤无波速成像定位方法	刘彬, 邱雷, 袁慎芳, 王长春 (835)
聚乙二醇聚合度对介孔 η -Al ₂ O ₃ 纤维形貌及吸附能力的影响	陈华军, 王锐, 丁梧秀, 李冬 (845)
桐马环氧玻璃丝粉云母绝缘材料的耐盐雾湿热老化特性	付强, 孔繁荣, 陈庆国 (851)
《复合材料学报》征稿简则	(封三)

期刊基本参数: CN 11-1801/TB * 1984 * b * A4 * 326 * zh * P * ¥50.00 * 1100 * 43 * 2014-06

本期编辑 (按姓氏笔画为序): 孔琪颖 李世秋 李明敏 苏磊 张广萌 鲍亚平
 审校: 蔡斐

CONTENTS

Multi-physical field coupling calculation of silica/phenolic composites under thermal-mechanical-chemical condition	CHEN Hailong, FANG Guodong, LI Linjie, SHI Shengbo, LIANG Jun (533)
Preparation and properties of fiber reinforced foamed thermal insulation composite	LI Xiaolong, LI Guozhong (541)
Low-temperature heat conduction characteristics of diamond/Cu composite by high pressure infiltration	GUO Hong, WANG Guangzong, JIA Chengchang, ZHANG Ximin (550)
TiB ₂ - TiC - Fe ₂ Ti composite synthesized by plasma heating reaction	ZHANG Shanshan, CUI Hongzhi, HE Qingkun, BAI Bin, WANG Xiaobin (556)
Dielectric properties of quartz fiber reinforced KH308 composites	CHEN Dong, JU Jianguo, HAO Xufeng (563)
Effects of modified nano HA on crystallization and rheological properties of PLA - PBAT blends	LIANG Duoping, ZHI Hui, SUN Zhihui, ZHANG Biao, HE Hong, LIU Xiaohua, WANG Shengchao (569)
Grafting modification of bamboo flour and its effect on the rheological behavior of bamboo flour/PETG composites	YU Fangbing, SONG Jianbin, WU Qiuning, CHEN Lihong, YANG Wenbin, HOU Lundeng (578)
Cutting simulation of carbon fiber reinforced resin matrix composite material based on macroscopic anisotropy	LU Dong, LI Zhikai, RONG Yiming, SHU Rong (584)
PC - ABS blending materials with MAH - SBS and nano-CaCO ₃ compound modification	ZHANG Ning, GUO Qiang (591)
Preparation and characterization of exfoliated nano-montmorillonite/polyimide composite	LAI Dengwang, CHEN Jing, ZHANG Qi, LI Duxin, CAI Shurong, YANG Jun (597)
Fabrication of nano-montmorillonite/HNBR composites assisted with supercritical carbon dioxide method	MENG Xiaoyu, LIU Xu, CONG Chuanbo, ZHOU Qiong (604)
Effect of flake graphite orientation on thermal conductivity of flake graphite/polypropylene, flake graphite/nylon66 composites	LIU Ke, LIU Ying, WU Daming, ZHUANG Jian, XU Hong, TANG Shengde (610)
Performance of epoxy matrix composites filled with nano-Al ₂ O ₃ and phenolphthalein polyaryletherketone	SHEN Zhijun, ZHANG Hui, LIU Gang, ZHANG Zhong, ZHANG Chen (617)
Preparation, characterizations and electrochemical performance of polythiophene/nano MnO ₂ composite	YANG Guang, SHI Yu, KANG Mengmeng, FENG Xiaozhong, ZHANG Zhihong (628)
Mechanical property test of ceramic fiber reinforced silica aerogel composites	MI Chunhu, JIANG Yonggang, SHI Duoqi, HAN Shiwei, SUN Yantao, YANG Xiaoguang, FENG Jian (635)
Toughening effect and mechanism of graphene oxide nanosheets on cement matrix composites	LYU Shenghua, SUN Ting, LIU Jingjing, MA Yujuan, QIU Chaochao (644)
Vibration response characteristics and looseness-proof performances of C/SiC ceramic matrix composite bolted fastenings	HAO Binglei, YIN Xiaowei, LIU Xiaoying, ZHANG Litong, CHENG Laifei, LI Quan (653)
Mechanical property test of a multi-scale fiber reinforced cementitious composites	ZHANG Cong, CAO Mingli (661)
Multiple toughening mechanisms of ceramic composites based on X-FEM method	LI Bin, LI Fangfang, YANG Haijun, WANG Chuanbin (669)
Tensile loading/unloading stress - strain behavior of 2D-SiC/SiC composites	LI Pan, WANG Bo, ZHEN Wenqiang, JIAO Guiqiong (676)
Dry friction and wear properties of 3D-meshy Al ₂ O ₃ ceramic reinforced high chromium iron composites	万方数据 YANG Shaofeng, ZHANG Yan, CAI Yunjie, SHEN Chengxiang, CHEN Weiping (683)

Ultrasonic scattering attenuation of multi-void on 2D micro-morphology in CFRP laminates based on numerical calculation method	DING Shanshan, LUO Zhongbing, CHEN Jun, LIU Huan, LIN Li (692)
Global sensitivity analysis for composite structures with uncertainties	RUAN Wenbin, LYU Zhenzhou, AN Jun, PENG Pai (699)
Simulating the modulated themography of composite materials	GUO Xingwang, WU Jun, WANG Yuhong, YANG Jing (707)
Numerical simulation of low-velocity impact damage on stitched composite laminates	WANG Yulong, XU Xiwu, MAO Chunjian (715)
Numerical simulation on bubble formation of LCM process based on multiphase flow	JIN Tianguo, YANG Bo, LI Jianguang, BI Fengyang (725)
Tests and numerical simulation on low velocity impact performance of fiber metal laminates	CHEN Yong, PANG Baojun, ZHENG Wei, ZHANG Zhiyuan (733)
Influence of side boundary condition on buckling and post-buckling performance of composite stiffened panels under axial compression load	SHAO Qing, HE Yuting, ZHANG Teng, FENG Yu (741)
Effects of debond size on buckling and post-buckling behaviors of composite stiffened panels	LIU Lu, GUAN Zhidong, XU Rongzhang, FENG Hongling (749)
Effect of intermediate heat treatment on the fabrication and mechanical properties of thin wall C/C-SiC components	WANG Lingling, JI Alin, CUI Hong, YAN Liansheng, BAI Yang (759)
Post-buckling failure evaluation method of integrated composite stiffened panels under uniaxial compression	KONG Bin, CHEN Puhui, CHEN Yan (765)
Stress analysis of one-sided adhesively bonded composite repair of cracked metallic plate	SU Weiguo, MU Zhitao, ZHU Zuotao, KONG Guangming (772)
Buckling analysis of composite cylindrical shell under axial compression load	YAN Guang, HAN Xiaojin, YAN Chuliang, ZUO Chuncheng, CHENG Xiaoquan (781)
Meso-structure of 2.5D woven composites and its strength prediction model	QIU Rui, WEN Weidong, CUI Haitao (788)
Finite element simulation of 3D orthogonal woven composites under low cycle bending fatigue loading	WANG Jinhua, FANG Fang, YANG Ge, WU Liwei, SUN Baozhong (797)
Experimental study and FEA on composite flush-repair laminates under shear load	LAN Yuanpei, XU Jifeng, DU Kui (803)
Experiment on bearing capacity of bolted joints for pultruded composite square profile	FANG Hai, XU Chao, SUN Huiming, LIU Weiqing (809)
Damage monitoring of composite T-joint using Lamb wave and Hilbert transform	LIU Guoqiang, SUN Xiasheng, XIAO Yingchun, LI Ming, BAI Shengbao (818)
Phase change property of sodium acetate trihydrate modified with n -Eicosane and expanded graphite	WANG Chongyun, WANG Wei, FENG Lili, LI Guoling, TIAN Wenhui, LI Xingguo (824)
Ultrafine Ti ($C_{1-x}N_x$) powder derived from tetrabutyl titanate	XU Zhuo, WU Yi, GU Qiang, ZOU Zhengguang, LONG Fei, SHEN Tianyu (830)
Damage imaging and localization method based on multi-dimension arrays and spatial filter without wave velocity	LIU Bin, QIU Lei, YUAN Shenfang, WANG Changchun (835)
Effect of polymerization degree of polyethylene glycol on microtopography and adsorbability of mesoporous η -Al ₂ O ₃ fibers	CHEN Huajun, WANG Rui, DING Wuxiu, LI Dong (845)
Ageing characteristics of tong-ma epoxy glass fiber power mica insulation materials under salt spray and humidity thermal condition	FU Qiang, KONG Fanrong, CHEN Qingguo (851)

原书缺封底