


复合材料学报




**Acta Materiae
Compositae
Sinica**



2015. 2

北京航空航天大学
中国复合材料学会 主办

万方数据



目 次

碳纤维增强树脂基复合材料制孔技术研究现状与展望	陈燕, 葛恩德, 傅玉灿, 苏宏华, 徐九华 (301)
复合材料在新一代大型民用飞机中的应用	马立敏, 张嘉振, 岳广全, 刘建光, 薛佳 (317)
高超声速飞行器复合材料翼面结构 1 100 °C 高温环境下的热模态试验	吴大方, 王岳武, 蒲颖, 商兰, 赵寿根, 高镇同 (323)
碳纳米管加入方式对碳纤维/环氧树脂复合材料层间性能的影响	范雨娇, 顾轶卓, 邓火英, 蒋文革, 李敏, 张佐光 (332)
化学沉淀法制备 S-FeS/介孔碳复合材料及其电化学性能	施再发, 杨少彬, 刘景东, 张少铜, 张诗群, 吴丽坤 (341)
木粉含量对木粉-淀粉/聚乳酸复合材料性能的影响	吕闪闪, 曹军, 谭海彦, 顾继友, 张彦华 (347)
基于模具预先补偿法的大幅面 CFRP 制件形状精度控制方法	毕凤阳, 杨波, 金天国, 刘文剑 (355)
纳米氧化铟锡增强聚碳酸酯的阻红外隔热性能	张成, 张群朝, 蒋涛 (365)
进给速度对不同纤维方向 CFRP 铣削表面形貌的影响	周井文, 陈燕, 傅玉灿, 徐九华, 胡安东, 刘思齐 (370)
利用静电纺丝技术制备纳米黏土/聚乳酸复合纳米纤维与其表征	王春红, 贺文婷, 王瑞 (378)
木质纤维素/纳米蒙脱土复合材料对废水中 Cu (II) 的吸附及解吸	张晓涛, 王喜明 (385)
三维编织玄武岩/环氧树脂复合材料在温度场下的高应变率压缩试验	潘忠祥, 孙宝忠 (395)
反应挤出纳米类水滑石/尼龙 6 复合材料的结构与性能	李宏林, 杨桂生, 吴玉程 (403)
超高分子量聚乙烯纤维复合表面改性及其橡胶基复合材料的力学性能	李春阳, 李微微, 李瑞培, 徐文静, 陈忠仁 (409)
磺化聚醚砜上浆剂对碳纤维/聚醚砜复合材料界面性能的影响	刘杰, 周秀燕, 梁节英 (420)
纳米铜修饰多壁碳纳米管/石蜡相变驱动复合材料的制备及热性能	徐斌, 楼白杨, 曹小海, 李晓 (427)
玻璃纤维-碳纤维混杂增强 PCBT 复合材料层合板的制备及低速冲击性能	杨斌, 章继峰, 周利民 (435)
苎麻织物表面改性对其增强热固性聚乳酸复合材料力学及阻燃性能的影响	王春红, 任子龙, 李姍, 王瑞 (444)
Al ₂ O ₃ 颗粒镀铜对铜基粉末冶金摩擦材料 Al ₂ O ₃ -Fe-Sn-C/Cu 摩擦磨损性能的影响	赵翔, 郝俊杰, 于潇, 彭坤 (451)
Si ₃ N ₄ 原位增强 Cu 基复合材料的制备	徐玉松, 李鹏, 靳翠平 (458)
复配偶联剂对 SiO ₂ /聚四氟乙烯复合材料性能的影响	游媛媛, 袁颖 (465)
不同物相电沉积 CNTs 对 C/SiC 复合材料力学性能的影响	梅辉, 王彪炜, 丁辉, 张楠, 王月塘, 白强来 (471)

SiBNC _f /SiBNC 陶瓷复合材料抗氧化性能	
..... 柯盛包, 刘勇, 张晨宇, 王会峰, 韩克清, 滕翠青, 余木火 (477)	
先驱体浸渍-裂解法制备 SiBN 纤维增强 SiBN 陶瓷基复合材料	
..... 余娟丽, 李森, 吕毅, 张天翔, 赵英氏 (484)	
长桁-翼肋连接对复合材料单加筋板压缩性能的影响	
..... 周睿, 关志东, 黎增山, 卓越, 张洪峰, 薛斌 (491)	
全复合材料桁架扭转刚度分析	熊波, 罗锡林, 谭惠丰 (501)
含初始裂纹的平流层飞艇用蒙皮薄膜撕裂行为	刘龙斌, 吕明云, 肖厚地 (508)
三维六向编织复合材料单剪搭接连接结构在拉伸载荷下的力学性能	
..... 唐玉玲, 周振功, 泮世东, 田爽 (515)	
改进的复合材料斜接结构胶层应力半解析法	刘斌, 徐绯, 李哲, 王毅, 谢伟 (526)
新型负泊松比多孔吸能盒平台区力学性能	张伟, 侯文彬, 胡平 (534)
螺栓夹持填充孔复合材料层压板层间应力分析	曹勇, 冯蕴雯, 姚雄华 (542)
传感器测试 FRP 约束混凝土轴压短柱的核心区应力	彭亚萍, 张颖, 黄世峰 (549)
不同层数的超高分子量聚乙烯纬平针织复合材料冲击损伤	李翠玉, 杨雪, 冯亚男, 罗岳文 (557)
典型损伤对复合材料机翼振动特性的影响	段静波, 江涛, 马航, 施生峰, 路平 (565)
Z-pin 参数对复合材料 T 型接头拉脱承载能力的影响	
..... 李梦佳, 陈普会, 孔斌, 彭涛, 姚正兰, 邱学仕 (571)	
湿热环境对旋转复合材料梁摆振特性的影响	蒋宝坤, 张渲铃, 李映辉 (579)
结构化增韧层增韧 RTM 复合材料预成型体的渗透特性	
..... 刘刚, 张朋, 李伟东, 胡晓兰, 包建文, 益小苏 (586)	
天然钙镁矿物质粉填充竹木复合材料热裂解性能	陈卫民, 李新功, 吴义强, 袁光明, 符彬 (594)
压电弹性体中光滑顶点的正三角形孔边裂纹的反平面问题分析	王玮华, 郭俊宏, 邢永明 (601)
嵌入式共固化复合材料阻尼结构吸湿处理后的层间结合性能	雒磊, 梁森, 张乾, 梁天锡 (608)
Keywords for composites	(616)
《复合材料学报》征稿简则	(封三)

期刊基本参数: CN 11-1801/TB*1984*b*A4*316*zh*P*¥80.00*1100*40*2015-04

本期编辑: 张广萌 王小辰

审校: 蔡 斐

CONTENTS

Review and prospect of drilling technologies for carbon fiber reinforced polymer	CHEN Yan, GE Ende, FU Yucan, SU Honghua, XU Jiuhua (301)
Application of composites in new generation of large civil aircraft	MA Limin, ZHANG Jiazhen, YUE Guangquan, LIU Jianguang, XUE Jia (317)
Thermal modal test of composite wing structure in high-temperature environments up to 1 100 °C for hypersonic flight vehicles	WU Dafang, WANG Yuewu, PU Ying, SHANG Lan, ZHAO Shougen, GAO Zhentong (323)
Effect of adding method of carbon nanotube on interlaminar property of carbon fiber/epoxy composites	FAN Yujiao, GU Yizhuo, DENG Huoying, JIANG Wenge, LI Min, ZHANG Zuoguang (332)
Preparation of S-FeS/mesoporous carbon composites by chemical precipitation and its electrochemical properties	SHI Zaifa, YANG Shaobin, LIU Jingdong, ZHANG Shaotong, ZHANG Shiqun, WU Likun (341)
Effects of wood flour contents on performance of wood flour-starch/poly (lactic acid) composites	LYU Shanshan, CAO Jun, TAN Haiyan, GU Jiyu, ZHANG Yanhua (347)
A shape precision control method for large scale CFRP parts based on ex ante compensation method of mould	BI Fengyang, YANG Bo, JIN Tianguo, LIU Wenjian (355)
Infrared blocking and heat insulation performance of polycarbonate enhanced by nano antimony doped tin oxide	ZHANG Cheng, ZHANG Qunchao, JIANG Tao (365)
Influence of feed speed on surface morphology of CFRP with different fiber directions during milling	ZHOU Jingwen, CHEN Yan, FU Yucan, XU Jiuhua, HU Andong, LIU Siqi (370)
Preparation and characterization of nanoclay/polylactide composite nanofibers via electrospinning technique	WANG Chunhong, HE Wenting, WANG Rui (378)
Adsorption and desorption of Cu (II) in wastewater by lignocellulose/nano-montmorillonite composites	ZHANG Xiaotao, WANG Ximing (385)
High strain-rate compression tests on 3-D braided basalt/epoxy composites under temperature fields	PAN Zhongxiang, SUN Baozhong (395)
Structure and properties of nano hydrotalcite/nylon 6 composites prepared by reactive extrusion	LI Honglin, YANG Guisheng, WU Yucheng (403)
Compound surface modification of ultra-high molecular weight polyethylene fiber and mechanical properties of its rubber matrix composites	LI Chunyang, LI Weiwei, LI Ruipei, XU Wenjing, CHEN Zhongren (409)
Effects of sulfonated poly (ether sulfone) sizing agent on interfacial properties for carbon fibers/poly (ether sulfone) composites	LIU Jie, ZHOU Xiuyan, LIANG Jieying (420)
Preparation and thermal properties of nano copper decorated multi-walled carbon nanotubes/paraffin composites for phase-change actuation	XU Bin, LOU Baiyang, CAO Xiaohai, LI Xiao (427)
Preparation and low-velocity impact properties of glass fiber-carbon fiber hybrid reinforced PCBT composite laminate	YANG Bin, ZHANG Jifeng, ZHOU Limin (435)
Effect of surface modification on properties of mechanical and flame retardant of ramie fabrics reinforced thermosetting poly(lactic acid) composites	WANG Chunhong, REN Zilong, LI Shan, WANG Rui (444)
Effects of Cu-plating for Al ₂ O ₃ particles on friction and wear properties of Cu-based powder metallurgy friction material Al ₂ O ₃ -	

Fe-Sn-C/Cu	ZHAO Xiang, HAO Junjie, YU Xiao, PENG Kun (451)
Preparation of Si ₃ N ₄ in-situ reinforced Cu matrix composites	XU Yusong, LI Peng, JIN Cuiping (458)
Influences of compound coupling agent on properties of SiO ₂ /polytetrafluoroethylene composites	YOU Yuanyuan, YUAN Ying (465)
Effect of CNTs deposited at different phases on mechanical properties of C/SiC composites	MEI Hui, WANG Huwei, DING Hui, ZHANG Nan, WANG Yuetang, BAI Qianglai (471)
Oxidation resistance of SiBNC _f /SiBNC ceramic composites	KE Shengbao, LIU Yong, ZHANG Chenyu, WANG Huifeng, HAN Keqing, TENG Cuiqing, YU Muhuo (477)
Preparation of SiBN fiber reinforced SiBN ceramic matrix composites by precursor infiltration-pyrolysis method	YU Juanli, LI Sen, LYU Yi, ZHANG Tianxiang, ZHAO Yingmin (484)
Effects of connector between stringer and rib on compressional properties of single-stiffened composite panels	ZHOU Rui, GUAN Zhidong, LI Zengshan, ZHUO Yue, ZHANG Hongfeng, XUE Bin (491)
Analysis of torsional stiffness of all-composite truss	XIONG Bo, LUO Xilin, TAN Huifeng (501)
Tearing behaviors of envelope thin films used in stratospheric airships with initial cracks	LIU Longbin, LYU Mingyun, XIAO Houdi (508)
Mechanical properties of 3D six-directional braided composites single-lap bolted joints under tensile load	TANG Yuling, ZHOU Zhengong, PAN Shidong, TIAN Shuang (515)
Modified semi-analytical method for adhesive stress of scarf joints in composite structure	LIU Bin, XU Fei, JI Zhe, WANG Yi, XIE Wei (526)
Mechanical properties of new negative Poisson's ratio crush box with cellular structure in plateau stage	ZHANG Wei, HOU Wenbin, HU Ping (534)
Interlaminar stress analysis of filled-hole composite laminate with bolt clamping	CAO Yong, FENG Yunwen, YAO Xionghua (542)
Core area stress determination of FRP confined short concrete columns under axial load by sensor	PENG Yaping, ZHANG Ying, HUANG Shifeng (549)
Impact damage on ultrahigh molecular weight polyethylene weft knitted composites with different layers	LI Cuiyu, YANG Xue, FENG Yanan, LUO Yuewen (557)
Influence of typical damages on composite wing vibration characteristics	DUAN Jingbo, JIANG Tao, MA Hang, SHI Shengfeng, LU Ping (565)
Effect of Z-pin parameters on pull-off carrying capacity of composite T-joints	LI Mengjia, CHEN Puhui, KONG Bin, PENG Tao, YAO Zhenglan, QIU Xueshi (571)
Influences of hygrothermal environment on lead-lag vibration characteristics of rotating composite beams	JIANG Baokun, ZHANG Xuanling, LI Yinghui (579)
Permeability of toughened RTM composite preforms by structural toughening layer	LIU Gang, ZHANG Peng, LI Weidong, HU Xiaolan, BAO Jianwen, YI Xiaosu (586)
Pyrolysis performance of bamboo-wood composites filled with Ca and Mg natural mineral powder	CHEN Weimin, LI Xingong, WU Yiqiang, YUAN Guangming, FU Bin (594)
Anti-plane problem analysis of edge crack emanating from regular triangle hole with smooth vertices in piezoelectroelastic solids	WANG Weihua, GUO Junhong, XING Yongming (601)
Interlaminar bonding properties of embedded co-cured composite damping structures after moisture absorption treatment	LUO Lei, LIANG Sen, ZHANG Qian, LIANG Tianxi (608)

欢迎订阅《复合材料学报》

《复合材料学报》(双月刊)是中国复合材料领域的基础性、学术性科技期刊;主要刊载复合材料基础研究和应用研究方面具有创造性、高水平和有重要意义的最新研究成果的论文,以及由该领域专家亲自撰写的反映本学科最新发展状况的文献综述和信息性文章;所刊载的研究成果对科学研究具有参考价值,对生产实践具有指导作用。

《复合材料学报》的学术影响力和办刊质量不断提高,2008 年被评选为“中国精品科技期刊”,2009 年度入选“百种中国杰出学术期刊”,2012 年入选“中国最具国际影响力学术期刊”(TOP5%,共 175 种学术期刊)。目前,本刊已有 3 篇论文入选“中国百篇最具影响国内学术论文”。《复合材料学报》是美国工程索引《Ei》的核心检索收录刊;也是美国化学文摘《CA》、俄罗斯文摘杂志《AJ》、美国应用力学评论《Appl. Mech. Rev.》(《AMR》)、剑桥科学文摘(工程类)《CSA2》等国际检索系统用刊。

《复合材料学报》国内外公开发刊,邮发代号:80-413

刊号:ISSN 1000-3851;CN 11-1801/TB

每期定价 80 元,全年定价 480 元

复合材料学报

Fuhe Cailiao Xuebao 双月刊,1984 年创刊

第 32 卷 第 2 期 2015 年 4 月出版

Acta Materiae Compositae Sinica

Bimonthly, Started in 1984

Vol. 32 No. 2 April 2015

主管单位:工业和信息化部

主办单位:北京航空航天大学

中国复合材料学会

主 编:益小苏

学术编辑:《复合材料学报》编辑部

北京海淀区学院路 37 号,100191

电 话:(010) 82316907(5973)

编辑出版:北航文化传媒集团

网 址:<http://fhclxb.buaa.edu.cn>

印 刷:北京科信印刷有限公司

发 行:北京报刊发行局

发行范围:国内外公开发刊

Administrated by Ministry of Industry and Information

Technology of the People's Republic of China

Sponsored by Beihang University (BUAA)

Chinese Society for Composite Materials

Chief Editor: Prof. Yi Xiaosu

Academically Edited by Editorial Office of

Acta Materiae Compositae Sinica

37 Xueyuan Road, Haidian District, Beijing 100191, China

Tel: 0086-10-82316907(5973)

Edited and Published by BUAA Culture Media Group Ltd.

<http://fhclxb.buaa.edu.cn>

Printed by Beijing Kexin Printing Co., Ltd

Distributed by Beijing Bureau for Distribution of
Newspapers and Journals

刊 号: ISSN 1000-3851 (国际标准刊号)
CN 11-1801/TB (国内统一刊号)

国内定价:80.00 元 邮发代号:80-413

ISSN 1000-3851

