

中华人民共和国国家卫生和计划生育委员会主管



国际脑血管病杂志

GUOJI NAOXUEGUAN BING ZAZHI

2019年2月 第27卷 第2期

中华医学会系列杂志 JOURNAL OF THE CHINESE MEDICAL ASSOCIATION

International Journal of
Cerebrovascular
Diseases

Volume 27 Number 2
February 2019



ISSN 1673-4165



9 771673 416191

万方数据

中华医学会
CHINESE
MEDICAL
ASSOCIATION



国际脑血管病杂志

INTERNATIONAL JOURNAL OF CEREBROVASCULAR DISEASES

月刊 1993 年 3 月创刊 第 27 卷 第 2 期 2019 年 2 月 28 日出版

主管

中华人民共和国国家卫生和计划生育委员会

主办

中华医学会
100710,北京市东四西大街 42 号
南方医科大学南方医院
海军总医院

编辑

国际脑血管病杂志编辑委员会
211135,南京市江宁区 9 号信箱
电话: (025) 84121542
传真: (025) 84199486 Email: foreignmed @
vip.163.com
<http://www.medline.org.cn>
<http://www.foreignmed.com>

总编辑

田增民

编辑部主任

陈兴洲

出版

《中华医学杂志》社有限责任公司
100710,北京市东四西大街 42 号
电话(传真): (010) 85158180
Email: office@cma.org.cn

广告经营许可证

320100494033 号

印刷

南京海兴印务有限公司

发行

范围: 公开
国内: 江苏省报刊发行局
国外: 中国国际图书贸易集团有限公司
(北京 399 信箱, 100044)
国外代号: M6593

订购

全国各地邮政局
邮发代号 28-211

邮购

国际脑血管病杂志编辑部
211135,南京市江宁区 9 号信箱
电话: (025) 84121542
传真: (025) 84199486

定价

每期 18 元, 全年 216 元

中国标准连续出版物号

ISSN 1673-4165

CN 11-5541/R

2019 年版权归中华医学会所有

本刊刊出的所有文章不代表中华医学会和本刊编委会的观点,除非特别声明。对于采纳本刊提供的任何资料和建议所导致的损害,本刊不承担任何责任。

未经授权,不得转载、摘编本刊文章,不得使用本刊的版式设计。
如有印装质量问题,请向本刊编辑部调换。

目 次

述评

甘露醇能用于脑水肿的治疗吗? 潘速跃 81

共识与指南

神经重症监护患者的液体治疗:ESICM 专家共识及临床实践推荐 Mauro Oddo, Daniele Poole, Raimund Helbok, Geert Meyfroidt, Nino Stocchetti, Pierre Bouzat, Maurizio Cecconi, Thomas Geeraerts, Ignacio-Martin Loeches, Hervé Quintard, Fabio Silvio Taccone, Romergrkyo G. Geocadin, Claude Hemphill, Carole Ichai, David Menon, Jean-Francois Payen, Anders Perner, Martin Smith, José Suarez, Walter Videtta, Elisa R. Zanier, Giuseppe Citerio 84

临床研究

入院时中性粒细胞与淋巴细胞比值对腔隙性卒中患者早期神经功能恶化的预测价值 张浩江 葛中林 钱明月 陈皆春 庄爱霞 98
低密度脂蛋白胆固醇/高密度脂蛋白胆固醇比值预测卒中高危人群无症状颈动脉斑块及其稳定性 张健煜 施辉 陈辉品 张传通 董兴金 刘林吉 王广兴 王经建 关自德 田小平 韩建明 史颖 唐逸 何明利 104
血清 miR-320b 与急性缺血性卒中患者颈动脉粥样硬化的相关性 徐将 陈子旋 王英歌 段作伟 唐向明 袁婷婷 卢遥遥 陈红梅 严坤宁 梁景岩 张新江 113
季节和气象因素对青海高原地区卒中发病的影响 万雅琦 吴世政 侯倩 陈晓娟 118
动脉瘤性蛛网膜下腔出血患者的肺部并发症:危险因素和对转归的影响 郭俊 杨小华 123

综述

脑白质高信号的危险因素 乔美玲 赵路清 张娟 马慧 128
脑白质高信号与血管性认知损害 杨乔 马浩源 宋怡瑶 吕佩源 132
血管周围间隙扩大与认知损害 滕振杰 冯静 董艳红 吕佩源 137
重复经颅磁刺激治疗血管性认知损害 滑美焕 黄小茜 孙强 董艳红 142
大血管闭塞所致轻度卒中:临床特征和再灌注治疗 范琳茗 张新江 147
血管壁磁共振成像评价颅内动脉粥样硬化斑块 黄旭 林国辉 宋建勋 152

病例报道

以可逆性后部白质脑病综合征为首发临床表现的肾功能衰竭合并过敏性紫癜 1 例 张培培 尹延英 苏学宁 李晨 158

医学简讯

铁营养状况与卒中风险有关	83
坚持健康生活方式在减少卒中方面具有独立于遗传风险的益处	103
卒中合并心房颤动患者特征和转归的20年趋势	112
缺血病变部位对缺血性卒中患者改良 Rankin 量表评分的影响	136
中等收入国家首次卒中发病后的5年生存、残疾和复发情况	141
脑出血后的临床转归与急性期血压有关	146
心房颤动的终生模式与卒中及死亡风险的联系	151

消息

《国际脑血管病杂志》2019年征订启事	目次2页
---------------------------	------

国际脑血管病杂志第7届编辑委员会成员名单	目次4页
----------------------------	------

本期执行编委 陈兴洲 陈光辉

责任编辑 曲东锋 李宏建

责任校对 马丽

· 消息 ·

《国际脑血管病杂志》2019年征订启事

《国际脑血管病杂志》是国家卫生和计划生育委员会主管、中华医学会主办的国家级学术期刊,是中华医学会系列杂志之一,为中国科技论文统计源期刊(核心期刊),并入编《中文核心期刊要目总览》2011版。办刊宗旨是,贯彻党和国家的卫生工作方针政策,贯彻理论与实践、普及与提高相结合的办刊方针,反映国际脑血管病临床和科研工作的最新进展,促进脑血管病领域的学术交流。报道脑血管病各方面的临床和研究新成果、新技术、新方法、新进展和新动向,包括神经病学、神经外科学、神经病理学、神经流行病学、神经化学、神经免疫学、神经影像学、血管外科、神经康复、神经重症医疗、神经心理学和言语障碍等。设置“专家论坛”、“评述”、“共识与指南”、“临床研究”、“基础研究”“综述”、“病例报道”、“国际会议动态”、“学术争鸣”、“医学简讯”等栏目。注重基础研究和临床应用的结合,立足临床工作的热点、难点和疑点。主要读者对象为从事脑血管病基础理论研究和临床诊治工作的神经内科、神经外科、神经影像科、神经介入科、神经康复科、神经急诊科医生和其他感兴趣的的专业人员,不但适合于从事脑血管病防治及相关学科的中、高级神经内外科临床、教学和科研工作者,也适合于广大基层医院内、外科医生阅读和参考。

《国际脑血管病杂志》为月刊,16开,80页,每月28日出版,每期定价18元,全年216元,邮发代号为28-211,欢迎广大读者到当地邮局订阅。直接通过邮局汇款从编辑部订阅的个人订户可享受全年150元的优惠价,还能获得国际脑血管病杂志网站浏览电子版杂志的权限。漏订者可从编辑部补订。联系地址:南京市江宁区9号信箱 国际脑血管病编辑部;邮编:211135;联系人:王文;电话:025-84121542;Email: foreignmed@vip.163.com;网址: www.foreignmed.com。

INTERNATIONAL JOURNAL OF CEREBROVASCULAR DISEASES

Monthly Established in March 1993 Volume 27, Number 2 February 28, 2019

Responsible Institution

National Health and Family Planning Commission of the People's Republic of China

Sponsor

Chinese Medical Association
42 Dongsi Xidajie, Beijing 100710, China

Editing

Editorial Board of International Journal of Cerebrovascular Diseases
P.O. Box 9, Jiangning, Nanjing 211135, China
Tel: 0086-25-84121542
Fax: 0086-25-84199486
Email: foreignmed@vip.163.com
<http://www.medline.org.cn>
<http://www.foreignmed.com>

Editor-in-Chief

Tian Zengmin (田增民)

Managing Director

Chen Xingzhou (陈兴洲)

Publishing

Chinese Medical Journals Publishing House Co., Ltd.
42 Dongsi Xidajie, Beijing 100710, China
Tel (Fax): 0086-10-85158180
Email: office@cma.org.cn

Printing

Nanjing Haixing Printing Company Ltd.

Overseas Distributor

China International Book Trading Corporation
P.O. Box 399, Beijing 100044, China
Code No. M6593

Mail-Order

Editorial Department of International Journal of Cerebrovascular Diseases
P.O. Box 9, Jiangning, Nanjing 211135, China
Tel: 0086-25-84121542
Email: foreignmed@vip.163.com

CSSN

ISSN 1673-4165
CN 11-5541/R

Copyright© 2019 by the Chinese Medical Association

All articles published represent the opinions of the authors, and do not reflect the official policy of the Chinese Medical Association or the Editorial Board, unless this is clearly specified. No content published by the journals of Chinese Medical Association may be reproduced or abridged without authorization. Please do not use or copy the layout and design of the journals without permission.

Editorial

- Can mannitol be used for the treatment of cerebral edema?
Pan Suyue 81

Consensus and Guideline

- Fluid therapy in neurointensive care patients: ESICM consensus and clinical practice recommendations
Mauro Oddo, Daniele Poole, Rainmund Helbok, Geert Meyfroidt, Nino Stocchetti, Pierre Bouzat, Maurizio Cecconi, Thomas Geeraerts, Ignacio-Martin Loeches, Hervé Quintard, Fabio Silvio Taccone, Romergrko G. Geocadin, Claude Hemphill, Carole Ichai, David Menon, Jean-Francois Payen, Anders Perner, Martin Smith, José Suárez, Walter Videtta, Elisa R. Zanier, Giuseppe Citerio 84

Clinical Researches

- Predictive value of neutrophil to lymphocyte ratio on admission for early neurological deterioration in patients with lacunar stroke
Zhang Haojiang, Ge Zhonglin, Qian Mingyue, Chen Jiechun, Zhuang Aixia 98
- Low-density lipoprotein cholesterol/high-density lipoprotein cholesterol ratio predicts asymptomatic carotid plaques and their stability in high-risk stroke population
Zhang Jianyu, Shi Hui, Chen Huipin, Zhang Chuantong, Dong Xingjin, Liu Linji, Wang Guangxing, Wang Jingjian, Guan Zide, Tian Xiaoping, Han Jianming, Shi Ying, Tang Yi, He Mingli 104
- Correlation between serum miR-320b and carotid atherosclerosis in patients with acute ischemic stroke
Xu Jiang, Chen Zixuan, Wang Yingge, Duan Zuowei, Tang Xiangming, Yuan Tingting, Lu Yaoyao, Chen Hongmei, Yan Kunning, Liang Jingyan, Zhang Xinjiang 113
- Effect of seasonal and meteorological factors on the onset of stroke in Qinghai Plateau area
Wan Yaqi, Wu Shizheng, Hou Qian, Chen Xiaojuan 118
- Pulmonary complications in patients with aneurysmal subarachnoid hemorrhage: risk factors and impact on outcome
Guo Jun, Yang Xiaohua 123

Reviews

- Risk factors for white matter hyperintensities
Qiao Meiling, Zhao Luqing, Zhang Juan, Ma Hui 128
- White matter hyperintensities and vascular cognitive impairment
Yang Qiao, Ma Haoyuan, Song Yiyao, Lyu Peiyuan 132
- Enlarged perivascular spaces and cognitive impairment
Teng Zhenjie, Feng Jing, Dong Yanhong, Lyu Peiyuan 137
- Repetitive transcranial magnetic stimulation for vascular cognitive impairment
Hua Meihuan, Huang Xiaoxi, Sun Qiang, Dong Yanhong 142
- Mild stroke caused by large vessel occlusion: clinical features and reperfusion treatment
Xun Liming, Zhang Xinjiang 147
- Vessel wall magnetic resonance imaging for intracranial atherosclerotic disease
Huang Xu, Lin Guohui, Song Jianxun 152

Case Report

- Posterior reversible encephalopathy syndrome as the first clinical manifestation of renal failure with Henoch-Schönlein purpura: a case report
Zhang Peipei, Yin Yanying, Su Xuening, Li Chen 158

脉络宁

注射液 口服液

清热养阴 活血化瘀



本广告仅供医学药学专业人士阅读



生产单位：金陵药业股份有限公司南京金陵制药厂

电话：025-85801999 传真：025-85803920

销售热线

电话：025-89633285 传真：025-89633281

万方数据

< 主要成分 > 牛膝、玄参、石斛、金银花、山银花

< 药理作用 > 扩张血管、改善微循环、增加血流量及抗凝血、溶血栓等；

< 功能主治 > 注射液：用于血栓闭塞性脉管炎、动脉硬化性闭塞症、脑血栓形成及后遗症、静脉血栓形成等病。

口服液：用于 I 、 II 期动脉硬化闭塞症及血栓闭塞性脉管炎引起的肢体皮肤发凉、酸胀、麻木、灼痛、间歇性跛行、静息痛等；急性和亚急性下肢深静脉血栓形成的局部肿胀、疼痛、皮肤温度升高、皮色异常等及恢复期轻中度脑梗塞引起的半身不遂、口舌歪斜、偏身麻木、语言不利等。

< 用法用量 > 注射液：静脉滴注。一次1-2支，一日1次，10-14天为一个疗程；口服液：口服。一次20ml，一日3次

< 禁 忌 > 孕妇禁用，其他详见说明书

< 规 格 > 注射液：10ml/支

口服液：10ml/支、20ml/支

< 不良反应 > 本品偶见憋气、心悸、潮红、过敏性反应、头晕、头痛、瘙痒、皮疹、恶心，罕见呼吸困难、过敏性休克。