报



TRANSACTIONS OF THE CHINA WELDING INSTITUTION



中国机械工程学会主办

第40卷 第 10 期

Vol. 40

No. 10

2019

焊接学级

第 40 卷 第 10 期 2019 年 10 月 25 日出版

目 次

| 基于组合激光结构光的多功能视觉传感器 | | | |
|--|------------------|----------|------|
| 电模拟惯性摩擦焊接技术 | ·郭吉昌,朱為 | 志明, 孙博文 | (1) |
| | 杜随更,赵鑫 | 逢哲, 李志远 | (8) |
| TiN 对 Fe-Cr-C 耐磨堆焊合金组织及耐磨性影响刘政 | 文军,李东芮, | ,王文欣,等 | (15) |
| 7N01 铝合金十字接头抗疲劳设计 ғ | 苹,米丽艳, | 干谊飞 筌 | (20) |
| 自保护药芯焊丝焊接工艺参数的敏感性分析 | | | |
| 冷却速率对高氮钢焊缝组织和性能的影响 | 压芬,谢金龙, | ,张恒铭,等 | (25) |
| 工件倾角对脉冲 MAG 焊接熔池形态和焊缝尺寸的影响 | 珠, 王克鸿, | ,王 伟,等 | (31) |
| 张 | 阳, 吕小青, | ,徐连勇,等 | (36) |
| 铝合金厚板激光扫描填丝焊接气孔抑制 | 吉鹏 , 李连胜, | , 宫建锋, 等 | (43) |
| 高强钢金属芯焊丝 E120C-K4 熔敷金属粗晶区显微组织对冲击韧性的影响 | 卜虎 ,栗卓新。 | 李红等 | (48) |
| 45 钢上堆焊 Fe-C-Cr-Nb 合金的压缩疲劳行为 | | | |
| 基于空气耦合超声的激光焊缝质量评估 | 長安, 郑思强, | , | (54) |
| Na ₂ SiF ₆ 活性激光焊接 TC4 钛合金焊缝成形和组织 | 发杰,李媛媛 , | ,胡 宸,等 | (60) |
| | 迷军,董俊慧, | ,白雪宇,等 | (67) |
| 同种材质焊接接头弯曲试验特性分析 | 世杰,王 超, | , 李存军, 等 | (73) |
| 一种钛基钎料钎焊 TiAl/GH536 的接头界面组织及性能 | 、强,娄 立, | , 屈盛官, 等 | (80) |
| 高强铝合金 PVPPAW 焊接参数优化与性能分析 | | | |
| 耗材摩擦焊接过程热力耦合分析 | 国伟,梁亚红, | | (86) |
| | 建忠,任朝晖, | , 刘大鹏, 等 | (93) |

| 厚壁结构件电弧增材制造成形方法及工艺 | |
|--|--------|
| | (100) |
| | (106) |
| 天然气管道在役修补焊接过程的数值模拟 | (111) |
| 薄板 TIG 堆焊屈曲变形的预测 | (111) |
| | (116) |
| 电子束熔丝成形 Ti-6Al-3Nb-2Zr-Mo 合金的组织与力学性能张帅锋, 蒋 鹏, 于冰冰, 等 | (121) |
| SAF2507 超级双相不锈钢 CMT + P 熔滴过渡特性 | (127) |
| К447A+GH4169 惯性摩擦焊接头组织与高温力学性能 | (127) |
| 2105 伊伊人人麻擦粉炒用放火烟烟上麻炒气头 | (137) |
| 2195 铝锂合金摩擦搅拌焊接头组织与腐蚀行为 | (142) |
| TC4 钛合金 /304 不锈钢异种材料蜂窝结构钎焊工艺 | (1.10) |
| ************************************* | (148) |
| 李帅贞,邢艳双,刘雪松 | (156) |
| 英文摘要 | (I) |
| | . / |

[期刊基本参数] CN23-1178/TC * 1980 * m * A4 * 160 * zh * P * ¥ 25.00 * 5800 * 26 * 2019-10

责任编辑: 郑 红 编辑: 曲 畅 崔 炜

TRANSACTIONS OF THE CHINA WELDING INSTITUTION

Vol. 40 No. 10 October 2019

CONTENTS

| A multifunctional monocular visual sensor based on combined laser structured lights | |
|--|------|
| | (1) |
| Electric simulation inertia friction welding technology | |
| DU Suigeng, ZHAO Xinzhe, LI Zhiyuan | (8) |
| Effect of TiN on microstructure and wear resistance of Fe-Cr-C hardfacing alloy | |
| LIU Zhengjun, LI Dongrui, WANG Wenxin, et al | (15) |
| Fatigue design and prediction on cruciform joint of 7N01 aluminum alloy | |
| | (20) |
| Sensitivity analysis of process parameters of self-shielded flux cored wire | |
| GU Yufen, XIE Jinlong, ZHANG Hengming, et al | (25) |
| Effect of cooling rate on the microstructure and mechanical properties of high nitrogen stainless steel weld metal | |
| | (31) |
| Effect of workpiece inclination on weld pool shape and weld forming in pulsed MAG welding | |
| ZHANG Yang, LV Xiaoqing, XU Lianyong, et al | (36) |
| Aluminum alloy thick plate laser scanning wire filling welding porosity suppression | |
| ZOU Jipeng, LI Liansheng, GONG Jianfeng, et al | (43) |
| Microstructure to Properties of Coarse Grained Heat Affected Zone in Deposited Weld Metal of Metal Cored Wire E120C-K4 | |
| SU Xiaohu, LI Zhuoxin, LI Hong, et al | (48) |
| Compression fatigue behavior of Fe-C-Cr-Nb alloys surfaced on 45 steel | |
| REN Zhenan, ZHENG Siqiang, HUANG Fei, et al | (54) |
| Quality evaluation of laser welds based on air-coupled ultrasound | |
| ······································ | (60) |
| Weld shape and microstructure of TC4 laser welding with activating flux of Na ₂ SiF ₆ | |
| ······································ | (67) |
| Analysis of bending test characteristics of welded joints with same material | |
| SU Shijie, WANG Chao, LI Cunjun, et al | (73) |
| Microstructure and properties of brazing joints with A Ti-based filler of TiAl/GH536 alloy | |
| LI Xiaoqiang, LOU Li, QU Shengguan, et al | (80) |

| Welding parameters optimization and mechanical properties analysis of PVPPA welded high-strength aluminum alloy | |
|--|-------|
| LI Guowei, LIANG Yahong, CHEN Furong, et al | (86) |
| Thermo-mechanical coupling analysis of consumable-rod friction welding process | |
| JU Jianzhong, REN Zhaohui, LIU Dapeng, et al | (93) |
| Forming method and technology of arc additive manufacturing for thick wall structural parts | |
| YANG Zhuang, WANG Tianqi, LI Liangyu, et al | (100) |
| Bonding strength and plasticity of multiscale composite nanosilver paste for low temperature sintering | |
| LI Zhao, LIU Yang, ZHANG Hao, et al | (106) |
| Numerical simulation on in-serve welding of natural gas pipeline | |
| LIU Yongbin, FENG Lide, ZHANG Jina, et al | (111) |
| Prediction on thin plate welding buckling of TIG bead welding | |
| GUO Nan, YU Yongjian, YIN Xianqing, et al | (116) |
| Microstructures and mechanical properties of Ti-6Al-3Nb-2Zr-Mo alloy fabricated by electron beam rapid manufacturing | |
| ZHANG Shuaifeng, JIANG Peng, YU Bingbing, et al | (121) |
| Study on droplet transfer of CMT + P welding process in SAF2507 super duplex stainless steel | |
| ······································ | (127) |
| Microstructure and high temperature mechanical properties of Inertia Friction Welding Joint of K447A + GH4169 | |
| ZHANG Chuanchen, ZHANG Tiancang, ZHAO Chunling | (137) |
| Structure and corrosion behavior of friction stir weld joint of 2195 Al-Li alloy | |
| | (142) |
| Brazing process of TC4 titanium/304 stainless steel dissimilar materials honeycomb sandwich structure | |
| DENG Yunhua, YUE Xishan, TAO Jun, et al | (148) |
| Effect of rotational speed on forming and tensile shear properties of 2060 Al-Cu-Li RFSSW joint | |
| LI Shuaizhen, XING Yanshuang, LIU Xuesong | (156) |