




化学学报

ACTA CHIMICA SINICA

2017 第75卷 第2期 Vol. 75 No. 2



先进电池材料 专辑

Special Issue: Materials for Advanced Batteries



化学学报

Acta Chimica Sinica

(Huaxue Xuebao)

第 75 卷 第 2 期 2017 年 2 月 15 日

目 次

社论

先进电池材料——移动信息社会的动力 陈军, 化学学报, **2017**, 75(2), 127-128

研究评论

锂-空气二次电池关键材料与器件的设计与制备
..... 刘清朝, 马诗喻, 徐吉静, 李中军, 张新波*, 化学学报, **2017**, 75(2), 137-146

研究展望

Si/石墨复合负极材料的制备方法研究进展
..... 杜进, 林宁*, 钱逸泰, 化学学报, **2017**, 75(2), 147-153

综述

钠离子电池先进功能材料的研究进展
..... 向兴德, 卢艳莹, 陈军*, 化学学报, **2017**, 75(2), 154-162

钠离子电池用碳负极材料研究进展
..... 张思伟, 张俊, 吴思达, 吕伟*, 康飞宇, 杨全红*, 化学学报, **2017**, 75(2), 163-172

锂硫电池先进功能隔膜的研究进展
..... 黄佳琦, 孙滢智, 王云飞, 张强*, 化学学报, **2017**, 75(2), 173-188

研究通讯

锗纳米管催化的氧还原反应: 催化性能和机理研究
..... 陈鑫, 鄢慧君, 夏定国*, 化学学报, **2017**, 75(2), 189-192

高性能 Pt 纳米管中管电催化剂在甲醇燃料电池中的应用
..... 李奇, 许瀚, 童叶翔*, 李高仁*, 化学学报, **2017**, 75(2), 193-198

研究论文

放电态 Li-AgVO₃ 一次电池作为可充 Li-O₂ 电池再利用研究
..... 李冉, 卢艳莹, 雷凯翔, 李福军, 程方益*, 陈军, 化学学报, **2017**, 75(2), 199-205


具有三维导电网络结构的锡纳米颗粒/石墨烯纳米片复合电极材料的储镁性能研究
..... 张长欢, 李念武, 姚胡蓉, 刘琳, 殷雅侠*, 郭玉国*, 化学学报, **2017**, 75(2), 206-211

富锂正极材料 xLi₃NbO₄·(1-x)LiMO₂ (M=Mn, Co; 0<x<1) 的制备及电化学性能研究
..... 杨春, 龚正良*, 赵文高, 杨勇*, 化学学报, **2017**, 75(2), 212-217

* 通信联系人.

钠离子电池新型 Cu 基隧道型氧化物正极材料研究	刘丽露, 戚兴国, 胡勇胜*, 陈立泉, 黄学杰, 化学学报, 2017 , 75(2), 218-224
三维氮掺杂碳纳米带的制备及其在锂硫电池中的应用	李宛飞, 马倩, 郑召召, 张跃钢*, 化学学报, 2017 , 75(2), 225-230
水热法合成氧化亚钴纳米粒子/石墨烯复合材料及其储锂性能研究	王蕾, 赵冬冬, 刘旭, 于鹏, 付宏刚*, 化学学报, 2017 , 75(2), 231-236
Pt-Ni-P/Ti 蜂窝状电极的制备及其催化甲醇氧化性能研究	陶熊新, 李莉, 齐学强, 魏子栋*, 化学学报, 2017 , 75(2), 237-240
基于碳包覆磷酸钛钠及活性炭的水系混合超级电容器的研究	王超强, 邱飞龙, 邓瀚, 张晓禹, 何平*, 周豪慎*, 化学学报, 2017 , 75(2), 241-246

On the cover: An innovative way to recycle the depleted Li-ion batteries is proposed by transforming them to rechargeable Li-O₂ batteries. In the discharged primary Li-AgVO₃ batteries where Ag nanoparticles form *in-situ* on the surface of vanadium oxide to act as efficient catalyst, Li₂O₂ can be reversibly generated/decomposed when the batteries are exposed in oxygen. [Chen, Jun *et al.* on page 199-205.]



Editorial

Materials for Advanced Batteries—A Driving Force of the Mobile Information Society.....
 Chen, Jun *Acta Chim. Sinica* **2017**, 75(2), 127-128

Account

Design and Preparation of Advanced Materials for Lithium-Air Batteries




Lithium-air battery holds ultrahigh theory energy density, while its practical application still hindered by many challenges. This review mainly introduces our recent works on lithium-air battery, including cathode fabrication, lithium anode protection as well as design and assembly of novel flexible lithium-air battery, hoping to promote the understanding the development of lithium-air battery.

Liu, Qingchao; Ma, Shiyu; Xu, Jijing; Li, Zhongjun; Zhang, Xinbo*

Acta Chim. Sinica **2017**, 75(2), 137-146

Perspective

Recent Development of the Synthetic Method for Si/Graphite Anode Materials




Du, Jin; Lin, Ning*; Qian, Yitai

Acta Chim. Sinica **2017**, 75(2), 147-153

This perspective shows the synthetic methodologies for producing high-capacity nano-Si/graphite composite for rechargeable Li-ion batteries.

Review

Advance and Prospect of Functional Materials for Sodium Ion Batteries




Sodium ion batteries (SIBs) as a new chemical power source have recently attracted a great attention for large-scale energy storage owing to the abundant reserves and low cost of sodium resources. This review summarizes the recent advance of electrode materials and electrolytes for SIBs, mainly focusing on their electrochemical properties, existing challenges and resolution strategies.

Xiang, Xingde; Lu, Yanying; Chen, Jun*

Acta Chim. Sinica **2017**, 75(2), 154-162

Research Advances of Carbon-based Anode Materials for Sodium-Ion Batteries




Sodium-ion battery (SIB) is a promising energy storage device for large scale energy storage systems, but its practical use is restricted by the lack of suitable active anode and cathode materials. Carbon materials are the most promising anode materials, and the commercial carbon molecular sieve is highlighted as a promising anode material for the practical use of SIBs. In this paper, the sodium ion storage behaviors in different carbon structures are discussed and the research advances of carbon-based anode materials are reviewed.

Zhang, Siwei; Zhang, Jun; Wu, Sida; Lv, Wei*; Kang, Feiyu; Yang, Quan-Hong*

Acta Chim. Sinica **2017**, 75(2), 163-172

Review on Advanced Functional Separators for Lithium-Sulfur Batteries




Huang, Jiaqi; Sun, Yingzhi; Wang, Yunfei; Zhang, Qiang*

Acta Chim. Sinica **2017**, 75(2), 173-188

In this review article, recent progresses on multifunctional separators/interlayers for lithium sulfur batteries are summarized, including the permselective separators to stop the polysulfide shuttles, separator for low interface resistance, and separator for stable anode interfaces.

Communication

Germanium Nanotube as the Catalyst for Oxygen Reduction Reaction: Performance and Mechanism




Chen, Xin; Yan, Huijun; Xia, Dingguo*

Acta Chim. Sinica 2017, 75(2), 189-192

The oxygen reduction reaction catalytic performance and the possible mechanism on germanium nanotube were studied by density functional theory methods.

Pt Tube-in-Tube Arrays as High-Performance Electrocatalysts for Direct Methanol Fuel Cell




Li, Qi; Xu, Han; Tong, Yexiang*; Li, Gaoren*

Acta Chim. Sinica 2017, 75(2), 193-198

The Pt tube-in-tube arrays (TTAs) were designed and synthesized by ZnO template-assisted electrodeposition. The Pt TTAs can obviously enhance the utilization rate of Pt and efficiently prevent the Ostwald ripening and aggregation, which is derived from the unique TTAs structure provides fast transport and short diffusion paths for electroactive species because of their multi-walled, hollow and one-dimensional (1D) nanostructures. The design of TTAs structure provides a new avenue for the synthesis of Pt-based electrocatalysts with excellent catalytic activity and durability for DMFCs.

Article


Resumption of the Discharged Li-AgVO₃ Primary Batteries for Rechargeable Li-O₂ Batteries

Li, Ran; Lu, Yanying; Lei, Kaixiang; Li, Fujun; Cheng, Fangyi*; Chen, Jun

Acta Chim. Sinica 2017, 75(2), 199-205

The discharged Li-AgVO₃ primary battery can be further resumed as a rechargeable Li-O₂ battery by exposing the cathode to oxygen with the Ag nanoparticles generated during discharge of Li-AgVO₃ battery. The discharged silver vanadium oxide electrode acts as an electronically conductive and catalytically active catalyst for the reversible formation/decomposition of Li₂O₂.

Synthesis of Sn Nanoparticles/Graphene Nanosheet Hybrid Electrode Material with Three-Dimensional Conducting Network for Magnesium Storage



Zhang, Changhuan; Li, Nianwu; Yao, Huirong; Liu, Lin; Yin, Yaxia*; Guo, Yuguo*


Acta Chim. Sinica 2017, 75(2), 206-211

The 3D conducting network of rGO can effectively prevent the aggregation of Sn nanoparticles and alleviate the serious volume variation of Sn during repeated discharging/charging process. The Sn/rGO nanocomposite exhibits good capacity retention and a high Coulombic efficiency.

Synthesis and Electrochemical Performance of Lithium Rich Cathode Materials $x\text{Li}_3\text{NbO}_4 \cdot (1-x)\text{LiMO}_2$ ($M = \text{Mn, Co}$; $0 < x < 1$) for Li-ion Batteries

Yang, Chun; Gong, Zhengliang*; Zhao, Wengao; Yang, Yong*

Acta Chim. Sinica 2017, 75(2), 212-217




Lithium rich material $x\text{Li}_3\text{NbO}_4 \cdot (1-x)\text{LiMnO}_2$ was synthesized and investigated, the samples with $x=0.25$ or $x=0.43$ deliver a large capacity in the first cycle. The Co^{3+} doped material shows improved rate capability.

Novel Cu Based Oxides with Tunnel Structure as Cathode for Sodium-ion Batteries

Liu, Lili; Qi, Xingguo; Hu, Yongsheng*; Chen, Liquan; Huang, Xuejie

Acta Chim. Sinica 2017, 75(2), 218-224




A series of Cu based tunnel type oxides were synthesized with different sodium contents. The space group is $pbam$, which is the same as $\text{Na}_{0.44}\text{MnO}_2$. Electrochemical performance tests demonstrated, for the first time, the electroactivity of $\text{Cu}^{3+}/\text{Cu}^{2+}$ redox couple in tunnel type structure.

Preparation of Three-dimensional Nitrogen-doped Carbon Nanoribbon and Application in Lithium/Sulfur Batteries

Li, Wanfei; Ma, Qian; Zheng, Zhaozhao; Zhang, Yuegang*

Acta Chim. Sinica 2017, 75(2), 225-230




A high nitrogen-doped three-dimensional (3D) carbon nanoribbon network structure was built via thermal nitridation of a polymer of 1,4-hydroquinone and formaldehyde/graphene oxide (PHF/GO) composites. The developed S@NCNT-NG cathode exhibits high sulfur utilization, excellent rate capacities and good cyclability. The reported facile, cost-effective and scalable process shows great promise in practical lithium/sulfur batteries.

Hydrothermal for Synthesis of CoO Nanoparticles/Graphene Composite as Li-ion Battery Anodes

Wang, Lei; Zhao, Dongdong; Liu, Xu; Yu, Peng; Fu, Honggang*

Acta Chim. Sinica **2017**, *75*(2), 231-236




CoO/reduced graphene oxide (RGO) composite has been synthesized by a facile and effective route. As Li-ion battery anode, it could exhibit high discharge capacity, well rate capability and superior cyclic stability.

Preparation and Electrochemical Properties of Honeycomb-like Pt-Ni-P/Ti Electrode for Methanol Oxidation

Tao, Xiongxin; Li, Li; Qi, Xueqiang; Wei, Zidong*

Acta Chim. Sinica **2017**, *75*(2), 237-240




A honeycomb-like Pt-Ni-P catalyst supported on titanium sheet was prepared via a so-called “*out-situ* dissolution-deposition mechanism”. Electrochemical measurements confirmed that the incorporation of P can significantly enhance the methanol oxidation activity and CO-tolerance. The combination of compositionally and geometrically favorable factors provides a new avenue to design new anode electrocatalyst for direct methanol fuel cells.

Study on the Aqueous Hybrid Supercapacitor Based on Carbon-coated NaTi₂(PO₄)₃ and Activated Carbon Electrode Materials

Wang, Chaoqiang; Qiu, Feilong; Deng, Han; Zhang, Xiaoyu; He, Ping*; Zhou, Haoshen*

Acta Chim. Sinica **2017**, *75*(2), 241-246



A Na-ion aqueous hybrid supercapacitor was fabricated by combining NaTi₂(PO₄)₃ anode and active carbon cathode. This hybrid supercapacitor shows the power density of 121.15 W·kg⁻¹ with specific energy of 18.71 Wh·kg⁻¹ at the current density of 0.5 A·g⁻¹. Moreover, the specific energy and power density goes to 14.13 Wh·kg⁻¹ and 2.42 kW·kg⁻¹ at a higher current density of 10 A·g⁻¹.



- Peer-reviewed
- High quality and standard
- Founded in 1933
- First SCI indexed Chemistry journal in China
- Free for reviewing and publishing
- Open access
- High efficiency in reviewing and publishing



Editor-in-Chief

ZHOU Qi-Lin(周其林)
Nankai University

Associate Editors

DING Kui-Ling(丁奎岭)

Shanghai Institute of Organic Chemistry, CAS

GAO Song(高松)

Peking University

HE Chuan(何川)

University of Chicago, USA

JIANG Gui-Bin(江桂斌)

Research Center for Eco-Environmental Sciences, CAS

LIU Zhong-Fan(刘忠范)

Peking University

ZHANG Xi(张希)

Tsinghua University

SHUAI Zhi-Gang(帅志刚)

Tsinghua University

