


QK1923557
http://sioc-journal.cn

化学学报

ACTA CHIMICA SINICA

2019 第77卷 第5期 Vol. 77 No. 5



ISSN 0567-7351



770567 735196
万方数据

05 >



中国化学会
中国科学院上海有机化学研究所

主办

化学学报

Acta Chimica Sinica

(Huaxue Xuebao)

第 77 卷 第 5 期 2019 年 5 月 15 日

目 次

研究评论

- 聚芴类共轭聚合物(PFs)从溶液到薄膜凝聚态演变过程中的定量构效关系
..... 张昊, 黄龙, 李涛, 刘宾, 白泽明, 李小娜, 陆丹*, 化学学报, 2019, 77(5), 397-405

综述

- 可控释放一氧化碳的纳米材料及其生物医学应用
..... 张晓蕾, 田甘, 张潇*, 王清*, 谷战军, 化学学报, 2019, 77(5), 406-417

研究通讯


- 无金属催化的吡啶 C2 位碳-氢键胺甲酰化反应合成吡啶甲酰胺
..... 王昱赞, 刘云云*, 化学学报, 2019, 77(5), 418-421

研究论文

- 基于金纳米颗粒的比色传感体系用于前列腺特异性膜抗原的检测
..... 冯婷婷*, 高首勤, 王堃, 化学学报, 2019, 77(5), 422-426
- 压电增强的等离子体光催化材料 Ag/BaTiO₃ 的制备及性能研究
..... 徐姝雅*, 刘治宏, 张淮, 于金冉, 化学学报, 2019, 77(5), 427-433
- UiO-66/CoSO₄ 复合材料对环境中盐酸左氧氟沙星的高效去除
..... 朱桂芬*, 陈乐田, 程国浩, 赵娟, 杨灿, 张耀宗, 王醒, 樊静*, 化学学报, 2019, 77(5), 434-441
- 环状苄基张力半导体拉曼光谱理论与实验研究
..... 薄一凡, 刘玉玉, 常永正*, 李银祥, 张效霏, 宋春元, 许卫锋, 曹洪涛*, 黄维*, 化学学报, 2019, 77(5), 442-446
- 溶剂热法制备纳米氧化镍及其表征
..... 陈甜, 杨英*, 赵婉玉, 潘德群, 朱从潭, 林飞宇, 郭学益*, 化学学报, 2019, 77(5), 447-454
- Pc-carbon: 一种可能的超硬碳材料
..... 曹爱华, 吴波, 甘利华*, 化学学报, 2019, 77(5), 455-460
- BiOCl-ov/坡缕石复合可见光催化剂的制备及其对醇类的选择性氧化研究
..... 孟双艳, 杨红菊, 朱楠, 杨娇, 杨瑞瑞, 杨志旺*, 化学学报, 2019, 77(5), 461-468
- 磷酸基多孔芳香骨架材料用于提取铀离子
..... 李樟楠, 沙浩岩, 杨南, 元野*, 朱广山, 化学学报, 2019, 77(5), 469-474

* 通信联系人.

On the cover: Direct C—H bond functionalization on pyridines is the most straightforward approach to access pyridine derivatives. In the area of 2-aminocarbonyl pyridine synthesis, the catalysis employing noble metal reagents such as Ag-catalyst, Pd catalyst via the reactions of pyridines with formamides, CO/amine, or isocyanides are the mainstream. In this work, a metal-free tactic is developed by the oxalic acid dihydrate promoted reactions of pyridines and isocyanides via C2-aminocarbonylation reactions, thus providing atom economical and facile access to useful pyridine derivatives. [Liu, Yunyun *et al.* on page 418-421.]




Account

Quantitative Structure-property Relationship of Polyfluorene Conjugated Polymers Condensed State from Solution to Film

Zhang, Hao; Huang, Long; Li, Tao; Liu, Bin; Bai, Zeming; Li, Xiaona; Lu, Dan*

Acta Chim. Sinica **2019**, 77(5), 397-405




The kinetic evolution of PFs in isolated single chain, aggregation condensed-structures, transition state and the mechanism, and regularity of β -conformation are revealed. Quantitative structure-property relationship of single-chain conformation of precursor solution, aggregate structure of thin film and optoelectronic device performance is established.

Review

Controlled Release of Carbon Monoxide Based on Nanomaterials and Their Biomedical Applications

Zhang, Xiaolei; Tian, Gan; Zhang, Xiao*; Wang, Qing*; Gu, Zhanjun


Acta Chim. Sinica **2019**, 77(5), 406-417



Controllable CO releasing nanomaterials reported to date are comprehensively summarized according to their stimuli sources. The applications and outlook of these controlled CO releasing nanomaterials in biomedical fields, such as inhibiting inflammation, anti-bacterial and cancer therapy, are further discussed and prospected.

Communication

Metal-Free C2-H Aminocarbonylation of Pyridines for the Synthesis of Picolinamides




Wang, Yuyun; Liu, Yunyun*

Acta Chim. Sinica 2019, 77(5), 418-421

The direct C—H aminocarbonylation in the C2 position of pyridine is realized by employing isocyanides under totally metal-free conditions. The reactions take place practically in the presence of only oxalic acid dihydrate and DTBP, providing a facile and atom economical method toward picolinamides.

Article



Colorimetric Sensing of Prostate Specific Membrane Antigen Based on Gold Nanoparticles



Feng, Tingting*; Gao, Shouqin; Wang, Kun

Acta Chim. Sinica 2019, 77(5), 422-426



A novel colorimetric approach was presented to detect prostate specific membrane antigen (PSMA) by assembling a purpose-designed peptide with the positively charged gold nanoparticles. The positively charged gold nanoparticles interact electrostatically with polyanionic peptide, resulting in aggregation of gold nanoparticles. Reaction of the system with PSMA cleaves the peptide, leading to the dispersion of the gold nanoparticles and a great change in absorption intensity in a dose- and time-dependent manner, and PSMA can be quantified accordingly.

Preparation and Properties of Piezotronics Enhanced Plasmonic Photocatalytic Material by Ag/BaTiO₃

Xu, Shuya*; Liu, Zhihong; Zhang, Huai; Yu, Jinran

Acta Chim. Sinica 2019, 77(5), 427-433

A new Ag-BaTiO₃ piezo-plasmonic photocatalysts were fabricated by precipitating Ag nanoparticles on BaTiO₃ nano-piezoelectric. The effects of piezoelectric potential in nano-piezoelectric has been confirmed to express a great influence on surface plasmon resonance photocatalytic activity.


Efficient Removal of Levofloxacin Hydrochloride from Environment by UiO-66/CoSO₄ Composites

Zhu, Guifen*; Chen, Letian; Cheng, Guohao; Zhao, Juan; Yang, Can; Zhang, Yaozong; Wang, Xing; Fan, Jing*

Acta Chim. Sinica 2019, 77(5), 434-441

A newly UiO-66/CoSO₄ composite was prepared by introducing UiO-66 as the precursor carrier. Under the optimal conditions, the equilibrium adsorption was achieved within 30 min, and the maximum adsorption capacity was 108.4 mg·g⁻¹. The UiO-66/CoSO₄ composite was easy to prepare and can be used to remove above 94.7% of levofloxacin hydrochloride from environment water and soil samples, and no significant decrease in adsorption efficiency has been observed after five cycles.

Theoretical and Experimental Studies on Raman Spectroscopy of Cyclic Fluorene-Based Strained Semiconductors





Bo, Yifan; Liu, Yuyu; Chang, Yongzheng*; Li, Yinxian; Zhang, Xiaofei; Song, Chunyuan; Xu, Weifeng; Cao, Hongtao*; Huang, Wei*

Acta Chim. Sinica **2019**, 77(5), 442-446

Compared with traditional linear fluorene-based semiconductors, cyclic fluorene-based strained semiconductors exhibit unique photoelectrical properties. However, the properties of molecular vibrations of cyclic fluorene-based strained materials have not been reported so far. In this article, [4]Cyclo-9,9-dipropyl-2,7-fluorene (CF) and linear quarterfluorenes (LF) were synthesized as modeling compounds to explore the differences of Raman spectra on structures by theoretical and experimental studies.

Solvothermal Preparation and Characterization of Nano-nickel Oxide




Chen, Tian; Yang, Ying*; Zhao, Wanyu; Pan, Dequn; Zhu, Congtan; Lin, Feiyu; Guo, Xueyi*

Acta Chim. Sinica **2019**, 77(5), 447-454

The reaction with 1-octadecene as solvent and nickel acetylacetonate and oleic acid as reactants was driven by the mechanism as the above picture, which showed that the components formed coordination compounds firstly, then following by a small amount of substitution of coordination groups with oleylamine. The molar ratios of $\text{Ni}(\text{acac})_2$, oleic acid and oleylamine determine the types and amounts of intermediates, which would finally obtain spherical nickel oxide.

Pc-carbon: A Possible Superhard Monoclinic Carbon Allotrope



Cao, Ai-Hua; Wu, Bo; Gan, Li-Hua*


Acta Chim. Sinica **2019**, 77(5), 455-460

A superhard carbon material is predicted and its mechanical, electronic and elastic anisotropy are studied.

Preparation and Photocatalytic Activity of BiOCl-*ov*/palygorskite Nanocomposites for the Selective Oxidation of Alcohols under Visible Light Irradiation

Meng, Shuangyan; Yang, Hongju; Zhu, Nan; Yang, Jiao; Yang, Ruirui; Yang, Zhiwang*

Acta Chim. Sinica **2019**, 77(5), 461-468




BiOCl-*ov*/palygorskite (PGS) nanocomposites were synthesized by simple one-step hydrothermal method. The photocatalytic activity was detected through the selective oxidation of aromatic alcohols under visible-light conditions. It showed that the conversion of 78% of benzalcohol as well as the selectivity of 86% of benzaldehyde was reached with the catalysis of the nanocomposites in the photocatalytic oxidation of benzalcohol.

Phosphoric Acid Based Porous Aromatic Framework for Uranium Extraction

Li, Zhangnan; Sha, Haoyan; Yang, Nan; Yuan, Ye*; Zhu, Guangshan


Acta Chim. Sinica **2019**, 77(5), 469-474



Using biphenyl as building unit, we synthesize porous aromatic framework material (PAF-45). Then, porous aromatic materials (PAF-45-PG) with phosphate groups were prepared by post-modification. The results of characterization show that the uranium adsorption capacity of PAF-45-PG can reach $100 \text{ mg} \cdot \text{g}^{-1}$ at $\text{pH}=6$ condition. Meanwhile, the material is economical and has considerable industrial expectation, which provides a broad prospect for the application of porous materials in energy.

Go Now!!

<http://sioc-journal.cn>



SCI影响因子 (2017)
2.735


化学学报

ACTA CHIMICA SINICA

- 同行评审
- 中国创刊最早的化学期刊(始于1933年)
- 中国第一个被SCI收录的化学期刊
- 中国“百强科技期刊”
- 高水平、高质量、高效率
- 免费投稿、审稿、发表
- 免费阅读、开放获取
- SCI影响因子最高的中文期刊

Tel.: +86-21-54925242

E-mail: hxxb@sioc.ac.cn



SCI影响因子 (2017)
2.378


CHINESE JOURNAL OF CHEMISTRY

中国化学

- 同行评审
- 1983年创刊 (原名Acta Chimica Sinica English Edition)
- 与Wiley-VCH合作出版
- 免费审稿、免费发表
- SCI收录

Tel.: +86-21-54925243-27

E-mail: cjc@sioc.ac.cn



SCI影响因子 (2017)
1.392

有机化学

Chinese Journal of Organic Chemistry

- 同行评审
- 1980年创刊
- 全面覆盖有机化学领域
- 设有研究专题、综述与进展、研究论文、研究简报、亮点介绍等栏目
- 开放获取
- SCI收录

Tel.: +86-21-54925244-28

E-mail: yjhx@sioc.ac.cn



中国化学会
中国科学院上海有机化学研究所

主办

万方数据

国际刊号: ISSN 0567-7351 国内刊号: CN31-1320/O6 国内邮发代号: 4-209 国外发行代号: M56