



Q K 2 1 3 0 8 1 4




ISSN 0567-7351
CN 31-1320/O6
CODEN HHHPA4
<http://sioe-journal.cn>

化 学 报

ACTA CHIMICA SINICA

Volume 79 Number 7 July 2021



ISSN 0567-7351
9 770567 735219

07>



中国化学会
中国科学院上海有机化学研究所
主办

万方数据

化 学 学 报

Acta Chimica Sinica

(Huaxue Xuebao)

第 79 卷 第 7 期 2021 年 7 月 15 日

目 次

综述

- 微流控技术在微/纳米材料合成中的研究进展 卢佳敏, 王慧峰, 潘建章, 方群*, 化学学报, 2021, 79(7), 809-819
苯并三氮唑类有机光伏材料研究进展 白阳, 薛灵伟*, 王海侨, 张志国*, 化学学报, 2021, 79(7), 820-852
PEDOT 导电高分子在柔性能量转化与存储器件的研究进展 龚陈祥, 程书平, 孟祥川, 胡笑添*, 陈义旺*, 化学学报, 2021, 79(7), 853-868
二维金属-有机骨架膜的制备及其在分离中的应用 吕露茜, 赵娅俐, 魏嫣莹*, 王海辉*, 化学学报, 2021, 79(7), 869-884
水合肼分解产氢催化剂研究进展 张安琪, 姚淇露, 卢章辉*, 化学学报, 2021, 79(7), 885-902

研究通讯

- 亚胺氯化物介导一锅法合成 3-吸电子基团取代吲哚衍生物 占林俊, 胡玮, 王梅, 黄斌, 龙亚秋*, 化学学报, 2021, 79(7), 903-907
通过芳磷酸酯不同化学键的可选择性断裂构建不同的芳基醚 方永盛, 李文慧, 林建英, 李兴*, 化学学报, 2021, 79(7), 908-913

研究论文

- 烯烃连接的三嗪共轭多孔聚合物的合成及其可见光催化产氢性能 麻旺坪, 贺彦彦, 刘洪来*, 化学学报, 2021, 79(7), 914-919
基于稀土阳离子和多酸阴离子的系列纯无机离子液体的合成及性质 王赫男, 张安歌, 张仲, 田洪瑞, 岳倩, 赵雪, 鹿颖, 刘术侠*, 化学学报, 2021, 79(7), 920-924
镍氮掺杂有序大孔/介孔碳负载银纳米颗粒用于高效电催化 CO₂ 还原 穆春辉, 张艺馨, 寇伟, 徐联宾*, 化学学报, 2021, 79(7), 925-931
Pt_{0.01}Fe_{0.05}-g-C₃N₄ 催化剂高效光热催化二氧化碳还原 王瑞兆, 邹云杰, 洪晟, 徐铭楷, 凌嵒*, 化学学报, 2021, 79(7), 932-940
分级多孔 N, P 共掺杂 rGO 改性隔膜增强锂硫电池的循环稳定性 陈锋, 程晓琴, 赵振新, 王晓敏*, 化学学报, 2021, 79(7), 941-947
Cu 催化偶联反应合成烷基芳基醚的 DFT 机理研究 满清敏, 付尊蕴, 刘甜甜, 郑明月*, 蒋华良*, 化学学报, 2021, 79(7), 948-952


* 通信联系人。

ACTA CHIMICA SINICA

Vol. 79, No. 7 July 15, 2021


Contents

On the cover: By making use of the active imidoyl chloride-mediated cascade reaction to form various heterocycles, a new one-pot synthesis of the 3-cyano or carboxylate-indole derivatives was developed, enabling an efficient and diversity-oriented construction of drug-like privileged scaffolds-based combinatorial library. [Ya-Qiu Long *et al.* on page 903-907.]



Review


Research Progress of Microfluidic Technique in Synthesis of Micro/Nano Materials



Jia-Min Lu, Hui-Feng Wang, Jian-Zhang Pan, Qun Fang*

Acta Chim. Sinica 2021, 79(7), 809-819

Research Advances on Benzotriazole-based Organic Photovoltaic Materials




Yang Bai, Ling-Wei Xue*, Hai-Qiao Wang,
Zhi-Guo Zhang*

Acta Chim. Sinica 2021, 79(7), 820-852

As a typical electron-deficient penta-heterocycle, benzotriazoles (BTAs) derivates a variety of high-performance photovoltaic materials, which promoted the rapidly rising of organic solar cells. Here, this review focuses on the research progress on BTA-based photovoltaic materials and related molecular design strategies developed in recent years, and also presents perspective on its future development.

Recent Advances of PEDOT in Flexible Energy Conversion and Storage Devices




Chenxiang Gong, Shuping Cheng,
Xiangchuan Meng, Xiaotian Hu*, Yiwang
Chen*

Acta Chim. Sinica 2021, 79(7), 853-868

The modified-PEDOT (poly(3,4-ethylenedioxythiophene)) is accompanied by the improvement of electrical conductivity and the orderly arrangement of conformation, and the corresponding flexible devices also show excellent performance.

Preparation of Two-Dimensional Metal-Organic Framework Membranes and Their Applications in Separation




Luxi Lyu, Yali Zhao, Yanying Wei*, Haihui
Wang*

Acta Chim. Sinica 2021, 79(7), 869-884

Two-dimensional (2D) metal-organic framework (MOF) membranes are expected to show both high permeability and selectivity in separations, which become a kind of potential high-performance membrane for industrial separations. This review introduces the preparation methods of 2D MOF nanosheets, including top-down, bottom-up and combined strategies; the synthesis methods of 2D MOF nanosheets membranes, including vacuum filtration, hot-drop coating, Langmuir-Blodgett, direct growth and other potential methods; as well as the applications of 2D MOF membranes in separations, including gas separation, nanofiltration and ion separation.

Recent Progress on Catalysts for Hydrogen Evolution from Decomposition of Hydrous Hydrazine



Anqi Zhang, Qilu Yao, Zhang-Hui Lu*
Acta Chim. Sinica 2021, 79(7), 885-902

Hydrous hydrazine ($\text{N}_2\text{H}_4 \cdot \text{H}_2\text{O}$) has been considered as a promising hydrogen storage material due to its high hydrogen content ($w=8.0\%$), the advantage of CO-free H_2 production, and facile recharging as a stable liquid. The study of catalysts is the key for efficient dehydrogenation of $\text{N}_2\text{H}_4 \cdot \text{H}_2\text{O}$. In this paper, we review the research progress on catalysts for hydrogen production from $\text{N}_2\text{H}_4 \cdot \text{H}_2\text{O}$, analyze the dehydrogenation mechanism, and discuss the strategies for improving the selectivity and activity of catalysts. The review can provide a guidance for the developing more efficient catalysts for hydrogen production from hydrous hydrazine in the future.

Communication

Imidoyl Chloride Mediated One-Pot Synthesis of 3-Electron Withdrawing Group Substituted Indoles




Linjun Zhan, Wei Hu, Mei Wang, Bin Huang, Ya-Qiu Long*

Acta Chim. Sinica 2021, 79(7), 903-907

A new one-pot synthesis of 3-cyano/carboxylate-indole derivatives through an imidoyl chloride-mediated cascade reaction was developed. This synthetic methodology is featured with cheap and readily available starting materials, high reaction yields, high functional group tolerance and broad substrate scope. This reaction is a direct synthesis not requiring prefunctionalization, and highly atom- and step-economic.

Different Bonds Cleavage of Arenesulfonates: Access to Diverse Aryl Ethers




Yongsheng Fang, Wenhui Li, Jianying Lin, Xing Li*

Acta Chim. Sinica 2021, 79(7), 908-913

The construction of aryl alkyl ethers and diaryl ethers via different bonds cleavage of arenesulfonates as starting materials is described. The formation of diaryl ethers is also realized through the reaction of arenesulfonyl chlorides with phenols.

Article


Olefin-linked Conjugated Porous Networks and Their Visible-Light-Driven Hydrogen Evolution Performance



Wangping Ma, Yanyan He, Honglai Liu*

Acta Chim. Sinica 2021, 79(7), 914-919


Synthesis and Properties of a Series of Pure Inorganic Ionic Liquids Based on Rare Earth Cations and Polyoxometalates



He-Nan Wang, An-Ge Zhang, Zhong Zhang, Hong-Rui Tian, Qian Yue, Xue Zhao, Ying Lu, Shu-Xia Liu*

Acta Chim. Sinica 2021, 79(7), 920-924

Nickel-Nitrogen-Doped Ordered Macro-/Mesoporous Carbon Supported Ag Nanoparticles for Efficient Electrocatalytic CO₂ Reduction




Chunhui Mu, Yixin Zhang, Wei Kou, Lianbin Xu*

Acta Chim. Sinica 2021, 79(7), 925-931

Nickel-nitrogen-doped ordered macro-/mesoporous carbon supported Ag nanoparticles composite (Ag/Ni-N-OMMC) shows a wide operating voltage range with the Faradaic efficiency of CO over 90% at -0.7~ -1.0 V vs. reversible hydrogen electrode (RHE) in 0.1 mol·L⁻¹ KHCO₃ solution for the CO₂ reduction reaction.

High-performance $\text{Pt}_{0.01}\text{Fe}_{0.05}\text{-g-C}_3\text{N}_4$ Catalyst for Photothermal Catalytic CO_2 Reduction




Ruizhao Wang, Yunjie Zou, Sheng Hong,
Mingkai Xu, Lan Ling*

Acta Chim. Sinica 2021, 79(7), 932-940

A nano-structured $\text{Pt}_{0.01}\text{Fe}_{0.05}\text{-g-C}_3\text{N}_4$ hybrid catalyst with suppressed photogenerated carrier recombination process is prepared for catalytic photothermal CO_2 reduction. CO_2 and H_2 are separately activated particularly.

Hierarchical Porous N, P co-doped rGO Modified Separator to Enhance the Cycling Stability of Lithium-sulfur Batteries




In this paper, N, P co-doped reduced graphene oxide (NPG) is fabricated by one-step high-temperature reduction method. The highly conductive NPG with abundant hierarchical porous structure provides numerous adsorption sites and sufficient ion/electron transport channels, enhancing the chemical adsorption capability and conversion kinetics of lithium polysulfides (LiPSs). As a result, NPG modified polypropylene (PP) separator (NPG/PP) exhibits better cycling stability than reduced graphene oxide (rGO) modified PP separator (rGO/PP) and PP.

Feng Chen, Xiaoqin Cheng, Zhenxin Zhao,
Xiaomin Wang*

Acta Chim. Sinica 2021, 79(7), 941-947

DFT Mechanism of Cu Catalyzed Coupling Reaction to Alkyl Aryl Ethers



Qingmin Man, Zunyun Fu, Tiantian Liu,
Mingyue Zheng*, Hualiang Jiang*

Acta Chim. Sinica **2021**, 79(7), 948-952

The catalytic cycle starts from the *in-situ* formation of cuprous complex which undergo oxidative addition to give Cu(III) complexes. The Cu(III) complex is coordinated with alcohol to form a four-coordinated Cu(III) complex. Then the substrate is activated by O-halogen bond, and the intermediates underwent ligand exchange to form Cu(III) complexes, which transmits the desired alkyl aryl ethers and regenerates the catalyst.

Go Now!!

<http://sioc-journal.cn>





化学学报 ACTA CHIMICA SINICA

主编：唐勇 院士

- SCI收录、中文核心、入选卓越计划
- 中国创刊最早的化学期刊(始于1933年)
- 中国最早被SCI收录的化学期刊
- 中国“百强科技期刊”
- SCI影响因子最高的中文期刊
- 免费审稿、免费发表
- 免费阅读、开放获取

Tel.: +86-21-54925242
E-mail: hxxb@sioc.ac.cn




CHINESE JOURNAL OF CHEMISTRY

中国化学会

主编：麻生明 院士

- SCI收录、入选卓越计划
- 1983年创刊(原名 *Acta Chimica Sinica English Edition*)
- 与Wiley-VCH合作出版
- 免费审稿、免费发表

Tel.: +86-21-54925243-27
E-mail: cjc@sioc.ac.cn



有机化学

Chinese Journal of Organic Chemistry

主编：丁奎岭 院士

- SCI收录、中文核心
- 1980年创刊
- 全面覆盖有机化学领域
- 设有研究专题、综述与进展、研究论文、研究简报、亮点介绍等栏目
- 免费阅读、开放获取

Tel.: +86-21-54925244-28
E-mail: yjhx@sioc.ac.cn



CHINESE
CHEMICAL
SOCIETY
万方数据



中国化学会、中国科学院上海有机化学研究所 主办

国际刊号：ISSN 0567-7351 国内刊号：CN 31-1320/O6 国内邮发代号：4-209 国外发行代号：M56