

ISSN 0567-7351
CN 31-1320/O6
CODEN HHHPA4
<http://sioc-journal.cn>

化学学报

ACTA CHIMICA SINICA

Volume 80 Number 8 August 2022



Polymerization **Catalyst**

Ring Strain

Temperature

Depolymerization **Recycling**



ISSN 0567-7351



中国化学会
中国科学院上海有机化学研究所

主办

万方数据

化学学报

Acta Chimica Sinica

(Huaxue Xuebao)

第 80 卷 第 8 期 2022 年 8 月 15 日

目次

研究通讯

- 四氢基柱[5]芳烃二聚体的合成、结构及性质研究..... 吴明港, 杨勇, 薛敏*, 化学学报, 2022, 80(8), 1057-1060
- 巨型给-受体分子开关化合物的合成及性质研究..... 睦玉光, 周锦荣, 廖攀, 梁文杰, 徐海*, 化学学报, 2022, 80(8), 1061-1065

研究论文

- $N^A C^N$ 型 Pt(II)配合物与大环主体葫芦[10]脲的识别及发光性质研究..... 朱诗敏, 黄鑫, 韩颀, 刘思敏*, 化学学报, 2022, 80(8), 1066-1070
- 噻吩基氟硼二吡咯近红外光敏染料的合成、双光子荧光成像及光动力治疗研究..... 刘巴蒂, 王承俊, 钱鹰*, 化学学报, 2022, 80(8), 1071-1083
- ZIF-67/石墨烯复合物衍生的氮掺杂碳限域 Co 纳米颗粒用于高效电催化氧化还原..... 闫绍兵, 焦龙, 何传新*, 江海龙*, 化学学报, 2022, 80(8), 1084-1090
- 工业尺寸固体氧化物燃料电池高效及阳极安全运行条件研究..... 王怡戈, 李航越, 吕泽伟, 韩敏芳*, 孙凯华, 化学学报, 2022, 80(8), 1091-1099
- 氮掺杂碳纳米笼固载钌纳米粒子的费托合成性能..... 齐志豪, 高福杰, 周常楷, 曾誉, 吴强*, 杨立军, 王喜章*, 胡征, 化学学报, 2022, 80(8), 1100-1105
- 基于超高分辨质谱的溶解性有机质分子转化机理分析..... 成受明, 周波*, 化学学报, 2022, 80(8), 1106-1114

综述

- 有机电化学合成的研究进展..... 王振华, 马聪, 方萍, 徐海超*, 梅天胜*, 化学学报, 2022, 80(8), 1115-1134
- 过渡金属催化的 1,2,3-三氮唑导向的 C—H 键官能团化反应研究进展..... 刘霞*, 匡春香*, 苏长会, 化学学报, 2022, 80(8), 1135-1151
- 苯酚(醌)与烯烃的不对称[3+2]环化反应: 手性二氢苯并咪唑的合成进展..... 张嵘, 肖检*, 王雅雯, 彭羽*, 化学学报, 2022, 80(8), 1152-1164
- 基于单体设计的可回收高分子研究进展..... 蔡中正*, 刘野*, 陶友华*, 朱剑波*, 化学学报, 2022, 80(8), 1165-1182
- 金属有机框架在气体预富集、预分离及检测中的应用..... 闫续, 屈贺霖, 常焯, 段学欣*, 化学学报, 2022, 80(8), 1183-1202
- 介观尺度多孔材料的电子显微学结构解析..... 邓权政, 毛文婷, 韩璐*, 化学学报, 2022, 80(8), 1203-1216


* 通信联系人.

On the cover: The development of chemically recyclable polymers represents a circular plastics economy approach to address the alarming plastics problems associated with environmental pollution and energy crisis. Recent advances in monomer design have enabled the regulation of “polymerization-depolymerization” equilibrium and achieved the closed-loop recycling under mild conditions. This review will focus on the closed-loop recycling of polyesters, polycarbonates, sulfur-containing polymers, and poly(cyclic olefin)s, illustrate the challenges of this field, and provide a perspective on the future development direction. [Zhu, Jian-Bo *et al.* on page 1165-1182.]



Communication


Tetraaminopillar[5]arene Dimers: Synthesis, Structure and Properties



Wu, Minggang; Yang, Yong; Xue, Min*
Acta Chim. Sinica **2022**, *80*(8), 1057-1060

Rigid tetraaminopillar[5]arene dimer was designed and synthesized. The tricyclic host with a pillar-calix-pillar structure has a shape of binoculars. It could associate with 1,4-dicyanobutane and form the complex of 2G⋅H with strong binding ability.

A Giant Donor-Acceptor Molecular Switch Compound: Synthesis and Properties




Sui, Yuguang; Zhou, Jinrong; Liao, Pan; Liang, Wenjie; Xu, Hai*

Acta Chim. Sinica **2022**, *80*(8), 1061-1065

A novel donor-acceptor (D-A) molecular switch compound (porphyrin as donor, fullerene as acceptor and resorcin[4]arene cavitaand as the molecular switch parent) was designed and synthesized. It could undergo a conformational change, from the original contracted state (*vase*) to the expanded state (*kite*) under pH induction.

Article

Recognition and Luminescence Properties of N[^]C[^]N Pt(II) Complexes with Macrocyclic Host Cucurbit[10]uril




Zhu, Shimin; Huang, Xin; Han, Xie; Liu, Simin*

Acta Chim. Sinica **2022**, *80*(8), 1066-1070

Three different substituted water-soluble N[^]C[^]N ligand Pt(II) complexes were designed. The photophysical properties of these complexes upon complexation with cucurbit[10]uril host were investigated.

Synthesis, Two-photon Fluorescence Imaging and Photodynamic Therapy of Near Infrared Thienyl-BODIPY Photosensitizer




Liu, Badi; Wang, Chengjun; Qian, Ying*

Acta Chim. Sinica **2022**, *80*(8), 1071-1083

Two novel near infrared (NIR) thienyl boron dipyrromethene (thienyl-BODIPY) photosensitizers ITBDP-1 and ITBDP-2 were designed and synthesized. These two photosensitizers can be used for two-photon fluorescence imaging in zebrafish and singlet oxygen can be rapidly generated in tumor cells within 20 s under NIR light irradiation. These results suggest that photosensitizers ITBDP-1 and ITBDP-2 could realize two-photon imaging guided photodynamic therapy in tumor cells and are potential two-photon photosensitizers for photodynamic therapy (PDT).

Pyrolysis of ZIF-67/Graphene Composite to Co Nanoparticles Confined in N-Doped Carbon for Efficient Electrocatalytic Oxygen Reduction




Yan, Shaobing; Jiao, Long; He, Chuanxin*; Jiang, Hailong*

Acta Chim. Sinica **2022**, *80*(8), 1084-1090

The Co@N-C/rGO (reduced graphene oxide) catalyst is fabricated based on ZIF-67/GO (graphene oxide) composite. Thanks to the highly dispersed active site, porous structure and the favorable electrical conductivity, Co@N-C/rGO displays excellent ORR (oxygen reduction reaction) performance with superior activity and stability.

Study of Operating Conditions for High Efficiency and Anode Safety of Industrial-size Solid Oxide Fuel Cell




Wang, Yige; Li, Hangyue; Lyu, Zewei; Han, Minfang*; Sun, Kaihua

Acta Chim. Sinica **2022**, *80*(8), 1091-1099

The variations of voltage and electrical efficiency with fuel utilization under different currents were analyzed. Besides, the cell output voltage higher than the critical electromotive force of Ni oxidation was proposed as the safe operating condition to prevent the local oxidation of anode. Thus, operating conditions of industrial-size solid oxide fuel cell (SOFC) for high efficiency and anode safety can be determined.

Ruthenium Nanoparticles Anchored on Nitrogen-Doped Carbon Nanocages for Fischer-Tropsch Synthesis




Qi, Zihao; Gao, Fujie; Zhou, Changkai; Zeng, Yu; Wu, Qiang*; Yang, Lijun; Wang, Xizhang*; Hu, Zheng

Acta Chim. Sinica **2022**, *80*(8), 1100-1105

Ru nanoparticles anchored on nitrogen-doped carbon nanocages (Ru/NCNC) present excellent Fischer-Tropsch performance under mild conditions of 220 °C and 0.5 MPa, including good catalytic activity, high C₅₊ selectivity (55.7%), low CH₄ selectivity (13.5%) and high stability (60 h, CO conversion of ca. 33%), evidently surpassing Ru catalyst anchored on undoped carbon nanocages. Such excellent catalytic performance of Ru/NCNC is mainly ascribed to nitrogen doping.

Molecular Insights into the Transformation Mechanisms of Dissolved Organic Matter Based on Ultrahigh Resolution Mass Spectrometry




The transformation mechanisms of dissolved organic matter (DOM) molecules in aquatic environment during potassium persulfate (PS), carbon nano tubes (CNTs) and CNTs/PS processes were systematically investigated by excitation-emission matrix fluorescence (EEM), total dissolved carbon (TOC), Zeta potential and ultra-high resolution liquid chromatography-Q-TOF-mass spectrometry (UPLC-Q-TOF-MS) technologies. DOM molecules were removed by PS process through electrostatic polymerization and oxidation, and by CNTs process via adsorption, while CNTs/PS process degraded DOM by combining adsorption, electron transfer and the generation of strongly oxidizing singlet oxygen ($^1\text{O}_2$), which was a complement and enhancement to the separate CNT and PS treatment processes.

Cheng, Shouming; Zhou, Bo*

Acta Chim. Sinica **2022**, *80*(8), 1106-1114

Review


Advances in Organic Electrochemical Synthesis



Wang, Zhenhua; Ma, Cong; Fang, Ping; Xu, Haichao*; Mei, Tiansheng*

Acta Chim. Sinica **2022**, *80*(8), 1115-1134

Transition-metal Catalyzed 1,2,3-Triazole-assisted C—H Functionalization Processes




Liu, Xia*; Kuang, Chunxiang*; Su, Changhui

Acta Chim. Sinica **2022**, *80*(8), 1135-1151

We briefly summarize the advance in the field of transition-metal catalyzed 1,2,3-triazole-assisted C—H functionalization according to the bonding type, including carbon-carbon bond, carbon-heteroatom bond and annulation.

Recent Advances on the Construction of Chiral Dihydrobenzofurans by Asymmetric [3+2] Cyclization Reactions of Phenols (Quinones) and Alkenes




Zhang, Lai; Xiao, Jian*; Wang, Yawen; Peng, Yu*

Acta Chim. Sinica **2022**, *80*(8), 1152-1164

The divergent construction of chiral dihydrobenzofurans via asymmetric [3+2] cyclization reactions are reviewed, and the corresponding stereocontrol mechanisms are focused especially.

Recent Advances in Monomer Design for Recyclable Polymers




Cai, Zhongzheng*; Liu, Ye*; Tao, Youhua*; Zhu, Jian-Bo*

Acta Chim. Sinica **2022**, *80*(8), 1165-1182

Progressive usage and accumulation of polymer products posed severe environmental issues. The development of chemical recycling polymers which could transform the polymers back to monomers and repolymerize to produce polymer materials without value loss is an attractive and important strategy to address the plastic pollution. In recent years, significant advances in the design of “ideal monomers” have enabled the regulation of “polymerization–depolymerization” equilibrium and achieved the closed-loop recycling under mild conditions. This review will focus on the closed-loop recycling of polyesters, polycarbonates, sulfur-containing polymers, and poly(cyclic olefin)s, illustrate the challenges of this field, and provide a perspective on the future development direction.

Application of Metal-Organic Frameworks in Gas Pre-concentration, Pre-separation and Detection




Yan, Xu; Qu, Hemi; Chang, Ye; Duan, Xuexin*

Acta Chim. Sinica **2022**, *80*(8), 1183-1202

As a new type of porous materials, metal-organic frameworks (MOFs) are widely used in gas detection system for the pre-concentration, pre-separation and detection of target gas.

Structural Solution of Porous Materials on the Mesostructural Scale by Electron Microscopy




Deng, Quanzheng; Mao, Wenting; Han, Lu*

Acta Chim. Sinica **2022**, *80*(8), 1203-1216

Ordered porous materials on the mesostructural scale have widespread application prospects in many fields due to their unique structures. The electron microscopy has great advantages in the structure solution of these porous solids through diffractometry and imaging. The structural solution of porous materials on the mesostructural scale by using electron microscopy for last decades was outlined, which shows great advantages in the structural solution of the porous solids through electron crystallography. Several representative examples including ordered mesoporous materials and macroporous scaffolds, have been solved by electron microscopy.

Go Now!!

<http://sioc-journal.cn>



化学学报

ACTA CHIMICA SINICA

主编：唐勇 院士

- SCI收录、中文核心、入选卓越计划
- 中国创刊最早的化学期刊(始于1933年)
- 中国最早被SCI收录的化学期刊
- 中国“百强科技期刊”
- SCI影响因子最高的中文期刊
- 免费审稿、免费发表
- 免费阅读、开放获取

Tel.: +86-21-54925242

E-mail: hxxb@sioc.ac.cn



CHINESE JOURNAL OF CHEMISTRY


中国化学

主编：麻生明 院士

- SCI收录、入选卓越计划
- 1983年创刊(原名 *Acta Chimica Sinica English Edition*)
- 与Wiley-VCH合作出版
- 免费审稿、免费发表

Tel.: +86-21-54925243-27

E-mail: cjc@sioc.ac.cn



有机化学

Chinese Journal of Organic Chemistry

主编：丁奎岭 院士

- SCI收录、中文核心
- 1980年创刊
- 全面覆盖有机化学领域
- 设有研究专题、综述与进展、研究论文、研究简报、亮点介绍等栏目
- 免费阅读、开放获取

Tel.: +86-21-54925244-28

E-mail: yjhx@sioc.ac.cn