本刊系全国中文核心期刊(《中文核心期刊要目总览》2017年版)、国务院《学位与研究生教育重要期刊》、科技部《中国科技论文统计源期刊》(中国科技核心期刊)、中国科学院《中国科学引文数据库》及中国科协《中国学术期刊文摘(英文版)》、美国《化学文摘》(CA)、Elsevier 出版集团的 Scopus 数据库、Ei Compendex 数据库、俄罗斯《文摘杂志》(AJ)、日本 JST China 数据库、美国《乌利希期刊指南(网络版)》(Urichsweb)、美国艾博思科(EBSCO)数据库收录源刊。

刊名题写:张爱萍

目 次

降低身管烧蚀性研究进展 韦 丁,王琼林,严文荣,张江波,赵煜华,刘 毅(351)
Composite Solid Rocket Propellant Based on GAP Polyurethane Matrix with Different Binder Contents
一种基于光聚合固化成型发射药 3D 打印方法 ·············· 胡 睿,杨伟涛,姜再兴,于宪峰,王琼林(368)
耐热型铵油炸药的制备及性能 刘 伟,郭子如,王 洋,高中国,方 琦,何志伟,宋家旺,刘 锋(372)
三嵌段 PNMMO-PCL-PNMMO 含能黏合剂的合成与表征 ····································
声共振混合设备用于百克量级火炸药制备的能量转换特性
GAP-PTMEG-CAP 三嵌段共聚醚的合成及表征 莫洪昌,徐明辉,刘 宁,卢先明,刘 萌,汪 伟(388)
Effect of Potassium 5,5'-Azotetrazolate on Phase Transformation and Thermal Decomposition of Ammonium Nitrate
机械粉碎法批量制备超细季戊四醇四硝基酯及其性能研究
高温作用后 HMX 基 PBX 热损伤表征试验研究 ······ 邵珠格,刘如沁,吴艳青,黄风雷(406)
两种纳米金属粉对固相 HMX 的催化分解动力学研究 刘文亮,顾 妍,于思龙,张林军(413)
三基发射药干燥过程总挥含量的快速检测方法
类球形超细 AP 在 AP-CMDB 推进剂中的应用 ····································
基于固体火箭发动机工作原理的质量流率法燃速测试研究
自由装填大长径比火箭发动机装药试验研究
·····································
微量量热法预估硝酸酯火药的安全贮存寿命 周 静,丁 黎,祝艳龙,安 静,黄 蒙(437)
恒温式量热计测爆热的稳健辨识方法 杨 杰,贺元吉,赵宏伟,陈 华,韩秀凤,占 君(442)
以粒状铵油炸药为基体的示踪安检影响因素 张国亮,汪旭光,王尹军,鲁 皖,杨李锋(451)
* * * * * * * * * * * * * * * * * * * *
熔铸炸药 2,4,6-三硝基-3-溴苯甲醚(TNBA)合成成功 ······(387)
P小M球取入层 (PD N) 地区市组 京市


层状黑磷聚合氮(BP-N)制备取得突破······

期刊基本参数:CN61-1310/TJ*1978*b*A4*106*zh*p*\{\frac{1}{2}5.00*1000*18*2020-08

Contents

Research Progress on Reducing Erosivity of Gun Barrel WEI Ding, WANG Qiong-lin, YAN Wen-rong, et al (351)
Composite Solid Rocket Propellant Based on GAP Polyurethane Matrix with Different Binder Contents
3D Printing Method of Gun Propellants Based on Vat Photopolymerization
Preparation and Properties of Heat-resistant Ammonium Nitrate Fuel Oil Explosive
LIU Wei ,GUO Zi-ru ,WANG Yang , et al (372)
Synthesis and Characterization of Triblock PNIMMO-PCL-PNIMMO Energetic Binder
Energy Conversion Characteristics of Resonance Acoustic Mixer Used for 100 g Level Manufacture of Propellants and Explosives
Synthesis and Characterization of GAP-PTMEG-GAP Triblock Copolyether ··· MO Hong-chang ,XU Ming-hui ,LIU Ning ,et al (388)
Effect of Potassium 5,5'-Azotetrazolate on Phase Transformation and Thermal Decomposition of Ammonium Nitrate
Massive Preparation and Characterization of Superfine PETN by Mechanical Ball Milling Method
Experimental Study on Thermal Damage Characterization of HMX Based PBX after High-temperature Treatment
Catalytic Decomposition Kinetics of HMX in Solid Phase with Two Nano Metal Powders
LIU Wen-liang, GU Yan, YU Si-long, et al (413)
Rapid Detection Method for the Total Volatile Content in Drying Process of Triple-based Gun Propellant
Application of Spheroidal Ultrafine AP in AP-CMDB Propellant ······
ZHANG Zheng-zhong ,YU Hong-jian ,GUO Xiao-de , et al (424)
Research on Burning Rate Measurement by Mass Flow Rate Method Based on Working Principle of Solid Rocket Motor
Experimental Study on Free Loading of Rocket Motor with Large Aspect Ratio
Evaluation of Safe Storage Life of Nitrate Propellant with Microcalorimetry ZHOU Jing , DING Li , ZHU Yan-long ,et al (437)
Steady Identification Method of Explosion Heat Measurement by Isothermal Calorimeter
Study on the Influence Factors of Tracer Security Inspection of Granular ANFO Explosive Matrix

Research Progress on Reducing Erosivity of Gun Barrel



Aiming at the request of reducing erosivity of gun barrel, the generation process and mechanism, test methods and the main influence factors of gun

barrel erosion were analyzed. The latest research progress on the reducing erosivity of gun barrel was introduced, including thermal factor control, chemical factor control and mechanical factor control. The inhibitive mechanism of erosion reducing additives was discussed. The research and appli-


cation of erosion reducing additives was discussed with emphasis, including internal and external erosion reducing additives of gun propellant.

hua,LIU Yi

Chinese Journal of Explosives & Propellants, 2020,43(4): 351-361.

WEI Ding, WANG Qiong-lin, YAN Wen-rong, ZHANG Jiang-bo, ZHAO Yu-

Composite Solid Rocket Propellant Based on GAP Polyurethane Matrix with Different Binder Contents




Different GAP-based CSRP samples with different binder contents were prepared and compared with that of conventional HTPB propellant . The crosslinker mixture of trimethylol propane (TMP) and butane diol (BD) was used in the GAP matrix beside the addition of dibutyltin dilaurate (DBT-DL) to ensure cross-linking and curing completion of the prepared CSRP . The viscosity and hardness of all prepared formulations were monitored continuously during the curing process . The mechanical characteristics of cured samples were tested . The burning rate at operating pressure and specific impulse were measured , while the theoretical specific impulse ($\it l_{\rm sp}$) was calculated by ICT code and compared with the measured results .

Islam K. Boshra, Ahmed Elbeih, GUO Lin, Mohamed G. Zaki

Chinese Journal of Explosives & Propellants, 2020, 43(4): 362-367.

3D Printing Method of Gun Propellants Based on Vat Photo - polymerization




HU Rui, YANG Wei-tao, JIANG Zai-xing, YU Xian-feng, WANG Qiong-lin *Chinese Journal of Explosives & Propellants*, 2020, 43(4): 368-371.

3D Vat photopolymerization technology for gun propellants was developed. The preliminary tests including viscosity, printing safety, mechanical strength were carried out. Gun propellants with multi-perforated geometry were fabricated and exhibited.

270

Preparation and Properties of Heat-resistant Ammonium Nitrate Fuel Oil Explosive



260 250 240 230 220 Sample 210 Sample 2 200 190 5000 10000 15000 20000 0 t/s (b) *T*=240℃

LIU Wei , GUO Zi-ru , WANG Yang , GAO Zhong-guo , FANG Qi , HE Zhi-wei , SONG Jia-wang , LIU Feng

Chinese Journal of Explosives & Propellants, 2020, 43(4): 372-377.

The effects of additive A, B and C on the thermal stability of ANFO were studied by C80 micro-calorimeter and a simple constant temperature testing setup with large sample quantities developed by authors . The formulation of heat-resistant ANFO depended on the detonation velocity of the samples .

Synthesis and Characterization of Triblock PNIMMO-PCL-PNIMMO Energetic Binder


$$H \left(O \right)_{M} \left[O \left(CH_{2} \right)_{5} \stackrel{C}{O} \right]_{n} O \left(CH_{2} \right)_{5} O \left(CH_{2} \right)_{5$$


WANG Xiao-chuan, MO Hong-chang, LU Xian-ming, XU Ming-hui, LU Hong-lin, ZHANG Qian, LIU Ning

Chinese Journal of Explosives & Propellants ,2020 ,43(4): 378-382.

Triblock PNIMMO-PCL-PNIMMO energetic binder was synthesized by ring opening polymerization of (3-nitratomethyl-3-methyloxetane) (NIMMO). Its structure and properties were studied by FT-IR, ¹H NMR, ¹³C NMR, GPC, DSC and TGA.

Energy Conversion Characteristics of Resonance Acoustic Mix - er Used for $100\,\mathrm{g}$ Level Manufacture of Propellants and Explosives





(b) Picture of RAM

CHEN Song ,MA Ning ,XIE Zhong-yuan , QIN Neng ,ZHANG Zhe ,SUN Xiao-peng ,WANG Xiao-feng

Chinese Journal of Explosives & Propellants, 2020, 43(4): 383-387.

Taking Comp.B, cast PBX explosive, melt-cast PBX explosive and HTPE propellant as objects, the relationship between input energy and acceleration was obtained through repeated start-stop resonance acoustic mixer and by changing acceleration, vacuum and mixing mass.

¹³C NMR, GPC and DSC.


Synthesis and Characterization of GAP-PTMEG-GAP Triblock Copolyether


MO Hong-chang, XU Ming-hui, LIU Ning, LU Xian-ming, LIU Meng, WANG Wei

Chinese Journal of Explosives & Propellants ,2020 ,43(4) ;388-391.

Triblock copolyether PECH-PTMEG-PECH was synthesized by the cationic ring-opening polymerization of epichlorohydrin with polytetrahydrofunan ether glycol (PTMEG) as macroinitiator and boron-trifuoride ethylether complex (BF3 $\,$ CEt_2) as the catalyst ,then GAP-PTMEG-GAP was prepared by the azidation of PECH-PTMEG-PECH. The copolyether was characterized by IR $\,$, 1 H NMR $\,$,

Effect of Potassium 5.5'-Azotetrazolate on Phase Transformation and Thermal Decomposition of Ammonium Nitrate







WANG Yi , SONG Xiao-lan , LI Feng-sheng

Chinese Journal of Explosives & Propellants ,2020 ,43(4): 392-398.

Potassium 5.5^{\prime} -azotetrazolate (PZT) was synthesized with 5-amino-1H-tetrazol (5-ATZ) as the precursor, which successfully inhibits the phase transformation of ammonium nitrate (AN) in ambient temperature and promotes the thermal decomposition of AN in mechanism .

Massive Preparation and Characterization of Superfine PETN by Mechanical Ball Milling Method






Superfine PETN-M

Superfine PETN-R

Superfine PETN powders with good dispersity and controlled particle sizes between 1-20 μm were successfully prepared by the mechanical ball-milling method and vacuum freeze drying technique . The morphology and structure of superfine PETN samples were characterized by SEM , XRD and FTIR . The thermal decomposition characteristics were analyzed by a TG /DSC simultaneous thermal analyzer , and the impact sensitivity and friction sensitivity were tested .

GUO Shuang-feng, DONG Jun, HAO Ga-zi, LIU Qiao-e, GAO Xiang-dong *Chinese Journal of Explosives & Propellants*, 2020, 43(4);399-405.

Experimental Study on Thermal Damage Characterization of HMX Based PBX after High-temperature Treatment





SHAO Zhu-ge ,LIU Ru-qin ,WU Yan-qing ,HUANG Feng-lei

*Chinese Journal of Explosives & Propellants ,2020 ,43(4): 406-412.

The effect of high temperature (160-200 $^{\circ}$ C) on the thermal damage of HMX based PBX was studied by using micro-CT nondestructive characterization method . The changes of physical parameters (true density , mass , size) before and after heating were also measured . A microscopic theoretical reference is provided for studying explosives ignition and the changes of mechanical properties subjected to high-intensity thermal insult .


Catalytic Decomposition Kinetics of HMX in Solid Phase with Two Nano Metal Powders





LIU Wen-liang, GU Yan, YU Si-long, ZHANG Lin-jun Chinese Journal of Explosives & Propellants, 2020, 43(4); 413-418. The effects of nano metal powders (Ti, Zr) and normal metal powders (Ti, Zr) on the thermal decomposition of HMX were investigated by DSC and TG, and the isothermal kinetic parameters were obtained by iso-TG tests . Isothermal kinetics and kinetic compensation effect were discussed .

Rapid Detection Method for the Total Volatile Content in Drying Process of Triple-based Gun Propellant



 $\label{thm:wang-yun-yun-peng} WANG\ Yun-yun\ ,\ DENG\ Guo-dong\ ,\ ZHANG\ Gao-feng\ ,\ ZHANG\ Zhi-fang\ ,$ $CUI\ Li-ming\ ,\ LI\ Xin-xin\ ,\ WANG\ Xu-dong$

Chinese Journal of Explosives & Propellants ,2020 ,43(4): 419-423.

NR spectroscopy was applied for rapidly determining the total volatile (alcohol ketone solvent) content of triple-based gun propellant during drying process. The efficient wavenumber regions for model development and the optimal spectral pretreatment methods for analysis were investigated.

18


Application of Spheroidal Ultrafine AP in AP-CMDB Propellant

The AP-CMDB propellants with ordinary and spheroidal ultrafine AP were prepared by solvent-extrusion method . The microstructures of the propellants were conducted by scanning electronic microscope . The densities , mechanical properties , combustion performances and mechanical sensitivities of the propellants were investigated .

ZHANG Zheng-zhong, YU Hong-jian, GUO Xiao-de, LI Duo, DENG Chongging, LEI Hong-bing, ZHU Jie, CHEN Yi-bin

Chinese Journal of Explosives & Propellants ,2020 ,43(4):424-427.

Research on Burning Rate Measurement by Mass Flow Rate Method Based on Working Principle of Solid Rocket Motor



16 - Mass flow method

12 - Impulse method


8 - 6 - 0 5 10 15 20 25

In order to obtain the burning rate of propellant under multiple pressure conditions in a single engine test, the dynamic burning rate test method of solid propellant-mass flow rate method is proposed. The burning rate results of double lead-2 (SQ-2) propellant obtained by the mass flow rate method and compared with that of the impulse method; the effects of characteristic velocity and nozzle throat diameter changes on the burning rate test results by the mass flow rate method were analyzed.

WANG Ying-hong, ZHANG Hao, ZHU Qing-long, XUE Zhao-rui, YANG Hong

Chinese Journal of Explosives & Propellants ,2020 ,43(4): 428-432 .

Experimental Study on Free Loading of Rocket Motor with Large Aspect Ratio



In order to solve the cracking problem of free loading propellant grains with large aspect ratio in solid rocket motor at $50^{\circ}\!\mathrm{C}$ or $60^{\circ}\!\mathrm{C}$, the factors that influence the working stability of free loading screwed extrued CMDB propellant grains with large aspect ratio were investigated by solid rocket motor test . The factors include initial aerate parameter , the thickness of bracket , and inner hole coating .

ZHENG Wei , CHEN Jun-bo , PEI Jiang-feng , MA Liang , WANG Jiang-ning , SONG Xiu-duo , CENG Chao-hui

Chinese Journal of Explosives & Propellants ,2020 ,43(4) ;433-436.


Evaluation of Safe Storage Life of Nitrate Propellant with Microcalorimetry

320
280
Simgle base propellant-1
Single base propellant-2
Double base propellant-2
Double base propellant-2
Triple base propellant-2
Triple base propellant-2
Hodge double land popular popul

Based on the "time-temperature equivalence" relationship obtained for microcalorimetry method in NATO STANAG 4582 standard improved , a widely applicable method for rapid prediction of the safe storage life of nitrate propellant by microcalorimetry was established . It takes only 4.01 days to evaluate the safe storage life of propellant during its 10-year storage at $25\ ^{\circ}\mathrm{C}$ without sample pretreatment .

ZHOU Jing ,DING Li ,ZHU Yan-long ,AN Jing ,HUANG Meng Chinese Journal of Explosives & Propellants ,2020 ,43(4): 437-441.

Steady Identification Method of Explosion Heat Measurement by Isothermal Calorimeter




A solution of identifying explosion heat based on prefault data was proposed. Initially, the heat transfer equation of calorimeter based on the hypothesis of explosive transient response was established, and the change rule of water temperature in inner barrel was obtained after solving. Based on the thought of system identification, the system identification method was obtained.

YANG Jie, HE Yuan-ji, ZHAO Hong-wei, CHEN Hua, HAN Xiu-feng, ZHAN Jun

Chinese Journal of Explosives & Propellants ,2020 ,43(4) :442-450.

Study on the Influence Factors of Tracer Security Inspection of Granular ANFO Explosive Matrix



By using the energy spectrum detection method , the security test of granular ANFO explosive was carried out by detecting the characteristic X-ray of tracer elements . Then the effects of tracer content , explosive quality , medium material and detection distance on the security inspection were studied. The tracer content increased from 0.01% to 0.1%, and the medium materials of air , cloth , paper , wood , foam , copper , iron and aluminum were selected .

ZHANG Guo-liang, WANG Xu-guang, WANG Yin-jun, LU Wan, YANG Li-feng

Chinese Journal of Explosives & Propellants ,2020 ,43(4): 451-456.