

# 节能

ISSN1004-7948  
CN21-1115/TK

8  
2016

ENERGY CONSERVATION

第35卷 第08期 (总第407期)

## ● 密闭式冷凝水回收技术 ● 低位热力除氧技术

国家发改委“最佳节能实践”案例源企业  
蒸汽热力系统节能技术设备专业服务公司

当热力系统领域里最好的医生

做热力系统领域里最佳的药品

是热力系统领域里最真的伙伴

服务范围:

- 密闭式高温冷凝水回收成套装置
- 低位热力除氧器成套装置
- 工业乏汽回收与利用成套装置
- 锅炉自动排污成套装置
- 蒸汽喷射热泵系列
- 高效节能疏水阀系列
- 热力系统诊断、评估及优化集成

○十五年的技术实践经验,近四百家的应用客户业绩,节能率15%~30%,投资回收期3~6个月

○全国十几家代理机构、7个办事处,组成快捷、周到的销售及服务网络

○可按世行“合同能源管理”模式进行项目操作

○专利证书号: ZL93213495.5



ISSN 1004-7948



万方数据

单位名称: 大连汇能科技股份有限公司

地址: 大连市软件园路80号大连理工大学科技园大厦B座301室

联系人: 徐昶斗

邮编: 116023

电话: 0411-84890011 84890033

传真: 0411-84890022

http://www.dl-hn.com

E-mail: xcd8489@163.com

# 节能 (月刊)

Jieneng

中国核心期刊(遴选)数据库全文收录期刊  
中国学术期刊综合评价数据库(CAJCED)统计源期刊  
中国期刊全文数据库(CJFD)全文收录期刊  
中文科技期刊数据库全文收录期刊  
1981年创刊 第35卷第8期(总第407期)  
2016年8月15日出版

主管:辽宁省科学技术厅  
主办:辽宁省科学技术情报研究所  
辽宁省能源研究会  
主任:王笑  
副主任:王建成  
主编:董媛媛  
责编:佟昕 赵博  
编辑部电话:(024)83186050  
广告部电话:(024)83186053  
传真:(024)83186052  
电子信箱:jieneng1981@vip.sina.com  
网址:www.jieneng1981.cn  
出版:《节能》杂志社 邮编:110168  
地址:沈阳市浑南新区朗月街2甲号  
印刷:沈阳中科印刷有限责任公司  
订阅:全国各地邮政局  
国内发行:辽宁省邮政公司报刊发行公司  
国外发行:中国国际图书贸易总公司  
邮发代号:8-150 国外:M5170  
刊号:ISSN1004-7948  
CN21-1115/TK  
广告经营许可证号:2101001500026  
开户名:辽宁省科学技术情报研究所  
开户行:建设银行沈阳浑南中路支行  
账号:21050143560109123456  
定价:每期10.00元 全年120.00元



扫描二维码  
获得更多《节能》资讯

## 目次

### 综述

- 系统动力学在可再生能源研究领域的应用现状与展望 .....  
..... 蔡强,任洪波,邱留良,等(4)  
饮用水深度处理技术的研究进展 ..... 王文光,庞月森(8)

### 研究与探讨

- 管壳式换热器蓄热单元数值模拟与优化 .....  
..... 王美俊,田松峰,韩强,等(11)  
煤粉锅炉 SCR 工艺参数优化 .....  
..... 付倩玉,赵斌,马海鹏,等(16)  
经济比摩阻与经济供热半径的影响因素分析 .....  
..... 乔春珍,葛艾,赵玉清(20)  
CHG620V8 气体机余热锅炉经济性分析 .....  
..... 吕玉坤,赵伟萍,李金岗(24)

### 电力行业节能

- 超超临界机组带循环泵启动系统运行分析 .....  
..... 杨宏民,高欣,兰增林(29)  
EMC 节电项目的应用实践 ..... 范鹏翔,于海涛(34)

### 建筑行业节能

- 居住建筑厨房补风方式的模拟研究 .....  
..... 孔慧敏,尚少文,庞连池(37)  
绿色建筑墙体节能的应用 ..... 唐玉民,陈龙,齐水冰,等(42)  
山东村镇居住建筑窗墙比的研究 ..... 李政,赵媛媛(45)

### 热点技术

- 温室节能技术研究 ..... 李伟(48)  
农村生活污水处理技术与发展趋势 .....  
..... 冯宁,苏雷,李亚峰(53)

### 节能设备

- 热管式定风量换气节能装置的设计与性能研究 .....  
..... 敖永安,段志红(56)  
一种基于自学习模糊控制的智能饮水机节电器 .....  
..... 陈忠仁,朱明军,黄健,等(62)  
搅拌液体风力致热装置的热力学分析 .....  
..... 金浩,胡以怀,虞驰程,等(66)  
8000t 锻压机电机节能研究分析 .....  
..... 王吉栋,谢志山,谭晓东(70)  
变频器在暖通空调系统中的应用探讨 ..... 李跃(73)

### 事故与故障

- 制冷系统冷凝热回收改造研究 ..... 张娜,孙金昌(77)  
DFH35-1.27-A 型锅炉物料分离器顶部浇注料坍塌事故的分析  
与处置 ..... 张博宁,胡伟(79)



**Energy Conservation (Monthly)**

**Sponsor:** Liaoning Provincial Institute of Science and Technology Information

**Publisher:** Energy Conservation Magazine Publishing House

**Chief Editor:** DONG Yuanyuan

**Address:** Lang Yue Street No. 2A, Hunnan District, Shenyang City, Liaoning Province, China

**Post Code:** 110168

**CONTENTS**

Aug. 2016 Vol. 35, No. 8 Total Issue No. 407

**Current status and prospect of the research on renewable energy sectors based on System Dynamics**

CAI Qiang, REN Hong-bo, QIU Liu-liang, et al

(College of Energy and Mechanical Engineering, Shanghai University of Electric Power, Shanghai 200090, China)

**Abstract:** According to the deep analysis of the concept and features of System Dynamics (SD), the feasibility of SD for the research of development strategies for renewable energy resources is discussed from both macro and systematic levels. In addition, based on the comprehensive review of the application of SD in the energy field, the current status of the research on renewable energy sectors based SD is reviewed and discussed from the aspects of policy assessment, long-term prediction and multi-method coupling. Moreover, the possible direction of the application of SD for the renewable energy related sectors is proposed from the viewpoints of application field and research method.

**Key words:** System Dynamics; renewable energy; current status; prospect

4

**Numerical simulation and optimization of heat storage unit of shell and tube heat exchanger**

WANG Mei-jun, TIAN Song-feng, HAN Qiang, et al

(Key Lab of Condition Monitoring and Control for Power Plant Equipment, North China Electric Power University, Baoding 071003, China)

**Abstract:** Low thermal conductivity of phase change materials cause reduce the heat release of the phase change heat storage device. In order to solve this problem, a three dimension calculation model for Latent Heat Storage (LHS) unit of fin-tube and light tube type was established. Based on the numerical simulation method, the influence of fin tube and light tube on the heat storage performance were analyzed from the aspects of the heat storage rate, heat storage capacity and temperature field. Results showed that the addition of fins on the outer wall of the light tube can reduce the complete melting time of the phase change material and the time required for the whole thermal storage and heat release process. Compared to the light tube structure, the complete melting time was reduced by 32% and the total heat release time was reduced by 14.5% when the fin heat exchange tube is adopted. Adding fins can improve the heat storage performance of the regenerator under certain conditions. The study can provide good references

for the optimal design and performance enhancement of phase change heat storage device in the future.

**Key words:** fin-tube; Latent Heat Storage; performance enhancement; numerical simulation

11

**SCR process parameter optimization of pulverized coal boiler**

FU Qian-yu, ZHAO Bin, MA Hai-peng, et al

(College of Metallurgy and Energy, North China University of Science and Technology, Tangshan 063009, China)

**Abstract:** SCR is the mature and efficient technology of flue gas denitrification in coal-fired power plant, this paper based on the boiler of 660MW coal-fired unit in one power plant is regarded as the research object, mainly do briefly introduced on the NOX removal mechanism and method, combined with the 660MW Boiler SCR denitrification facility of the actual operation data, investigate the influence of coal-fired power station denitrification efficiency related factors, Propose SCR denitrification system of operation on the essentials of direction and operation optimization. The research can provide theoretical and technical support for the optimization design and operation of coal-fired power plants, and provide ideas for the optimization and reconstruction of the denitrification system.

**Key words:** pulverized coal boiler; SCR; influencing factors; parameter optimization

16

**Economic analysis of CHG620V8 series gas engine waste heat boiler**

LV Yu-kun, ZHAO Wei-ping, LI Jin-gang

(North China Electric Power University, Baoding 071003, China)

**Abstract:** In order to make full use of the waste heat of CHG620V8 gas engine, design calculation and checking calculation of the waste heat boiler were carried out. Furthermore, the economic performance of the waste heat boiler was analyzed. The results showed that; the relative error of each heating surface of the boiler was less than 2%, the total resistance of the flue gas being less than the maximum allowable pressure, therefore meets the requirement of design. 2.5MPa, 350℃ and 3.677t/h new steam generated by the boiler, if used exclusively for power generation, operated in accordance with 4000 hours per year, an annual generation capacity was 612474.2kW(h. Calculated at a market price of 0.37 ¥ per kilowatt-hour, the annual generating proceeds can be of up to 226,620 ¥ and it was considered that the initial investment costs of the use of waste heat boiler plant operation will be recovered in about 43 months.

**Key words:** CHG620V8 gas engine; waste heat boiler; design calculation; checking calculation; economical efficiency

24

**The analysis of the application of green energy-saving building wall**

TANG Yu-min, CHEN Long, QI Shui-bing, et al

(Guangdong Polytechnic of Environmental Protection Engineering, Foshan 528216, China)

**Abstract:** To highlight the advantages of Double-skinned curtain wall, this paper analyses the energy efficiency of Double-skinned cur-

tain wall and summarizes its application and concludes its types and characteristics from its application. Besides, this paper takes Foshan Science Museum and Youth Palace as example to analyze the applied technique, characteristics, the energy-saving effect and the landscape effect of energy-saving building wall. Based on these two examples, this paper makes comparison of energy saving of the wall from different aspects and draws conclusion, which aims to explain that the application the energy-saving wall should adjust measures to local conditions to give full play to the particularity of contradiction and realize the maximum of the economy energy rates.

**Key words:** energy-saving building wall; green building; double-skinned curtain wall; energy conservation

42

### Research of window-wall ratio of residential building in Shandong

LI Zheng, ZHAO Yuan-yuan

(School of Thermal Engineering, Shandong Jianzhu University, Jinan 250101, China)

**Abstract:** In cold areas of a city in Shandong rural residential building case model, using DEST software simulated the effect of changes in the north and south window-wall ratio on building heating and air conditioning energy consumption. The results show: For cold region, with the increasing of north-south window-wall ratio, the consumption of heating and air conditioning energy will increase. According to the simulation results, and combined living habits in rural areas, Author recommended south window-wall ratio of 0.5 or less, north window-wall ratio below 0.4. Users can also accord to their needs and buildings energy-saving targets, select the appropriate window-wall ratio.

**Key words:** cold areas; DEST; heating energy consumption; air conditioning energy consumption; window-wall ratio

45

### The treatment technology situation and development prospects for the rural sewage

FENG Ning, SU Lei, LI Ya-feng

(School of Municipal and Environmental Engineering, Shenyang Jianzhu University, Shenyang 110168, China)

**Abstract:** Summarizes the characteristics of rural sewage water quality, introduces the advantages and disadvantages of rural sewage treatment technology, and look for new technology and future development of the new technology for rural sewage treatment. To ensure the safety of rural water sources and the people's health, to strengthen the collection and treatment of rural domestic sewage.

**Key words:** rural sewage; treatment technology; development trend

53

### Designing a heat pipe device with CAV and energy saving and analyzing its performance

AO Yong-an, DUAN Zhi-hong

(School of Municipal & Environmental Engineering, Shenyang Jianzhu University, Shenyang 110168, China)

**Abstract:** A heat pipe device with Constant Air Volume (CAV) and

energy saving is designed and installed on the outer wall of the room according to different geographical location and winter air temperature, then fluent simulation displays indoor temperature and velocity distribution and theory analysis displays heat recovery efficiency in different indoor and outdoor temperature conditions as well as the operating costs. It can be concluded that the heat recovery efficiency is highest when a heat pipe device with Constant Air Volume (CAV) and energy saving is applied in freezing, cold regions, indoor temperature and velocity is the most reasonable when it is applied in cold in winter and hot in summer, mild region and it cannot be applied in areas with hot summer and warm winter.

**Key words:** heat pipe; Constant Air Volume (CAV); energy saving; fluent

56

### An intelligent power saver based on self-learning fuzzy control for drinking water dispenser

CHEN Zhong-ren, ZHU Ming-jun, HUANG Jian, et al  
(Zhongshan Polytechnic, Zhongshan 528404, China)

**Abstract:** In order to solve some problems existing in drinking water dispenser widely used in offices and homes, such as wasting power energy and producing 'thousands of boiling water', an intelligent power saver based on self-learning fuzzy control for drinking water dispenser is developed. A single-chip microcomputer is used as CPU and self-learning fuzzy control is used as control strategy to reduce the ineffective heating of drinking water dispenser. In order to improve the power saving effect, the low consumption design of power saver is proposed. The compound switches and buzzer warning circuit designed are also proposed to reduce the conduction loss and save power energy. In addition, the power saver has multiple operation modes so that it can be applied to different requirements of the occasion. The experimental data shows that the power saving effect of power saver is significant, and it is worth to be further popularized.

**Key words:** self-learning; fuzzy control; intelligent; drinking water dispenser; power saver

62

### Thermodynamic analysis of stirring liquid Wind-heating device

JIN Hao, HU Yi-huai, YU Chi-cheng, et al

(Merchant Marine College, Shanghai Maritime University, Shanghai 201306, China)

**Abstract:** According to both the first and second laws of thermodynamics, an energy and exergy analysis is performed on the liquid stirred heating system. The analysis model of both the energy balance and exergy balance is established. This paper analyzes each section of the liquid stirred heating system with respect to both the first and second laws of thermodynamics. Giving the approach to improve both the energy and exergy efficiency of the liquid stirred heating system. It is shown that the second law provides unique insight beyond a first law analysis, thereby providing a useful guide for energy-saving design of the liquid stirred heating system.

**Key words:** the liquid stirred heating device; energy analysis; exergy analysis; efficiency; energy-saving

66

# 重要通知

尊敬的读者、订阅客户：

由于邮局发行费用大幅增加，本刊将实行自办发行，由编辑部直接给您邮寄刊物。请您务必仔细填写以下内容，反馈给本刊，以免给您漏寄刊物。

订阅单位	
单位地址、邮编	
单位固定电话	
电子邮件地址	
订阅起止月份	
收件部门及收件人	
联系电话	

请您通过以下方式将以上信息反馈给本刊：

1、电子邮件：3504243951@qq.com

2、手机短信：13066504676

3、电话传真：024-83186052

4、QQ：350 424 3951（昵称：节能）

您可以填好后拍下照片发送图片。

《节能》杂志社