

美国《工程索引》(EI Compendex)刊源

ISSN 1671-5497

CODEN JDXGAH

吉林大学

学报

工 学 版

Journal of Jilin University
Engineering and Technology Edition



9 771671 549167

07>

4
—
2016

第 46 卷 第 4 期

Vol.46 No.4

中国·长春

Changchun, China

吉林大学学报(工学版)

第 46 卷 第 4 期

2016 年 7 月

目 次

基于 H_∞ 鲁棒 SUKF 算法的永磁同步电机转速观测器设计

..... 赵彬, 郭孔辉, 许男, 等 (1017)

汽车自适应巡航线性参变间距控制算法 高振海, 严伟, 李红建, 等 (1023)

诊断算法在混合动力汽车能量管理策略中的集成开发 曾小华, 蒋渊德, 宋大凤, 等 (1030)

基于电控制动系统的客车防侧翻控制策略 郑宏宇, 杨硕, 文良浒, 等 (1038)

基于自适应滤波的电动汽车电-液复合制动系统防抱死控制

..... 黄晶莹, 秦大同, 刘永刚 (1044)

粘接式客车侧窗玻璃对客车侧翻性能的影响 那景新, 杨丹陽, 郭新宇, 等 (1052)

基于状态观测器的机敏约束阻尼板模态控制 王攀, 鲁俊, 邓兆祥, 等 (1057)

基于 Trucksim 的双挂汽车列车瞬态侧翻状态 张义花, 许洪国, 刘宏飞, 等 (1065)

压力顺序调节制动系统及其硬件在环试验 雍加望, 高峰, 丁能根, 等 (1070)

基于 IC 卡收费系统的公交客流信息实时采集方法 姜桂艳, 刘彬, 隋晓艳 (1076)

轨道车辆转向架一系悬挂刚度测定 张益瑞, 苏建, 张兰, 等 (1083)

基于应变监测的连续梁支承差异沉降识别 王少杰, 徐赵东, 李舒, 等 (1090)

混沌粒子群算法优化最小二乘支持向量机的混凝土强度预测 张静, 刘向东 (1097)

轻型车用柴油机起动怠速过渡过程瞬态喷油量控制 韩晓梅, 林学东, 李德刚, 等 (1103)

废气再循环对直喷汽油机燃烧及排放影响的仿真 于秀敏, 商震, 张岳韬, 等 (1109)

点燃式甲醇发动机冷启动临界着火边界 宫长明, 李朝晖, 屈翔, 等 (1118)

斜盘式轴向柱塞泵加速模型 赵存然, 刘伟, 姜继海, 等 (1124)

液压变压器控制系统稳态刚度特性 吴维, 狄崇峰, 胡纪滨, 等 (1130)

装载机液力变速器系统工作热特性 王振宝, 秦四成, 马润达 (1136)

基于 BEM 理论的兆瓦级风力机叶片设计及其气动性能 袁哲, 周茜茜, 刘春宝, 等 (1142)

基于虚拟梯度材料的螺栓结合面建模方法 廖静平, 张建富, 郁鼎文, 等 (1149)

硬涂层复合结构非线性刚度及阻尼辨识 孙伟, 李健, 贾师 (1156)

制动盘材料和结构对滑动摩擦系统热弹性失稳的影响 夏德茂, 美鹰, 华滨滨, 等 (1163)

外旋立式射流减阻测试平台研制及实验 赵刚, 李照远, 赵华兴, 等 (1175)

考虑载荷大小变化次序的球轴承寿命修正模型 关健, 王黎钦 (1182)

数控拉弯工艺中型材变形量的影响因素 谷净巍, 吕萌萌, 李欣, 等 (1190)

原位颗粒增强钛基复合材料高温流变行为 刘利萍, 刘勇兵, 姬连峰, 等 (1197)

时间序列降维及机场噪声中的机型识别 王寅同, 王建东, 陈海燕 (1202)

| | | |
|----------------------------------------------------|------------------|--------|
| 基于层次过滤模型的中文指代消解 | 周炫余, 刘娟, 邵鹏, 等 | (1209) |
| 基于排序树的频繁项集挖掘算法 | 王红梅, 党源源, 胡明, 等 | (1216) |
| 支持大规模流数据处理的弹性在线 MapReduce 模型及拓扑协议 | | |
| | 魏晓辉, 李翔, 李洪亮, 等 | (1222) |
| 基于统计特征的图像篡改评价模型 | 申铉京, 范子龙, 吕颖达, 等 | (1232) |
| 压缩编码孔径红外成像超分辨重建 | 王新华, 欧阳继红, 庞武斌 | (1239) |
| 车载 CAN 总线网络安全问题及异常检测方法 | 于赫, 秦贵和, 孙铭会, 等 | (1246) |
| 基于改进型小数据量法的局域网流量预测 | 王石, 隋永新, 董琰, 等 | (1254) |
| 改进的离散混合蛙跳算法压缩感知信号重构及应用 | 刘洲洲, 王福豹 | (1261) |
| 机械结构动态可靠性设计的智能计算方法 | 于繁华, 刘仁云, 张义民, 等 | (1269) |
| 混合动力汽车实时优化控制策略仿真分析 | 夏超英, 杜智明 | (1276) |
| 崎岖地形环境下四足机器人的静步态规划方法 | 张帅帅, 荣学文, 李贻斌, 等 | (1287) |
| α 和高斯噪声背景下线性极化阵列波达方向和极化参数联合估计的 FLOCC-SMN 方法 | | |
| | 石屹然, 赵晓晖, 单泽彪, 等 | (1297) |
| 面向区域的认知无线电系统的频谱感知模型 | 来磊, 赵晓晖, 徐勇军 | (1304) |
| 基于动态中继激励的协作下行传输用户调度 | 李钊, 李培凤, 蔡沈锦 | (1313) |
| 基于不完全信道信息的 D2D 功率分配算法 | 马蓓, 张海林, 张兆维, 等 | (1320) |
| 基于帧间差分和背景差分的运动目标检测算法 | 孙挺, 齐迎春, 耿国华 | (1325) |
| 基于十字型阵列的并行子阵波束形成算法 | 刘雪松, 周凡, 周泓, 等 | (1330) |
| 基于局部标准差与显著图的模糊图像质量评价方法 | 卢彦飞, 张涛, 郑健, 等 | (1337) |
| 基于星载混合相控阵 MIMO SAR 的多方向测绘带成像及二维 DBF 处理 | | |
| | 张乐乐, 陈殿仁, 赵爽 | (1344) |
| 基于改进加权质心和 UKF 的移动目标定位算法 | 许杰, 戚大伟 | (1354) |
| 考虑复杂金属设备的车辆发动机舱电磁环境效应分析 | 蔡金良, 孙晓颖, 赵晓晖 | (1360) |
| 人参 DS 和 D12H 基因的异源共表达 | 王雪松, 李躬军, 赵寿经, 等 | (1368) |
| 人类生活及其仿生学初探 | 梁云虹, 任露泉 | (1373) |

Journal of Jilin University

(Engineering and Technology Edition)

Vol. 46 No. 4

July 2016

Contents

| | |
|-------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| Speed observer design for permanent magnet synchronous motor based on H_∞ robust SUKF algorithm | ZHAO Bin, GUO Kong-hui, XU Nan, et al. (1017) |
| Design of linear parametrically varying headway control algorithm for ACC vehicles | GAO Zhen-hai, YAN Wei, LI Hong-jian, et al. (1023) |
| Integration of fault diagnosing algorithm into energy management strategy for hybrid electric vehicle | ZENG Xiao-hua, JIANG Yuan-de, SONG Da-feng, et al. (1030) |
| Anti-rollover control strategy of bus based on electronically controlled braking system | ZHENG Hong-yu, YANG Shuo, WEN Liang-hu, et al. (1038) |
| Adaptive filter based antilock braking control of electro-hydraulic system for electric vehicle | HUANG Jing-ying, QIN Da-tong, LIU Yong-gang (1044) |
| Effect of side window bounding system on the performance of bus rollover process | NA Jing-xin, YANG Dan-yang, GUO Xin-yu, et al. (1052) |
| Modal control of smart constrained layer damping plate based on state observer | WANG Pan, LU Jun, DENG Zhao-xiang, et al. (1057) |
| Transient rollover state of tractor and double trailer combination based on Trucksim | ZHANG Yi-hua, XU Hong-guo, LIU Hong-fei (1065) |
| Hardware-in-the-loop test for a braking system of pressure individual regulation | YONG Jia-wang, GAO Feng, DING Neng-gen, et al. (1070) |
| Real time information collection of passenger flow in public transportation based on bus IC card charging system | JIANG Gui-yan, LIU Bin, SUI Xiao-yan (1076) |
| Experimental study of the primary suspension stiffness of railway vehicle bogie | ZHANG Yi-rui, SU Jian, ZHANG Lan, et al. (1083) |
| Differential settlement identification of pier for continuous beam based on strain monitoring | WANG Shao-jie, XU Zhao-dong, LI Shu, et al. (1090) |
| Prediction of concrete strength based on least square support vector machine optimized by chaotic particle swarm optimization | ZHANG Jing, LIU Xiang-dong (1097) |
| Injection quantity control strategy for starting to idling transition of light duty diesel engine | HAN Xiao-mei, LIN Xue-dong, LI De-gang, et al. (1103) |
| Simulation of EGR on combustion and emission of gasoline direct-injection engine | YU Xiu-min, SHANG Zheng, ZHANG Yue-tao, et al. (1109) |
| Investigation of critical firing boundary of spark ignition methanol engine during cold start | GONG Chang-ming, LI Zhao-hui, QU Xiang, et al. (1118) |
| Accelerated model of swash-plate axial piston pump | ZHAO Cun-ran, LIU Wei, JIANG Ji-hai, et al. (1124) |
| Static stiffness of hydraulic transformer controlled system | WU Wei, DI Chong-feng, HU Ji-bin, et al. (1130) |
| Thermal characteristic analysis in hydraulic transmission system of wheel loader | WANG Zhen-bao, QIN Si-cheng, MA Run-da (1136) |
| Blade design and aerodynamics of MW wind turbine based on BEM theory | YUAN Zhe, ZHOU Qian-qian, LIU Chun-bao, et al. (1142) |
| Modeling method of bolted joint interface based on gradient virtual materials | LIAO Jing-ping, ZHANG Jian-fu, YU Ding-wen, et al. (1149) |
| Identification of nonlinear stiffness and damping for hard-coating composite structure | SUN Wei, LI Jian, JIA Shi (1156) |
| Effect of geometry and material properties of brake disc on thermoelastic instability of sliding frictional system | XIA De-mao, XI Ying, HUA Bin-bin, et al. (1163) |

| | |
|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| Development and experiment of external-rotation vertical jet drag reduction testing platform | ZHAO Gang, LI Zhao-yuan, ZHAO Hua-xing, et al. (1175) |
| Modified life model of ball bearing considering load changing sequence | GUAN Jian, WANG Li-qin(1182) |
| Influence factors of profile deformation in NC stretch bending | GU Zheng-wei, LYU Meng-meng, LI Xin, XU Hong, et al. (1190) |
| Flow stress behavior of in situ particulate reinforced titanium matrix composite at elevated temperature | LIU Li-ping, LIU Yong-bing, JI Lian-feng, et al. (1197) |
| Time series dimensionality reduction and aircraft model recognition in airport-noise | WANG Yin-tong, WANG Jian-dong, CHEN Hai-yan(1202) |
| Chinese anaphora resolution based on multi-pass sieve model | ZHOU Xuan-yu, LIU Juan, SHAO Peng, et al. (1209) |
| Frequent itemsets mining algorithm based on sort tree | WANG Hong-mei, DANG Yuan-yuan, HU Ming, et al. (1216) |
| Flexible online MapReduce model and topology protocols supporting large-scale stream data processing | WEI Xiao-hui, LI Xiang, LI Hong-liang, et al. (1222) |
| Image tampering assessment model based on statistical features | SHEN Xuan-jing, FAN Zi-long, LYU Ying-da, et al. (1232) |
| Supper-resolution reconstruction of infrared images of compressive coded aperture | WANG Xin-hua, OUYANG Ji-hong, PANG Wu-bin(1239) |
| Cyber security and anomaly detection method for in-vehicle CAN | YU He, QIN Gui-he, SUN Ming-hui, et al. (1246) |
| LAN traffic flow prediction using improved small data method | WANG Shi, SUI Yong-xin, DONG Yan, et al. (1254) |
| Improvement of discrete shuffled frog-leaping algorithm and application in compressed sensing reconstruction | LIU Zhou-zhou, WANG Fu-bao(1261) |
| Intelligent algorithm for optimized dynamic reliability design of mechanic structure | YU Fan-hua, LIU Ren-yun, ZHANG Yi-min, et al. (1269) |
| Simulation analysis on real-time optimal control strategy for hybrid electric vehicle | XIA Chao-ying, DU Zhi-ming(1276) |
| Static gait planning method for quadruped robots on rough terrains | ZHANG Shuai-shuai, RONG Xue-wen, LI Yi-bin, et al. (1287) |
| FLOCC-SMN method for DOA polarization parameters estimation of linear polarization array in α and Gaussian noise | SHI Yi-ran, ZHAO Xiao-hui, SHAN Ze-biao, et al. (1297) |
| Region oriented spectrum sensing model for cognitive radio system | LUAN Lei, ZHAO Xiao-hui, XU Yong-jun(1304) |
| User scheduling in cooperative downlink transmission based on dynamic relay stimulation | LI Zhao, LI Pei-feng, CAI Shen-jin(1313) |
| Imperfect channel state information based D2D power allocation algorithm | MA Bei, ZHANG Hai-lin, ZHANG Zhao-wei, et al. (1320) |
| Moving object detection algorithm based on frame difference and background subtraction | SUN Ting, QI Ying-chun, Geng Guo-hua(1325) |
| Parallel subarray beamforming algorithm based on cross array | LIU Xue-song, ZHOU Fan, ZHOU Hong, et al. (1330) |
| No-reference blurring image quality assessment based on local standard deviation and saliency map | LU Yan-fei, ZHANG Tao, ZHENG Jian, et al. (1337) |
| Multi-direction swath imaging and two-dimensional digital beamforming based on space-born hybrid phased-MIMO SAR | ZHANG Le-le, CHEN Dian-ren, ZHAO Shuang(1344) |
| Moving target localization based on improved weighted centroid and UKF algorithm | XU Jie, QI Da-wei(1354) |
| Electromagnetic environment effects for automotive engine block with complex metallic equipments | CAI Jin-liang, SUN Xiao-ying, ZHAO Xiao-hui(1360) |
| Heterologous coexpression of <i>Panax ginseng</i> DS and D12H genes | WANG Xue-song, LI Gong-jun, ZHAO Shou-jing, et al. (1368) |
| Preliminary study of bionics in human life | LIANG Yun-hong, REN Lu-quan(1373) |

- ☆ 中文综合性科学技术类核心期刊
- ☆ 中国科技核心期刊
- ☆ 中国科学引文数据库(CSCD)核心期刊
- ★ 美国《工程索引》(EI Compendex)收录期刊
- ★ 美国《化学文摘》(CA)收录期刊
- ★ 俄罗斯《文摘杂志》(AJ)收录期刊
- ★ 美国《剑桥科学文摘》(CSA)收录期刊
- ☆ 中国知网收录期刊
- ☆ 中国科技论文在线收录期刊
- ☆ 《中国学术期刊文摘》等国内十多种文摘收录期刊

吉林大学学报(工学版)

Jilin Daxue Xuebao(Gongxue Ban)

双月刊 1957 年创刊

第 46 卷 第 4 期 (总第 186 期) 2016 年 7 月

Journal of Jilin University

(Engineering and Technology Edition)

Bimonthly, Started in 1957

Vol. 46 No. 4 (Sum 186) July 2016

主管单位 中华人民共和国教育部
主办单位 吉林大学
主编 任露泉
常务副主编 陈永杰
编辑 吉林大学学报(工学版)编辑部
(长春市人民大街 5988 号 130022)
电话:0431-85095297
传真:0431-85094074
E-mail:xbgxb@jlu.edu.cn
http://xuebao.jlu.edu.cn/gxb
出版 吉林大学出版社
印刷 长春市赛德印业有限公司
国内总发行 长春市报刊发行局
国内订购处 全国各地邮局
国外总发行 中国国际图书贸易总公司
(北京 399 信箱, 100044)

Responsible Institution Ministry of Education, the People's Republic of China
Sponsored by Jilin University
Editor-in-Chief Ren Lu-quan
Standing Associate Chief Editor Chen Yong-jie
Edited by Editorial Board of Journal of Jilin University (Engineering and Technology Edition)
(5988 Renmin Street, Changchun 130022, China)
Tel: 86-431-85095297
Fax: 86-431-85094074
E-mail: xbgxb@jlu.edu.cn
http://xuebao.jlu.edu.cn/gxb
Published by Jilin University Press
Printed by Changchun Saide Printing Co., Ltd.
Distributed Abroad by China International Book Trading Corporation
(P. O. Box 399, Beijing 100044, China)
International Subscription Code BM4549

中国标准连续出版物号 ISSN 1671—5497
CN 22—1341/T

发行代号 国内 12—46
国际 BM4549

国内定价 26.00 元/期
156.00 元/年