

原书缺封面

目 次

· 采矿工程 ·

| | | |
|---|---------------|------|
| 冲击荷载作用下磁铁石英岩破碎能耗分析 | 郭连军 杨跃辉 张大宁 等 | (1) |
| 爆破震动信号频带能量分布特征 | 石长岩 赵兴柱 姜洪波 等 | (6) |
| 大型深埋硬岩矿山回采优化的数值模拟研究 | 祝方才 刘丙肖 杨承祥 | (11) |
| 新型无砂仓尾砂胶结充填工艺技术 | 刘晓俊 马毅敏 | (15) |
| 基于 FLAC ^{3D} 的矿柱回收稳定性分析 | 赵迎贵 游 勋 岳国均 等 | (19) |
| 丹银金矿采场落矿距离的优化 | 蔺 甲 赵维浩 张凤鹏 | (24) |
| 特厚煤层大断面巷道支护设计及分析 | 张向东 吕金伟 周新勃 等 | (29) |
| 组合式崩落法在铜坑矿 92 [#] 矿体中的应用研究 | 石富文 李 明 罗先伟 等 | (33) |
| 瓦厂坪铝土矿 1102 工作面综采试验相关影响参数的分析与探讨 | 徐晓乾 向 龙 邵国君 等 | (37) |
| 某“湿型”红土镍矿床开采实践 | 位 哲 梁 嘉 李兴家 | (41) |
| 深埋隧道围岩变形预测的非线性组合模型 | 高 宁 潘传蛟 李建刚 | (45) |
| 孤岛煤柱沿空掘巷围岩稳定与控制技术研究 | 张有乾 周 健 王 琦 等 | (49) |
| 似膏体充填系统管网参数及泵送压力选择 | 肖力波 | (53) |
| 低品位硫矿石利用扩建项目增量内部收益率问题及分析 | 王祥林 金 胜 | (57) |

· 矿物工程 ·

| | | |
|----------------------------|---------------|------|
| 提高梅山铁矿磨矿产品粒度均匀性的试验研究 | 严刘学 | (61) |
| 一种新型增效剂协同下铝土矿的油酸浮选 | 曹学锋 高建德 刘润清 等 | (65) |
| 陕西五洲矿业石煤提钼降耗减排工艺研究 | 危 青 李桂英 戴子林 等 | (69) |
| 山东某长石矿石除铁增白选矿试验 | 张 鑫 张凌燕 洪 微 等 | (74) |

· 地质与测量 ·

| | | |
|------------------------------------|---------------|------|
| 豫西青岗坪花岗岩体地球化学特征及地质意义 | 刘清泉 张 宇 李 冰 等 | (79) |
| 丹巴地区多金属矿地球化学特征及找矿意义 | 常 鑫 王权锋 李 程 等 | (83) |
| 基于地质调查评价的矿产资源保障程度——以藏中地区铜矿为例 | 柳炳利 王建伟 郭 科 等 | (87) |
| 西藏山南比马组安山岩形成时代及意义 | 闫国强 丁 俊 黄 勇 等 | (91) |
| 粤北麻布岗矿田 S、Pb 同位素地球化学特征 | 孙 宁 罗 卫 孔凡乾 等 | (95) |

· 机电与自动化 ·

| | | |
|-------------------------------|---------------|-------|
| 基于多视窗的一体化煤矿安全与监测系统 | 贺致芬 孙久运 邱银国 | (99) |
| 基于三维激光扫描技术的矿山滑坡变形趋势评价方法 | 韩 亚 王卫星 李 双 等 | (103) |
| 双向长距离水、铁精矿管道输送及尾矿干堆技术 | 宁辉栋 孟丽芳 | (108) |
| 基于 LCL 滤波的三电平有源滤波器研制 | 王瑞海 | (111) |

· 安全与环保 ·

| | | |
|---|---------------|-------|
| 银山矿边坡滑坡类型分析及边坡角优化 | 钟春晖 | (116) |
| 基于 FLAC ^{3D} 分析的巷道“固帮顶控底鼓”支护方案 | 郑选荣 | (120) |
| 基于 RG 法的空区群矿柱临界破坏条件研究 | 郭生茂 刘 涛 程 刚 等 | (125) |
| 多水矿山地下采矿注浆堵水技术及案例分析 | 王雪峰 | (129) |
| 铁矿床滞留采空区充填治理效果分析 | 卢宏建 李佳慧 董小义 等 | (134) |
| 上向水平分层充填法采矿地表变形研究 | 王 伟 李云安 王钦刚 等 | (139) |
| 含有软泥入侵的多溶洞型顶板巷道稳定控制研究 | 李本奎 苏学贵 李浩春 等 | (143) |
| 小煤矿破坏区关键承载层的构建机理与应用 | 吴 锐 徐金海 王中亮 等 | (148) |
| 露天磷矿山采空区绿色复垦技术研究 | 李小双 李耀基 宗世荣 等 | (153) |
| 基于未确知测度理论的煤矿底板突水量预测 | 程爱平 高永涛 季毛伟 等 | (157) |
| 某铁矿矿柱回采安全性研究 | 刘武团 赵 奎 胡京涛 等 | (162) |
| 近距离煤层联合开采的通风阻力测试及围岩破坏规律研究 | 徐云龙 杨 栋 康志勤 | (166) |

· 综合利用 ·

| | | |
|-----------------------------------|---------------|-------|
| 从某石墨尾矿中回收绢云母的选矿试验 | 李 凤 宋永胜 李文娟 等 | (170) |
| 用山东某电厂脱硫石膏制备 α -半水石膏 | 姚 娟 叶德伟 赵 琳 等 | (175) |

| | | |
|---------------|--|------|
| · 信 息 · | | (10) |
|---------------|--|------|

CONTENTS

| | | |
|---|--|-------|
| Analysis on the Fragmentation Energy Consumption of Magnetite Quartzite under Impact Loads··· | Guo Lianjun Yang Yuehui Zhang Daning et al | (1) |
| Frequency Band Energy Distribution Characteristics of Blasting Vibration Signals | Shi Changyan Zhao Xingzhu Jiang Hongbo et al | (6) |
| Numerical Analysis of Stopping Optimization of Large-scale Deep-buried Stopes with Hard Rocks··· | Zhu Fangcai Liu Bingxiao Yang Chengxiang | (11) |
| New Type Chamber-free Tailings Cemented Filling Technique | Liu Xiaojun Ma Yimin | (15) |
| Stability Analysis of Ore Pillar Recovery Based on FLAC ^{3D} | Zhao Yinggui You Xun Yue Guojun et al | (19) |
| Optimization of Ore Caving Distance in Mining Stope of Danyin Gold Mine | Lin Jia Zhao Weihao Zhang Fengpeng | (24) |
| Support Design and Analysis of Large Section Roadway in Extremely Thick Coal Seam | Zhang Xiangdong Lu Jinwei Zhou Xinqin et al | (29) |
| Application of Combined Caving Method in 92 [#] Orebody of Tongkeng Mine | Shi Fuwen Li Ming Luo Xianwei et al | (33) |
| Analysis and Exploration on Related Influence Parameters of 1102 Fully-Mechanized Mining Work face Trial of Wachangping Bauxite | Xu Xiaoqian Xiang Long Shao Guojun et al | (37) |
| Mining Practice of a Humidified Laterite Nickel Deposit | Wei Zhe Liang Jia Li Xingjia | (41) |
| Non-linear Combination Forecast Model to Predict Surrounding Rock Deformation in Deep Buried Tunnels | Gao Ning Pan Chuanjiao Li Jiangang | (45) |
| Surrounding Rock Stability of the Roadway Driving Along Gob and its Corresponding Control Technology | Zhang Youqian Zhou Jian Wang Qi et al | (49) |
| Selection of Pipe Network Parameters and Pumping Pressure in Paste-like Filling System | Xiao Libo | (53) |
| The Problems and the Analysis of Incremental Internal Rate of Return in an Expansion Project of a Low Grade of Sulfur Mine | Wang Xianglin Jin Sheng | (57) |
| Increasing Granular Uniformity of Grinding Product from Meishan Iron Mine | Yan Liuxue | (61) |
| Beneficiation Experiment on Oleic Acid Flotation of Bauxite Ore Collaborated with a New Synergistic Agent | Cao Xuefeng Gao Jiande Liu Runqing et al | (65) |
| Vanadium Extraction & Consumption and Emission Reduction Process of Stone Coal in Shaanxi Wuzhou Mining Co. ,Ltd. | Wei Qing Li Guiying Dai Zilin et al | (69) |
| Mineral Processing Experiment on Iron Removal and Whitening of Feldspar Ore in Shandong ··· | Zhang Xin Zhang Lingyan Hong Wei et al | (74) |
| Geochemical Characteristics and Geological Significance of the Qinggangping Granite in the Western Henan Province | Liu Qingquan Zhang Yu Li Bing et al | (79) |
| Study of Geochemical Characteristics and Prospecting Significance of Polymetallic Mine in Danba··· | Chang Xin Wang Quanfeng Li Cheng et al | (83) |
| Mineral Resources Security Based on the Geological Survey and Assessment——Taking a Copper Mine in Central Tibet as a Case | Liu Bingli Wang Jianwei Guo Ke et al | (87) |
| Geochronology and Significances of Bima Formation Andesite of Shannan,Tibet | Yan Guoqiang Ding Jun Huang Yong et al | (91) |
| Geochemical Characteristics of Sulfur and Lead Isotopes of the Polymetallic Deposit in Mabugang ··· | Sun Ning Luo Wei Kong Fanqian et al | (95) |
| Integrated Safety and Monitoring System of Coal Mine Based on the Multi-windows | He Zhifen Sun Jiuyun Qiu Yinguo | (99) |
| An Evaluation Method of Mine Landslide and Deformation Trend based on Three-dimensional Laser Scanning Technology | Han Ya Wang Weixing Li Shuang et al | (103) |
| Dual-way Long-distance Pipeline Transport of Water and Iron Concentrate,Dry Tailings Stockpiling Technique | Ning Huidong Meng Lifang | (108) |
| Research on Three-level APF Based on LCL-filter | Wang Ruihai | (111) |
| Analysis of Slope Sliding Type and the Slope Angle Optimization in Yinshan Mine | Zhong Chunhui | (116) |
| Supporting Program of “Strengthening Roof and Sides to Control Floor Heave” for Tunnel based on FLAC ^{3D} Analysis | Zheng Xuanrong | (120) |
| Pillar Critical Failure Condition of Mined-out Zone Groups Based on RG Method | Guo Shengmao Liu Tao Cheng Gang et al | (125) |
| Grouting Water Plugging Technology of Underground Mining for Water-rich Mine and the Related Case Analysis | Wang Xuefeng | (129) |
| Filling Treatment Effect Analysis of Retained Goaf in Iron Deposit | Lu Hongjian Li Jiahui Dong Xiaoyi et al | (134) |
| Analysis of Surface Deformation Caused by Upward Horizontal Slicing and Filling Stopping Method | Wang Wei Li Yun'an Wang Qingang et al | (139) |
| Research on Roadway Stability Control of More Karst Cave Roof with Weak Mud Invasion | Li Benkui Su Xuegui Li Haochun et al | (143) |
| Construction Mechanism and Application of Key Bearing Layer in Failure Area of Small Coal Mines | Wu Rui Xu Jinhai Wang Zhongliang et al | (148) |
| Research on Green Reclamation Technology of the Mined-out Area in Open-air Phosphate Mine··· | Li Xiaoshuang Li Yaoji Zong Shirong et al | (153) |
| Forecast of Water Inrush from Coal Floor Based on Unascertained Measure Theory | Cheng Aiping Gao Yongtao Ji Maowei et al | (157) |
| Stability of Pillars Recovery in an Iron Ore | Liu Wutuan Zhao Kui Hu Jingtao et al | (162) |
| Ventilation Resistance Test of Joint Mining of Close Distance Coal Seams and Failure Rule of Surrounding Rock | Xu Yunlong Yang Dong Kang Zhiqin | (166) |
| Beneficiation Experiments of Sericite Recycling from Graphite Tailings | Li Feng Song Yongsheng Li Wenjuan et al | (170) |
| Preparation of α -Hemi-hydrate Gypsum with Desulfurated Gypsum from Power Station in Shandong | Yao Juan Ye Dewei Zhao Lin et al | (175) |

原书缺封底