

ISSN 1671-7775
CODEN JDXZA6


江苏大学 学报 自然 科 学 版

JOURNAL OF JIANGSU UNIVERSITY

NATURAL SCIENCE EDITION

第 41 卷 第 5 期 Vol.41 No.5

2020



激活 Windows
转到“设置”以激活 Windows

目 次

锂离子电池无序结构正极材料的研究进展

孔继周, 陈 瑶, 徐 朋, 周 飞 497

基于 PF-RLS 的电池组 SOC 估算

李 光, 龙 吟, 朱 浩 503

柴油机可变相位参数耦合对气路状态的影响

吴学舜, 杜德峰, 李均同, 韩志强 509

市政排涝自吸泵启动过程气液两相流动及压力脉动分析

杨 波, 潘中永, Ibra FALL 516

针板电极作用下液体界面不稳定性分析

王晓英, 武识博, 王东保, 王贞涛, 王军锋 523

蓝宝石湿法刻蚀各向异性特征的试验

张 辉, 辛 研 530

芦苇高立式沙障成束装置孔隙率控制机构的设计与试验

张泽宇, 葛 云, 郑一江, 余鹏飞 535

玉米秸秆皮瓢叶分离机的设计与试验

张洪建, 王德福, 孔凡婷, 刘朝贤, 黄会男 541

组合式排种器的设计与试验

李娟娟, 张和平, 胡 磊, 毕新胜, 张桐宇浩, 李姝卓 551

期刊基本参数:CN 32 - 1668/N * 1980 * b * A4 * 128 * zh * P * ¥28.00 * 1500 * 19 * 2020 - 09 * n

基于概率论的车辆排队长度测量方法

李 津, 王 鹏, 李泊霖, 魏小忠 557

基于 VMD-AR 谱的多轴转子系统故障特征信息提取方法

吴 飞, 程 科, 丁 军, 刘苏行 562

AlN-MOCVD 生长中气相寄生反应路径

仲婷婷, 左 然 569

一种新型硫化氢近红外比率荧光探针的研制

韩志湘, 顾宇形, 王 洋, 董良欢, 姜 舒 575

废水处理过程的 KPLS-GPR 软测量建模

刘鸿斌, 杨 冲 580

相变混凝土的制备与性能研究综述

周建庭, 聂志新, 郭增伟, 杨 娟, 郑 忠 588

碳纳米纤维对 CFRP 温阻效应的影响分析

刘荣桂, 翁 煜, 李十泉, 谢桂华, 蔡俊华, 孙 悅 596

基于车-路耦合振动状态下沥青路面力学响应

严战友, 赵晓林, 陈恩利, 赵 勇, 赵国叶 601

车桥耦合下公路桥梁长标距动态应变的求解方法

吴必涛, 邹友泉, 陈梦成, 吴 刚 609

工业碱渣改良云南典型膨胀土的膨胀特性试验

孙孝海, 谢建斌, 陈 伟, 赵一锦, 江 胜, 刘道炎 615

CONTENTS

- Research progress of disordered oxide cathode materials for Li-ion battery KONG Jizhou, CHEN Yao, XU Peng, ZHOU Fei(497)
- SOC estimation of battery pack based on PF-RLS LI Guang, LONG Yin, ZHU Hao(503)
- Effect of variable phase parameter coupling on gas path state of diesel engine WU Xueshun, DU Defeng, LI Junlong, HAN Zhiqiang(509)
- Analyses of gas-liquid two-phase flow and pressure fluctuation during start-up of municipal waterlogging self-priming pump YANG Bo, PAN Zhongyong, Ibra FALL(516)
- Instability analysis of liquid interface under needle plate electrode action WANG Xiaoying, WU Shibo, WANG Dongbao, WANG Zhentao, WANG Junfeng(523)
- Experiment on anisotropic wet etching characteristics of sapphire ZHANG Hui, XING Yan(530)
- Design and experiment of porosity control mechanism for reed bunching device with high vertical sand barrier ZHANG Jiangyu, GE Yun, ZHENG Yijiang, YU Pengfei(535)
- Design and experiment of separation equipment of rind-pith-leaf for corn stalk ZHANG Hongjian, WANG Defu, KONG Fanting, LIU Zhaoxian, HUANG Huinan(541)
- Design and experiment of combined seed metering device LI Juanjuan, ZHANG Heping, HU Bin, BI Xinsheng, ZHANG Tongyuhan, LI Shuzhuo(551)
- Method for estimation of vehicle queues length based on probability theory LI Jin, WANG Peng, LI Bolin, WEI Xiaozhong(557)
- Method for extracting fault feature information of multi-axis rotor system based on VMD-AR spectrum WU Fei, CHENG Ke, DING Jun, LIU Suhang(562)
- Gas-phase parasitic reaction pathways in AlN MOCVD growth ZHONG Tingting, ZUO Ran(569)
- A novel NIR ratiometric fluorescent probe for hydrogen sulfide detection HAN Zhixiang, GU Yuxing, WANG Yang, DONG Lianghuan, JIANG Shu(575)
- Soft sensor modeling of wastewater treatment processes using KPLS-GPR LIU Hongbin, YANG Chong(580)
- Review on preparation and properties of phase change concrete ZHOU Jianing, NIE Zhixin, GUO Zengwei, YANG Juan, ZHENG Zhong(588)
- Influence of carbon nanofiber on temperature resistance effect of carbon fiber reinforced polymer LIU Ronggui, WENG Yu, LI Shiquan, XIE Guihua, CAI Junhua, SUN Yue(596)
- Mechanical response of asphalt pavement based on vehicle-road coupling vibration YAN Zhanyou, ZHAO Xiaolin, CHEN Enli, ZHAO Yong, ZHAO Guoye(601)
- Dynamic long-gauge strain solution method for highway bridge under vehicle-bridge coupling WU Bitao, ZOU Youquan, CHEN Mengcheng, WU Gang(609)
- Experiment of swelling properties of improved typical expansive soil in Yunnan by industrial alkali residue SUN Xiaohai, XIE Jianbin, CHEN Wei, ZHAO Yiji, JIANG Sheng, LIU Daoyan(615)