

目 次

基于图像梯度匹配的自动泊车系统车位识别方法

江浩斌, 王成雨, 马世典, 陈杰, 花逸峰 621

基于改进天棚控制的混合电磁主动悬架节能机理与试验

孟祥鹏, 孙泽宇, 丁仁凯, 汪若尘, 陈龙 627

基于代理模型的白车身轻量化设计

张江帆, 王良模, 王陶, 袁刘凯 634

基于参数敏感度的双转子轮毂电动机优化设计与特性分析

李军民, 何仁 640

混合动力物流车动力系统匹配及仿真

赵尚义, 郑青星, 刘豪森 648

Au/CeO₂催化剂有氧条件下催化水煤气变换反应的研究

李凯, 王攀, 李振国, 崔宸睿, 雷利利 655

密封液膜汽化及性能的内摩擦效应和黏温效应分析

陈江龙, 韩婷, 李新稳, 陆俊成, 谢晓凤 661

目标假车高速实心轮胎温度场仿真及温升控制

阮杰, 魏国梁, 林炜钰 670

基于声强测试的联合收获机噪声源识别与定位

王成龙, 尚显君, 徐红梅, 姜威, 董佳俊 677

干燥参数对苜蓿各含水率阶段干燥特性及能耗的影响

高东明, 罗钢 685

基于参数化排序的不确定 Top- k 查询算法

邹志文, 张翅 694

翅片管式油冷器结构优化与热力性能分析

王迎慧, 宋春光 699

铁纳米粒子分子印迹聚合物催化的芬顿反应

韩六琦, 朱雨晨, 左亮亮, 李昆, 袁新华 705

尿素沉积物中三聚氰酸及其同系物检测

龙华林, 莫春兰, 莫益涛, 邱崇桓, 江明儒 712

基于车辆行驶稳定性的沥青路面车辙阈值

洪正强, 郑彬双, 陈嘉颖, 黄晓明 718

不同箱室波形钢腹板 PC 箱梁力学性能分析

陈祎途, 许晶, 丁勇 726

水性环氧-SBR 低温型冷补沥青研发及其混合料性能

张争奇, 赵勤胜, 张伟, 成高立 731

圆形减压钢管约束混凝土柱的轴压性能

柏佳文, 魏洋, 张依睿, 丁明珉, 李国芬 738

江苏大学学报(自然科学版)第 41 卷(2020 年)总目次

I

CONTENTS

- Parking slot recognition of automatic parking system based on image gradient matching *JIANG Haobin, WANG Chengyu, MA Shidian, CHEN Jie, HUA Yifeng*(621)
- Energy-saving mechanism and experiment of hybrid electromagnetic active suspension based on improved skyhook control *MENG Xiangpeng, SUN Zeyu, DING Renkai, WANG Ruochen, CHEN Long*(627)
- Lightweight design of body-in-white based on agent model *ZHANG Jiangfan, WANG Liangmo, WANG Tao, YUAN Liukai*(634)
- Optimization design and performance analysis of dual-rotor in-wheel motor based on parameter sensitivity *LI Junmin, HE Ren*(640)
- Matching and simulation of power system of hybrid electric logistics vehicle *ZHAO Shangyi, ZHENG Qingxing, LIU Haosen*(648)
- Study on water gas shift reaction with Au/CeO₂ catalyst under oxygen conditions *LI Kai, WANG Pan, LI Zhenguo, CUI Chenrui, LEI Lili*(655)
- Analysis of internal friction and viscosity-temperature effect on vaporization and properties of sealing liquid film *CHEN Huilong, HAN Ting, LI Xinwen, LU Juncheng, XIE Xiaofeng*(661)
- Analysis of temperature field and controlling temperature rise of target car high-speed solid tire *RUAN Jie, WEI Guoliang, LIN Weiyu*(670)
- Recognition and location of noise source of combine harvester based on sound intensity testing *WANG Chenglong, SHANG Yujun, XU Hongmei, JIANG Wei, DONG Jiajun*(677)
- Effect of drying parameters on drying characteristics and energy consumption during alfalfa drying process *GAO Dongming, LUO Gang*(685)
- Uncertain Top-*k* query algorithm based on parameterized sorting *ZOU Zhiwen, ZHANG Chi*(694)
- Structure optimization and thermal performance analysis of finned tube oil cooler *WANG Yinghui, SONG Chunguang*(699)
- Fenton reaction catalyzed by nano-iron molecularly imprinted polymers *HAN Liuqi, ZHU Yuchen, ZUO Liangliang, LI Kun, YUAN Xinhua*(705)
- Detection of cyanuric acid and its homologues in urea deposits *LONG Hualin, MO Chunlan, MO Yitao, QIU Chonghuan, JIANG Mingru*(712)
- Rut threshold of asphalt pavement based on vehicle driving stability *HONG Zhengqiang, ZHENG Binshuang, CHEN Jiaying, HUANG Xiaoming*(718)
- Mechanical performance analysis of corrugated steel webs(CSWs) PC box girder with different cell numbers *CHEN Yitu, XU Jing, DING Yong*(726)
- Preparation and mixture performance of waterborne epoxy-SBR low temperature cold patch asphalt *ZHANG Zhengqi, ZHAO Qinsheng, ZHANG Wei, CHENG Gaoli*(731)
- Axial compression performance of circular concrete-filled slotted steel tubular columns *BAI Jiawen, WEI Yang, ZHANG Yirui, DING Mingmin, LI Guofen*(738)