

临床心身疾病杂志

双月刊 1994 年创刊 第 16 卷 第 4 期 总第 69 期 2010 年 7 月 20 日出版

主 管 河南省卫生厅
主 办 河南省精神病医院
(新乡医学院第二附属
医院)

名誉主编 沈渔邨 张明园
杨德森 成俊祥

主 编 吕路线
编辑部主任 吕应春

编辑出版

《临床心身疾病杂志》编辑部
453002 河南省新乡市建设中路 388 号
电话/传真:(0373)3373898
E-mail:lcxsjb@yahoo.com.cn
lcxsjb@126.com
<http://www.lcxsjbzz.com>

印 刷

中国电子科技集团公司
第二十二研究所印刷厂

发 行

国内 河南省邮政局
(邮发代号:36—259)

国外 中国国际图书贸易总公司
(发行代码:Q2640)

订 阅 全国各地邮政局
邮 购
《临床心身疾病杂志》编辑部

广告经营许可证
豫新广字 4107004000011

定 价
国内每册 10.00 元,全年 60.00 元(RMB)
国外每册 30.0 元,全年 180.0 元(dollar)

中国标准刊号
ISSN 1672-187X
CN 41-1353/R

责任编辑 吕应春 程传宝
编 辑 任明芬 姚 华
英文编辑 崔二龙 张朝辉

目 次

· 临床研究 ·

- 认知疗法辅助治疗双相情感障碍系统评价 孙云红 王进礼 徐唯(289)
以阳性症状为主慢性精神分裂症利培酮治疗前后 EEM 与 ERP 对照研究 张建 娄白玉 石玉中 等(294)
糖尿病患者焦虑抑郁情绪与生活质量相关性研究 吴小和 贺祖辉 张程颖(297)
生活事件量表在湘西土家族青年中的应用评价 张智 黄晓春(300)
综合医院精神科急会诊与需会诊患者临床特征分析 钟慧 李晓驷 王克明 等(303)
血尿酸增高与急性脑梗死相关性研究 潘晓芬 杨宇 郑兆奎 等(306)
抑郁症与血清瘦素水平相关性研究 黄峰 陶领钢 李刚 等(308)
难治性抑郁症患者临床特征对照研究 刘永忠 黄群明 谢智(310)
帕利哌酮缓释片与阿立哌唑治疗精神分裂症对照研究 麦以成 徐彩霞 罗澍韩(313)
米氮平与舍曲林治疗老年抑郁症对照研究 陈恩民(316)
文拉法辛缓释片与氟西汀治疗脑卒中后抑郁障碍对照研究 罗加国 黄堂辉 黄兵(318)
瑞波西汀与氟西汀治疗抑郁症对照研究 张进周 胡玉芹(321)
职业康复训练对慢性精神分裂症阴性症状的影响 兰利平 杨坤芳(324)
碳酸锂联合利培酮与奎硫平治疗急性躁狂发作对照研究 杜责平(326)
拉莫三嗪与碳酸锂治疗双相障碍急性抑郁发作对照研究 李宇明(328)
- ### · 心理研究 ·
- 综合心理治疗对首发青少年抑郁症临床疗效的对照研究 郭田友 季卫东 周家秀 等(331)
精神分裂症患者述情障碍与病耻感相关性研究 耿峰 董毅 刘寰忠 等(334)
强迫症患者认知状况调查及心理行为干预效果评价 肖凤新 王振英 徐娟(337)
飞行员主观幸福感与应对方式和社会支持相关性研究 李连杰 姜杭(339)
慢性酒中毒患者应付方式与心理健康状况相关性研究 朱进才 吴庆锋 赖爱群 等(341)
酒精依赖患者家属焦虑抑郁状况及其影响因素分析 张伟 高军 韩丽军 等(344)

[期刊基本参数] CN41-1353/R * 1994 * b * A4 * 96 * zh * P * ¥10.00 * * 51 * 2010-04

| | | |
|----------------------------|--------------|-------|
| 大学生个性特征状况调查 | 张建宏 张高峰 张娅莉 | (347) |
| 下岗女工心理健康状况调查 | 庄会莉 | (349) |
| 精神科护士心理健康状况调查及干预对策 | 张玲 王宪军 | (351) |
| 领导干部心理健康状况及应对方式调查 | 皇甫丽 吴芳 姚学等 | (353) |
| 精神科护士人口学资料与工作压力源和心身耗竭相关性研究 | 李栓荣 李素珍 | (356) |
| · 临床报告 · | | |
| 高血压脑出血患者术后并发肺栓塞及深静脉血栓 6例 | 林涛 王晓明 车海江等 | (359) |
| 应征青年体检合格者心理检测结果分析 | 林雁翔 黄列松 陈彦丰 | (360) |
| 心理干预对海洛因依赖者焦虑情绪的影响 | 毛肖丽 | (361) |
| 中医药治疗溃疡性结肠炎疗效评价 | 李启军 | (362) |
| 齐拉西酮与氯氮平对精神分裂症患者心电图的影响 | 李峰 马丽萍 | (363) |
| 自体角膜缘上皮移植术治疗翼状胬肉临床观察 | 刘升 宋俊林 李畅等 | (364) |
| 糖尿病足感染细菌培养与药敏分析 | 王学芳 | (365) |
| 快速加量口服齐拉西酮治疗精神分裂症激越状态效果评价 | 卓子禄 张波 | (366) |
| 鼻内镜下鼓膜置管术治疗分泌性中耳炎效果评价 | 莫运 | (367) |
| 精神科住院患者药物应用状况再调查 | 李炬英 谭常赞 梁光庆 | (368) |
| 阿立哌唑治疗女性精神分裂症疗效评价 | 童庆好 王昆 余万庆 | (369) |
| 老年精神病住院患者死亡相关因素分析 | 张瑜 王燕 | (370) |
| 护士心理访谈对神经症患者临床疗效的作用分析 | 刘小林 张程桢 | (371) |
| · 专题讨论 · | | |
| 论血管性头痛患者的诊断与治疗 | 邹华钦 吴金花 | (372) |
| 焦虑的临床特征与干预技巧 | 余继祥 | (374) |
| 论产后抑郁障碍发病原因及心理干预 | 李淑华 | (375) |
| · 综述 · | | |
| 5-羟色胺与功能性消化不良及其精神症状研究进展 | 韩仙芝 赵立群 | (376) |
| 尼古丁依赖的神经递质效应与治疗展望 | 余翔 喻东山 | (378) |
| · 临床护理 · | | |
| 妊娠高血压综合症临床护理 | 覃美术 | (350) |
| 临床路径在精神分裂症患者护理中的应用 | 李萍 邓美华 戴美珠等 | (380) |
| 腹腔镜胆囊切除术围手术期护理体会 | 常文英 田竞芳 | (381) |
| 精神科院内感染临床特征与护理对策 | 陈佩芳 吴小金 吴强 | (382) |
| 颅内血肿清除术围手术期护理 | 胡玉红 | (383) |
| 女性精神分裂症反复住院患者心理护理 | 彭代萍 杨亮兴(封 3) | |
| · 短篇与个案 · | | |
| 定期维持无抽搐电休克治疗难治性抑郁症 1例 | 潘会敏 杨宁波 | (目 4) |
| · 消息 · | | |
| 《临床心身疾病杂志》稿约 | | (封 2) |
| 《心身疾病的临床心理康复》一书出版发行 | | (299) |
| 2010年《临床心身疾病杂志》征稿征订启事 | | (352) |

JOURNAL OF CLINICAL PSYCHOSOMATIC DISEASES

Bimonthly Established in October 1994 Volume 16, Number 4, July 20, 2010

Responsible institution

Health Department of Henan Province

Sponsor

Henan Mental Hospital
(The Second Affiliated Hospital of
Xinxiang Medical University)

Co-sponsor

The 305th Hospital of the PLA

Editor in chief

Lü Luxian

Managing editor

Lü Yingchun

Editing and publishing

Editorial Department of Journal of
Clinical Psychosomatic Diseases
No. 388, Jianshe Road, Xinxiang
453002, China

Tel : /Fax: (0373)3373898

E-mail:lcxsb@yahoo.com.cn

http://lcsx.chinajournal.net.cn

Printing

Printing House of China Research Institute of Radiowave Propagation

Domestic Distributor

Henan Post Office

Overseas Distributor

China International Book Trading Corporation
Code No. Q2640

Mail-order

Editorial Department of Journal of
Clinical Psychosomatic Disease
Code name:36-259

Domestic Price: 10¥/Vol, annual 60.00¥

Overseas Price: 30\$/Vol, annual 180.00\$

CSSN

ISSN 1672-187X

CN 41-1353/R

Responsible editor

Lü Yingchun, Cheng Chuanbao

Editor

Ren Mingfen, Yao Hua

English editor

Cui Erlong, Zhang Zhaojun

Contents

• Psychological study •

- Systematic review of adjunctive cognitive therapy for bipolar disorder
Sun Yunhong, Wang Jinli, Xu wei (289)
- A control study of EEM and ERP before and after risperidone treatment for chronic schizophrenia patients with positive symptoms
Zhang Jian, Lou Baiyu, Shi Yuzhong, et al (294)
- A correlation study on anxiety-depression emotion and quality of life for diabetics
Wu Xiaohe, He Zuhui, Zhang Chengcheng (297)
- The evaluation of LES utilized in the Western Hunan Tujia Nationality Youths
Zhang Zhi, Huang Xiaochun (300)
- Clinical features of psychiatric acute and common consultation patients in general hospital
Zhong Hui, Li Xiaosi, Wang Keming, et al (303)
- Correlation study of raised serum uric acid and acute cerebral infarction
Pan Xiaofen, Yang Yu, Zheng Zhaokui, et al (306)
- The correlation study of depression and serum leptin levels
Huang Feng, Tao Linggang, Li Gang, et al. (308)
- A control study of clinical features of patients with treatment-resistant depression
Liu Yongzhong, Huang Qunming, Xie Zhi (310)
- A control study of paliperidone extended-release tablets vs. aripiprazole in the treatment of schizophrenia
Mai Yicheng, Xu Caixia, Luo Penghan (313)
- A control study of mirtazapine vs. sertraline in the treatment of senile depression
Chen Enmin (316)
- A control study of venlafaxin hydrochloride sustained-release tablets vs. fluoxetine in the treatment of post-stroke depressive disorder
Luo Jiaguo, Huang Tanghui, Huang Bing (318)
- A controlled study of reboxetine versus fluoxetine in depression
Zhang Jinzhou, Hu Yiqin (321)
- Effects of vocational rehabilitation training on the negative symptoms of chronic schizophrenia
Lan Liping, Yang Kunfang (324)
- A control study of lithium carbonate plus risperidone or quetiapine in acute manic episode
Du Guiiping (326)
- A controlled study of lamotrigine versus lithium carbonate in the treatment of acute depressive episode of bipolar disorder
Li Yuming (328)
- ### • Psychological study •
- A study on integrated psychotherapy for adolescent patients with first-episode major depressive disorder
Guo Tianyou, Ji Weidong, Zhou Jiaxiu, et al (331)
- Relation between Stigma and alexithymia of Schizophrenia Patients
Geng Feng, Dong Yi, Liu Huanzhong, et al (334)
- Surveys of cognitive status and evaluation of psycho-behavioural investigation in OCD patients
Xiao Fengxin, Wang Zhenying, Xu Juan (337)

| | |
|---|-------|
| The Relationship among subjective well-being, coping styles and social support of pilots <i>Li Lianjie, Jiang Hang</i> | (339) |
| Effects of coping styles on mental health status in patients with chronic alcoholism <i>Zhu Jincai, Wu Qingfeng, Lai Aiqun, et al</i> | (341) |
| The status and influencing factors of anxiety and depression in family members of alcohol dependent patients <i>Zhang Wei, Gao Jun, Han Lijun, et al</i> | (344) |
| Comparative analysis on Personality of College Students <i>Zhang Jianhong, Zhang Gaofeng, Zhang Jiangli</i> | (347) |
| Mental status of laid-off women workers <i>Zhuang Huili</i> | (349) |
| The investigation and intervention on mental health status of psychiatric nurses <i>Zhang Ling, Wang Xianjun</i> | (351) |
| Surveys on mental health status and coping style of leaders <i>Huang Fuli, Wu Fang, Yao Xue, et al</i> | (353) |
| Correlation studies of demographic data, work stressors and psychosomatic exhaustions in psychiatric nurses <i>Li Shuanrong, Sun Suzhen</i> | (356) |

• 短篇与个案 •

定期维持无抽搐电休克治疗难治性抑郁症 1 例

潘会敏 杨宁波

【关键词】难治性抑郁；无抽搐电休克治疗

doi:10.3969/j.issn.1672-187X.2010.04.001—目 4—01

【中图分类号】R 749.4,749.054 【文献标识码】A

1 病例

患者女性,49岁,于28岁时产后不足1个月首次发病。表现情绪低落,对婴儿无亲近举动,不能照顾婴儿,无故落泪,无饥饿感,自感胃部饱胀不适,称进食后食物都堵住了胃部,有时整天不进食水。早期能做一般家务,后渐没有力气活动,终日卧床,体重也由原来60 kg降到35 kg。反复诉说自己的病好不了活不成之类的话,向家人安排后事。家属间断为其取中药治疗,病情持续2 a好转,在家能做家务。

4 a前在陪护住院的女儿后,病情渐渐复发,表现同前。在当地综合医院检查心电图、脑电图、胃镜、头颅CT和甲状腺激素等均未发现异常,以“抑郁症”治疗,处方米安色林 $120 \text{ mg} \cdot \text{d}^{-1}$,治疗6周效果不佳,自行停药,其间多方求诊换用多种抗抑郁剂,病情未得到很好控制。

2008年4月第1次住我院,由家属抱入病房,查体:血压 $80/65 \text{ mmHg}$,体重30 kg,极度消瘦。表情痛苦,眉头紧锁,焦虑不安不断呻吟。称胃部饱胀难受,什么都不想吃;认为病治不好了,还要花钱而拒绝治疗,入院诊断抑郁症。完善常规检查,针对贫血、电解质紊乱,予以对症治疗合并帕罗西汀治疗,6周后加量至 $60 \text{ mg} \cdot \text{d}^{-1}$,患者营养体质改善,反而不配合治疗,话少,多次用头撞墙,撞床头欲自杀,被医生及时发现。考虑躯体情况改善,病情无明显改善,遂行无抽搐电休克治疗,每周2次,治疗2次后患者食欲改善,有进食要求并能主动进流食,治疗5次后症状改善明显,情绪好转,对自己的想法行为觉得后怕,能进食馒头、面条等固体食物。在治疗8次后延长间隔时间,病情稳定。住院3月余,患者食欲较好,体重明

显增加,情绪好,焦虑自杀观念消失,痊愈出院。患者出院后坚持服药,情绪稳定,能正常做家务及田间劳动。3个月后,家属认为病情稳定自行减药,逐渐病情波动,2个月后症状重新出现日益加重。第2次入院继续按照第1次诊治方案,以文拉法辛合并丙戊酸钠,并加量至 $225 \text{ mg} \cdot \text{d}^{-1}$ 治疗,4周后显效不明显,联合无抽搐电休克,治疗2次后,症状即有改善,继续治疗2个月症状好转出院。

院外服药依从性差,半年后症状再次反复,因患者经济问题并结合患者躯体状况,我们完善常规检查后,在门诊实施无抽搐电休克治疗。嘱坚持服药(文拉法辛 $150 \text{ mg} \cdot \text{d}^{-1}$ 合并丙戊酸钠 $0.4 \text{ mg} \cdot \text{d}^{-1}$),依从性仍不佳,病情波动并持续发展,于2009年11月再次住院,完善检查后予以无抽搐电休克治疗,治疗2次症状即有改变。现患者定期门诊维持无抽搐电休克治疗,间隔至12 d,疗效肯定,患者无不良反应主诉,能做家务,情绪一般,体感症状消失,表现如常人。

2 讨论

患者起病于青年期,病程呈反复发作,每次发病无明显精神因素,每次发作为持续性,以抑郁核心症状为主,伴有躯体症状,反复询问患者及家属未及躁狂(轻躁狂)表现,住院期间也未观察到,营养改善后体检及实验室检查无阳性发现,符合难治性抑郁症诊断^[1]。

对患者的治疗,药物治疗效果不显著,联合无抽搐电休克后症状改观明显,患者能耐受,出院药物治疗依从性差,基于其对无抽搐电休克的反应,考虑治疗的安全性又相对经济性^[2],最后对此患者行门诊定期电休克治疗,至今疗效肯定。

参考文献

- [1] 孙学礼. 难治性抑郁障碍及其药物治疗[J]. 中国处方药, 2006,55(10):9
- [2] 范俭雄,高小宁,徐敏. 无抽搐电休克治疗精神病的疗效总结[J]. 中国民政医学杂志,2000,12(6):329

(收稿日期 2010—04—28)