

中国科技论文统计源期刊
中国科技核心期刊


ISSN 1671-2390
CN42-1637/R

临床肾脏病杂志

LINCHUANG SHENZANGBING ZAZHI
2017年8月第17卷第8期

**JOURNAL
OF
CLINICAL
NEPHROLOGY**

Volume 17 Number 8
August 2017




JCN
WUHAN

ISSN 1671-2390



中华医学会武汉分会
湖北省微循环学会

临床肾脏病杂志

吴阶平 

JOURNAL OF CLINICAL NEPHROLOGY

月刊 2001年1月创刊 第17卷 第8期 2017年8月28日出版

主管
湖北省科学技术协会

主办
中华医学会武汉分会
430014, 武汉市江岸区胜利街155号
湖北省微循环学会
430060, 武汉市武昌区张之洞路9号

编辑
临床肾脏病杂志编辑部
430014, 武汉市江岸区胜利街155号
电话: 027-82784570
E-mail: nephrology@vip.163.com
网址: http://www.lcszb.com

名誉主编
毕增祺

主编
徐钢

编辑部主任
邹卫

出版
临床肾脏病杂志编辑部
430014, 武汉市江岸区胜利街155号
电话: 027-82784570

广告发布登记号
武工商广登字[2017]035号

印刷
长江空间信息技术工程有限公司
(武汉)航测信息制印分公司

发行
国内: 中国邮政集团公司湖北省分公司

订购
全国各地邮局
邮发代号 38-375

邮购
临床肾脏病杂志编辑部
430014, 武汉市江岸区胜利街155号
电话: 027-82784570

定价
每期 8.00 元, 全年 96 元

中国标准刊号
ISSN1671-2390
CN42-1637/R

万方数据—数字化期刊群

除非特别声明, 本刊刊出的所有文章不代表本刊编委会的观点

如有印装质量问题, 请向本刊编辑部调换

万方数据

目次

述评

血液透析血管通路现状 马晓波 陈晓农 452

论著

特发性膜性肾病伴高尿酸血症患者临床及病理特点分析
..... 赵黎 金娟 龚建光等 456

2016年度武汉市血液透析质控调查报告
..... 熊飞 闵永龙 张燕敏等 461

连续性血浆滤过联合血浆吸附治疗脓毒症
急性肾损伤的临床研究 唐建英 王代红 王沂芹等 466

瑞舒伐他汀对改善维持性血液透析患者
血脂和微炎症状态的研究 徐芳 聂大庆 陈文莉等 471

在线尿素清除率监测对血液透析充分性评估的研究
..... 郑欣 杨涛 侯方等 477

血液透析患者肾性贫血的维持性补铁方式研究
..... 吴艳萍 王小琴 482

尿毒症血液透析患者周围神经病的发生率及影响因素分析	于秀峙 陆石 冯学震等	486
尿液中铁调素在系统性红斑狼疮中的临床意义	唐代荣 谢先达 廖湘平	490
血液灌流对重度有机磷农药中毒疗效的临床观察	陈永忠 许志忠 朱再志等	495
六味地黄丸对狼疮肾炎患者糖基化终末产物受体、单核细胞趋化蛋白 1 及趋化因子 Fractalkine 的影响	张亚男	499

短篇论著

大网膜折叠在腹膜透析置管术中的应用	李海涛 张锁建 王万鹏等	503
-------------------------	--------------	-----

综述

成纤维细胞生长因子 23 在急性肾损伤中的研究进展	胡蓉 胡大军	506
早期防治对比剂肾病的相关研究进展	王欠欠 吴玉梅	510

病例报告

膜性肾病合并卡波西肉瘤一例	邢天柱 彭家清	插页 I
---------------------	---------	------

本期责任编辑 熊飞

本期责任编辑 欧阳叙明

本期英文审校 张孝平

Responsible Institution

Hubei Association for Science and Technology

Sponsor

Chinese Medical Association
Wuhan Branch
155 Shenglijie, Jiang' an District, Wuhan
430014, Hubei Province, China
Microcirculation Society of Hubei
9 Zhangzhidong Street, Wuchang District,
Wuhan 430060, Hubei Province, China

Editing

Editorial Board Journal of Clinical Nephrology
155 Shenglijie, Jiang' an District, Wuhan
430014, Hubei Province, China
Tel:027-82784570
E-mail:nephrology@vip.163.com
http://www.lcszb.com

Editor-in-Chief

XU Gang (徐钢)

Managing Director

ZOU Wei (邹卫)

Publishing

Editorial Department of Journal of Clinical Nephrology
155 Shenglijie, Jiang' an District, Wuhan
430014, Hubei Province, China
Tel:027-82784570

Printing

Changjiang Spatial Information Technology Engineering Co., Ltd. (Wuhan) Hangce Information Cartography Printing Filial

Mail-Order

Editorial Department of Journal of Clinical Nephrology
155 Shenglijie, Jiang' an District, Wuhan
430014, Hubei Province, China
Tel:027-82784570

CSSN

ISSN1671-2390

CN42-1637/R

All articles published represent the opinions of the authors, do not reflect the official policy of the Editorial Board, unless this is clearly specified

CONTENTS IN BRIEF

ORIGINAL ARTICLES

Clinical and pathological features of idiopathic membranous nephropathy

patients combined with hyperuricemia 456

ZHAO Li, JIN Juan, GONG Jian-guang, et al

Survey on quality control of hemodialysis in Wuhan city in 2016 461

XIONG Fei, MIN Yong-long, ZHANG Yan-min, et al

Effectiveness of continuous plasma filtration combined with plasma adsorption for the septic acute kidney injury 466

TANG Jian-ying, WANG Dai-hong, WANG Yi-qing, et al

Efficacy comparison of rosuvastatin vs simvastatin on blood lipid and microinflammatory state in the maintenance hemodialysis patients 471

XU Fang, NIE Da-qing, CHEN Wen-li, et al

Clinical research of hemodialysis adequacy evaluation with Kt/V by on-line clearance monitoring and by blood sampling calculation 477

ZHENG Xin, YANG Tao, HOU Fang, et al

Different modes of maintenance iron supplementation in dialysis patients with renal anemia: a clinical study 482

WU Yan-ping, WANG Xiao-qin

Occurrence and risk factors of uremia peripheral neuropathy in hemodialysis patients 486

YU Xiu-zhi, LU Shi, FENG Xue-zhen, et al

Clinical significance of urine hepcidin in lupus nephritis 490

TANG Dai-rong, XIE Xian-da, LIAO Xiang-ping

Clinical observation on the therapeutic effect of hemoperfusion combined with routine treatment for severe organophosphorus pesticide poisoning 495

CHEN Yong-zhong, XU Zhi-zhong, ZHU Zai-zhi, et al

Effect of Liu Wei Di Huang Wan on RAGE, MCP-1 and Fractalkine in blood and urine of patients with lupus nephritis 499

ZHANG Ya-nan



康臣[®] 尿毒清颗粒

稳定肾功能，延缓透析时间



【通用名称】尿毒清颗粒（无糖型）

【功能主治】通腑降浊、健脾利湿、活血化瘀。用于慢性肾功能衰竭，氮质血症期和尿毒症早期、中医辨证属脾虚湿浊症和脾虚血瘀症者。可降低肌酐、尿素氮，稳定肾功能，延缓透析时间。对改善肾性贫血、提高血钙、降低血磷也有一定的作用。

【用法用量】温开水冲服。每日四次，6、12、18时各服1袋，22时服2袋，每日最大服用量8袋，也可另定服药时间，但两次服药间隔勿超过8小时。

【有效期】36个月

【注意事项】

1. 应在医生指导下按主治证候用药，按时按量服用。
2. 按肾功能衰竭程度，采用相应的肾衰饮食，忌豆类食品。
3. 服用后大便呈半糊状为正常现象，如呈水样需减量使用。
4. 本品与对肾功能无害的抗生素、化学药降压、利尿、抗酸、降尿酸药并用。
5. 忌与氧化淀粉等化学吸附剂合用。



康臣药业集团
CONSUN PHARMACEUTICAL GROUP

【批准文号】国药准字Z20073256 【生产企业】康臣药业（内蒙古）有限责任公司
本广告仅供医学药学专业人士阅读，注意事项详见说明书。

客户服务电话：800-8302587
蒙药广审（文）第2017010009号