



ISSN 1672-3384

CN 11-4989 / R

11

中国科技论文统计源期刊

中国科技核心期刊

CLINICAL MEDICATION JOURNAL

2017年11月
第15卷 第11期

临床药物治疗杂志

- 糖尿病痛性神经病变的治疗新进展
- 治疗急性淋巴细胞白血病的抗体偶联药物
——BESPONS A
- 2013—2015年北京协和医院严重药品不良反应的临床分析
- 1例胺碘酮合用莫西沙星致QTc间期延长并发尖端扭
转型室速的病例分析
- 临床药学在线交互教学模式 global classroom 的构建

ISSN 1672-3384



北京药学会

Beijing Pharmaceutical Association

主 管 北京市食品药品监督管理局

主 办 北京药学会

名誉主编 于德泉 王汝龙

主 编 李大魁 翟所迪

社 长 薛立宁

副 主 编 胡 欣 崔一民 赵荣生 梅 丹 钟 武

本期执行主编 胡 欣

编辑部主任 马文利

编辑出版 《临床药物治疗杂志》社

地 址 北京市朝阳区北三环中路2号(100120)

电 话 86(10)6417 8704-301/302

邮 箱 zazhi@vip.sina.com

网 址 http://www.lcywzlzz.com

广告经营许可证 京朝工商广字第8112号(1-1)

印 刷 北京万谦恒溢广告传媒有限责任公司

国内发行 北京报刊发行局

国内订阅 全国各地邮局

邮发代号 82-110

国外发行 中国国际图书贸易总公司

邮发代号 BM 1764

邮 购 《临床药物治疗杂志》社

国内定价 每期18.00元 全年216.00元

2017年第15卷第11期11月出版

ISSN 1672-3384

CN 11-4989/R

2017年版权归《临床药物治疗杂志》社所有
除非特别声明

本刊电子版出版发行合作伙伴

中国知网 www.cnki.net

万方数据 www.wanfangdata.com.cn



目次

■ 综述

- 糖尿病痛性神经病变的治疗新进展 刘新明, 李全民 (1)
- 万古霉素诱发的肾毒性及其危险因素研究进展
..... 何笑荣, 金鹏飞, 赵紫楠, 姜文清, 胡欣 (5)

■ 新药述评

- 治疗急性淋巴细胞白血病的抗体偶联药物——BESPOLSA
..... 李家国, 梁思睿, 周辛波 (9)
- 选择性 5-HT_{2A} 受体反向激动剂哌马色林的药理作用与临床评价
..... 田超, 封宇飞, 王晓玲 (15)

■ 论著

- 2013—2015年北京协和医院严重药品不良反应的临床分析
..... 胡扬, 闫阔, 李建涛, 邹羽真, 周雨佳, 孙彬, 任文静, 张波, 梅丹 (20)
- 中国老年门诊患者潜在不适当用药现状系统评价
..... 侯凯旋, 邢晓璇, 闫素英 (26)
- 紫杉醇脂质体联合顺铂治疗晚期非小细胞肺癌有效性与安全性的 meta 分析
..... 石亚飞, 陈伟, 王会凌, 戚姝姝, 李国辉 (31)
- 半夏在《备急千金要方》和《千金翼方》中的应用探析
..... 樊冬鹤, 薛春苗, 毛柳英, 孙燕, 葛斐林, 李宁, 朴晶竹, 曹俊岭 (37)
- 多索茶碱联合噻托溴铵治疗慢性阻塞性肺疾病临床效果 meta 分析
..... 张漫丽, 徐小嫒 (41)
- 对一款合理用药软件审核处方相互作用的效果评估
..... 李建涛, 胡扬, 巩红, 梅丹, 史亦丽 (47)
- 沙库巴曲缬沙坦快速技术评估 梁曾惠, 张亚同, 赵紫楠, 胡欣 (50)
- 度洛西汀治疗老年抑郁症与广泛性焦虑障碍有效性及安全性 meta 分析
..... 覃彬, 邱小鹰, 高文, 陈红, 杨明秀 (54)
- 右美托咪定复合瑞芬太尼可唤醒麻醉在宫腔镜手术中的应用
..... 赵赢, 费建平 (60)

微生物检查结果干预临床抗感染治疗的效果观察 邹清梅, 杨璐, 严东 (65)

北京协和医院 I 类切口手术预防用抗菌药物的管理模式和成效

..... 焦蕾, 胡扬, 张占杰, 张波, 朱瑞, 赵彬, 梅丹 (69)

羟考酮与左旋布比卡因治疗外周动脉阻塞性疾病疼痛的效果对比 崔瞻, 张宏江, 于晖 (74)

■ 药物与临床

1 例胺碘酮合用莫西沙星致 QTc 间期延长并发尖端扭转型室速的病例分析

..... 武东, 汪晓娟, 杨昭毅, 舒冰 (77)

临床药师参与化疗所致严重恶心呕吐治疗的药学实践 蒋婷, 吴畏, 袁明勇, 郑玲利 (80)

■ 药事管理

临床药理学在线交互教学模式 global classroom 的构建 刘志艳, 杨丽,

赵荣生, 刘芳, 杨毅恒, 张昭, 易湛苗, 应颖秋, 胡永芳, 李晓光, 张婷, 王文波, 张爱京, 张海莲 (84)

■ 临床药物治疗集萃

发生不良反应后继续使用他汀类药物的患者结局 (89)

急性缺血性卒中后他汀使用强度和依从性对长期预后的影响 (90)

(北京大学第三医院学术支持)

■ 新药资讯

2017 年 FDA 批准的新药 (91)

(国家应急防控药物工程技术研究中心学术支持)

Responsible Institution

Beijing Food and Drug Administration

Sponsor

Beijing Pharmaceutical Association

Honorary Editor-in-Chief

YU De-quan WANG Ru-long

Editor-in-Chief

LI Da-kui ZHAI Suo-di

Proprieter

XUE Li-ning

Deputy Editor-in-Chief

HU Xin CUI Yi-min ZHAO Rong-sheng

MEI Dan ZHONG Wu

Executive Editor-in-Chief

HU Xin

Editorial Director

MA Wen-li

Edited and Published by

Clinical Medication Journal Agency

Address: No.2, North Third Ring Road, Chaoyang

District, Beijing 100120, China

Tel: 86 (10) 6417 8704-301/302

E-mail: zazhi@vip.sina.com

Website: http://www.lcywzljz.com

Printed by

Beijing Wanqian Hengyi Advertising Media Co.,Ltd.

Domestic Distributor

Beijing Post Office

Code No.82-110

Overseas Distributor

China International Book Trading Corporation

Code No.BM1764

Price: ¥ 18.00

2017 Vol.15 No.11

Publication Date Nov, 2017

ISSN 1672-3384

CN 11-4989/R

Copyright

2017 by the Clinical Medication Journal Agency

CONTENTS

Advances in the treatment of painful diabetic neuropathy

.....LIU Xin-ming, LI Quan-min (1)

Advances in study of vancomycin-induced nephrotoxicity and its risk factors

.....HE Xiao-rong, JIN Peng-fei, ZHAO Zi-nan, JIANG Wen-qing, HU Xin (5)

A new ADC drug for the treatment of acute lymphoblastic leukemia—BESPO NSA

.....LI Jia-guo, LUAN Si-ru, ZHOU Xin-bo (9)

Pharmacological and clinical evaluation of pimavanserin in the treatment of psychosis in Parkinson's disease.....

.....TIAN Chao, FENG Yu-fei, WANG Xiao-ling (15)

Clinical analysis of severe adverse drug reactions in Peking Union Hospital from 2013 to 2015.....

.....HU Yang, YAN Kuo, LI Jian-tao, ZOU Yu-zhen, ZHOU Yu-jia, SUN Bin, REN Wen-jing, ZHANG Bo, MEI Dan (20)

Potentially inappropriate medication in elderly outpatients across China: a systematic review.....

.....HOU Kai-xuan, XING Xiao-xuan, YAN Su-ying (26)

Efficacy and safety of paclitaxel liposome combine with cisplatin in the treatment of advanced non-small cell lung cancer: a meta-analysis

.....SHI Ya-fei, CHEN Wei, WANG Hui-ling, QI Shu-ya, LI Guo-hui (31)

Application of *Pinellia ternata* in Bei Ji Qian Jin Yao Fang and Qian Jin Yi Fang

.....FAN Dong-he, XUE Chun-miao, MAO Liu-ying, SUN Yan, GE Fei-lin, LI Ning, PIAO Jing-zhu, CAO Jun-ling (37)

Effectiveness of doxofylline combined with tiotropium bromide powder treating chronic obstructive pulmonary disease: a meta analysis

.....ZHANG Man-li, XU Xiao-man (41)

Evaluation of one rational drug use software for identifying drug-drug interactions in prescriptions.....

.....LI Jian-tao, HU Yang, GONG Hong, MIE Dan, SHI Yi-li (47)

Efficacy, safety and economy of sacubitril/valsartan: a rapid health technology assessment.....

.....LUAN Zeng-hui, ZHANG Ya-tong, ZHAO Zi-nan, HU Xin (50)

Efficacy and safety of duloxetine in the treatment of elderly patients with depression or/and generalized anxiety disorder: a meta-analysis

.....QIN Bin, QIU Xiao-ying, GAO Wen, CHEN Hong, YANG Ming-xiu (54)

Application of dexmedetomidine combined with remifentanyl in an evocable anesthesia of hysteroscopy.....

.....ZHAO Ying, FEI Jian-ping (60)

Effect of microbiological culture guided antibiotic interventions

.....ZOU Qing-mei, YANG Lu, YAN Dong (65)

Mode and effects of management for antimicrobial prophylaxis in clean wounds in Peking Union Medical College HospitalJIAO Lei, HU Yang, ZHANG Zhan-jie, ZHANG Bo, ZHU Rui, ZHAO Bin, MEI Dan	(69)
Pain management in peripheral arterial obstructive disease: oral slow-release oxycodone versus epidural L-bupivacaineCUI Zhan, ZHANG Hong-jiang, YU Hui	(74)
QTc interval prolongation complicated by torsade de pointes induced by amiodarone and moxifloxacin: a case reportWU Dong, WANG Xiao-juan, YANG Zhao-yi, SHU Bing	(77)
Clinical pharmacists participated in the treatment of chemotherapy-induced serious nausea/vomitingJIANG Ting, WU Wei, YUAN Ming-yong, ZHENG Ling-li	(80)
Construction of global classroom for online interactive teaching mode of clinical pharmacyLIU Zhi-Yan, YANG Li, ZHAO Rong-sheng, LIU Fang, YANG Yi-heng, ZHANG Chao, YI Zhan-miao, YING Ying-qiu, HU Yong-fang, LI Xiao-guang, ZHANG Ting, WANG Wen-bo, ZHANG Ai-jing, ZHANG Hai-lian	(84)
Continued statin prescriptions after adverse reactions and patient outcomes: a cohort study	(89)
Effects of statin intensity and adherence on the long-term prognosis after acute ischemic stroke	(90)
Novel drug approvals for 2017	(91)



利伐沙班 抗凝从此简便

- ◆ 口服，一日一次
- ◆ 治疗期间有效降低卒中或全身性栓塞事件
- ◆ 肝肾双通道代谢

【适应症】：

用于具有一种或多种危险因素（如：充血性心力衰竭、高血压、年龄≥75岁、糖尿病、卒中或短暂性脑缺血发作病史）的非瓣膜性房颤成年患者，以降低卒中和全身性栓塞的风险。

【用法用量】：

20mg每日一次，对于低体重和高龄（>75岁）的患者，可酌情使用15mg每日一次。对于轻度肾功能损害的患者，无需调整利伐沙班剂量。对于中度或重度肾功能损害患者，推荐剂量为15mg每日一次。不建议CrCl<15mL/min的患者使用。口服，利伐沙班10mg可与食物同服，也可以单独服用，15mg或20mg片剂应与食物同服。

【禁忌】：

1.对利伐沙班或片剂中任何辅料过敏的患者。2.有临床明显活动性出血的患者。3.具有大出血显著风险的病灶或病情，例如目前或近期患有胃肠道溃疡，存在出血风险较高的恶性肿瘤等。4.除从其他治疗转换为利伐沙班或从利伐沙班转换为其他治疗的情况，或给予维持中心静脉或动脉导管所需的普通肝素（UFH）剂量之外，禁用任何其他抗凝剂的伴随治疗，例如UFH、低分子肝素、肝素衍生物、口服抗凝剂等。5.伴有凝血异常和临床相关出血风险的肝病患者，包括达到Child Pugh B和C级的肝硬化患者。6.孕妇及哺乳期妇女。

【不良反应】：

不良反应主要包括：出血、伤口分泌物、四肢疼痛、肌肉痉挛、晕厥、瘙痒、水疱、粒细胞缺乏症、血小板减少、腹痛后出血、黄疸、胆汁淤积、肝炎（含肝细胞损伤）、过敏反应、过敏反应、过敏性休克、血管性水肿、轻偏瘫、Stevens-Johnson综合征。详见说明书。

【进口药品注册证号】：H20150213, H20150214

【生产企业】：企业名称：Bayer Pharma AG 拜耳医药保健有限公司

京药广审（文）第2017030055号

本广告仅供医学药学专业人士阅读
关于本产品完整的处方信息请参阅产品说明书

