



Q K 1 7 2 9 7 7 3

ISSN 1672-3384

CN 11-4989 / R

8

中国科技论文统计源期刊

中国科技核心期刊

CLINICAL MEDICATION JOURNAL

2017年8月
第15卷 第8期

临床药物治疗杂志

- 耐万古霉素肠球菌药物治疗进展
- 口服HER酪氨酸激酶抑制剂——来那替尼
- 不同厂家酒石酸长春瑞滨软胶囊质量对比研究
- 1例华法林慢代谢基因型急性肺栓塞患者个体化治疗分析

ISSN 1672-3384



9 771672 338173

万方数据

北京药学会

Beijing Pharmaceutical Association

主管 北京市食品药品监督管理局

主办 北京药学会

编辑出版 《临床药物治疗杂志》社

编委会主任委员 李大魁

副主任委员(按姓氏笔画排序)

王汝龙 张伟 金少鸿 金有豫
翟所迪

编委(按姓氏笔画排序)

丁士刚 于康 马小军 方健
王广 王仲 王阳 王丽霞
王志斌 王家伟 王晓玲 冯奉仪
冯婉玉 冯端浩 叶敏 叶国奇
白利勇 刘桦 刘丽宏 刘皈阳
吕振刚 严晓伟 吴彬 张勐
张相林 张艳华 李国辉 李峻岭
李培红 杨莉萍 汪耀 陈孝
周辛波 岳小林 林阳 林江涛
郑英丽 战寒秋 胡兴胜 胡昌勤
赵志刚 赵奎君 赵斯更 钟武
徐兵河 徐英春 贾继东 郭丹杰
郭立新 郭洪祝 郭晓蕙 郭桂明
崔泓 曹俊岭 梁丹 梁洪
梅丹 彭红 曾小峰 焦立公
甄健存

2017年版权归《临床药物治疗杂志》社所有
除非特别声明，本刊刊出的所有文章不代表
《临床药物治疗杂志》社和本刊编委会的观点

目次

■ 综述

- 耐万古霉素肠球菌药物治疗进展 居阳, 李燕明 (1)
Naldemedine治疗便秘的药理作用及临床评价 兰芝荟, 闫丰元 (6)

■ 新药述评

- 口服 HER 酪氨酸激酶抑制剂——来那替尼 李吉辉, 王德鑫, 赵冬梅 (10)

■ 论著

- 不同厂家酒石酸长春瑞滨软胶囊质量对比研究 王彪, 张翠莲, 杜博冉, 赵彬, 张鹏霄, 刘新月, 梅丹 (15)
数学模型预测阿托伐他汀对原发性高脂血症剂量效应关系的分析 刘亚南, 刘菁华, 胡莹莹 (20)
胃肠胰神经内分泌肿瘤北京医保患者的直接医疗费用分析 杨阳, 郑珊珊, 都丽萍, 宣建伟, 张继民, 李春厚, 梅丹 (25)
基于 InCites 数据库的羟乙基淀粉研究文献计量分析 刘腾, 赵志刚 (29)
非临床药学专业硕士研究生临床药物治疗学教学效果的调查与分析 杨阳, 刘容吉, 梅丹, 张波, 史亦丽 (34)
393 例眼内炎病原菌药敏结果及临床用药分析 王昕, 李荔, 计紫超, 韩芙蓉 (38)
参芎葡萄糖注射液对急性脑梗死患者炎性因子和脂联素、瘦素水平的影响 刘雅芳, 戴军, 黄咏梅, 曹雄彬, 石云琼 (42)
不同诊断标准下乳腺癌患者维生素 D 状态的差异及药物处置情况调查 胡兰, 范芳芳, 姚莉, 郑丽丽, 姜倩 (46)
临床药师参与 260 例临床会诊的作用与价值 褚燕琦, 王之舟, 刘智纯, 曾红, 齐晓连, 闫素英 (49)
全科医师开展药物重整工作的效果与思考 杨楠 (52)
不同麻醉方式对结肠癌腹腔镜根治术的影响 宋涛 (55)
卡维地洛对高血压的作用和对血脂、血糖和肾功能的影响 靖宏勋 (60)

单月刊 2003年5月创刊
2017年8月 第15卷 第8期

ISSN 1672-3384
CN 11-4989 / R

8

中国科技论文统计源期刊
中国科技核心期刊

临床药物治疗杂志

LINCHUANG YAOWUZHILIAO ZAZHI

名誉主编 于德泉 方来英

主编 冯国安

社长 薛立宁

副主编 胡 欣 崔一民 赵荣生

本期执行主编 胡 欣

编辑部主任 马文利

地址 朝阳区北三环中路2号小二楼2层
(100120)

电话 010-6417 8704 转 301/302

电子邮箱 zazhi@vip.sina.com

杂志网站 <http://www.lcywzlzz.com>

广告经营许可证 京朝工商广字第8112号(1-1)

印刷 北京地大彩印有限公司

联系电话 010-6332 0685 或 139 1155 9759

国内发行 北京报刊发行局

国内订阅 全国各地邮局

邮发代号 82-110

国外发行 中国国际图书贸易总公司
(北京399信箱, 100044)

邮发代号 BM 1764

邮购 《临床药物治疗杂志》社

国内定价 全年到底 216.00元 每期 18.00元

2017年第15卷第8期8月出版

ISSN 1672-3384 CN 11-4989/R

本刊如有印装质量问题, 请致电印刷单位调换

■ 药物与临床

- 1例华法林慢代谢基因型急性肺栓塞患者个体化治疗分析 张丹, 崔刚 (63)
1例自然流产患者的精准药学服务实践 韩朝宏, 冯欣, 刘祺 (66)
1例嗜铬细胞瘤患者的药学监护 杨婧, 杨辉, 刘丽宏 (69)
临床药师参与1例骨肉瘤患者MAP方案化疗致严重肝损的案例分析 卢佳妹, 李杰 (72)
1例慢性阻塞性肺疾病合并肺部感染的病例分析 李艳, 周颖, 崔一民, 田硕涵, 李静姿, 王磊, 肖洪敏 (75)
1例神经外科ICU患者抗生素导致重症药疹的药学监护 陈玥, 刘磊 (78)
1例获得性血友病A病例报告并文献复习 王心慧, 刘皈阳, 周亮, 王明媚, 张鑫, 王晓青, 卫晋菲 (82)
1例甲硝唑成功治疗肺部螺旋滴虫感染的病例分析并文献复习 邓或斐, 王丽萍 (86)

■ 临床药物治疗集萃

- 新型口服抗凝药的处方剂量与说明书推荐剂量不一致的情况普遍存在 (89)
关节内注射氟羟氯化泼尼松不能改善膝骨关节炎患者的膝盖软骨体积和疼痛症状 (89)
不伴心衰的急性心肌梗死患者使用β-受体阻滞剂都能降低死亡率吗? (90)
(北京大学第三医院学术支持)

■ 新药资讯

- 关注阿片类镇痛药物研究进展 (91)
(国家应急防控药物工程技术研究中心学术支持)

Honorary Editor-in-Chief

YU De-quan FANG Lai-ying

Editor-in-Chief

FENG Guo-an

Proprieter

XUE Li-ning

Deputy Editor-in-Chief

HU Xin CUI Yi-min ZHAO Rong-sheng

Responsible Institution

Beijing Food and Drug Administration

Sponsor

Beijing Pharmaceutical Association

Executive Editor-in-Chief HU Xin

Editorial Director MA Wen-li

Edited and Published by

Clinical Medication Journal Agency

Address: 2F, Two Storey Office Building, North Third Ring Road, Chaoyang District, Beijing 100120, China

Tel: 86(10)6417 8704-301/302

E-mail: zazhi@vip.sina.com

Website: <http://www.lcywzjzz.com>

Printed by

Beijing DIDA Colored Printing Co.Ltd

Tel: 86(10)6332 0685, 139 1155 9759

Domestic Distributor

Beijing Post Office

Code No.82-110

Overseas Distributor

China International Book Trading Corporation

(P.O.Box399, Beijing 100044, China)

Code No.BM1764

Price: ¥ 18.00

2017 Vol.15 No.8

Publication Date: Aug, 2017

ISSN 1672-3384 CN 11-4989/R

Copyright

2017 by the Clinical Medication Journal Agency

CONTENTS

Treatment advances of <i>vancomycin resistant enterococci</i> <i>JU Yang, LI Yan-ming</i>	(1)
Pharmacology and clinical evaluation of naldemedine for the treatment of opioid-induced constipation..... <i>LAN Zhi-hui, YAN Feng-yuan</i>	(6)
A new oral HER tyrosine kinase inhibitor: neratinib..... <i>LI Ji-hui, WANG De-xin, ZHAO Dong-mei</i>	(10)
Quality evaluation of vinorelbine tartrate soft capsules from different manufacturers..... <i>WANG Biao, ZHANG Cui-lian, DU Bo-ran, ZHAO Bin, ZHANG Peng-xiao, LIU Xin-yue, MEI Dan</i>	(15)
Prediction of the dose-effect relationship of atorvastatin in patients with primary hyperlipidemia by mathematical model..... <i>LIU Ya-nan, LIU Jing-hua, HU Ying-ying</i>	(21)
An analysis of direct medical expenditure of treatment for gastroenteropancreatic neuroendocrine neoplasms patients with Beijing medical insurance..... <i>YANG Yang, ZHENG Shan-shan, DU Li-ping, XUAN Jian-wei, ZHANG Ji-min, LI Chun-hou, MEI Dan</i>	(25)
Bibliometric analysis of hydroxyethyl starch literature based on InCites database..... <i>LIU Teng, ZHAO Zhi-gang</i>	(29)
Investigation and analysis of teaching effect of pharmacotherapy course to non-clinical pharmacy postgraduate students..... <i>YANG Yang, LIU Rong-ji, MEI Dan, ZHANG Bo, SHI Yi-li</i>	(34)
Analysis of drug sensitivity of pathogenic bacteria and medication selection in 393 cases of endophthalmitis..... <i>WANG Xin, LI Li, JI Zi-chao, HAN Fu-rong</i>	(38)
Effects of shenqiong glucose injection on levels of inflammatory factors, adiponectin and leptin in patients with acute cerebral infarction..... <i>LIU Ya-fang, DAI Jun, HUANG Yong-me, CAO Xiong-bin, SHI Yun-qiong</i>	(42)
Differences in vitamin D status in breast cancer patients under different diagnostic criteria and its effect on drug therapy..... <i>HU Lan, FAN Fang-fang, YAO Li, ZHENG Li-li, JIANG Qian</i>	(46)
The role and value of pharmacist in 260 consultations..... <i>CHU Yan-qi, WANG Zhi-zhou, LIU Zhi-chun, ZENG Hong, QI Xiao-lian, YAN Su-ying</i>	(49)
Benefits and thinking of medication reconciliation carried out by general practitioners..... <i>YANG Nan</i>	(52)
Effects of general anesthesia and epidural anesthesia on laparoscopic radical resection in colon cancer..... <i>SONG Tao</i>	(56)

Effect of carvedilol on blood pressure, blood glucose and renal function of patients with hypertension

..... *JING Hong-xun* (60)

Individualized treatment of one warfarin slow metabolism genotype patient with acute pulmonary embolism..... *ZHANG Dan, CUI Gang* (63)

Practice of precise pharmaceutical care for one patient with spontaneous abortion..... *HAN Zhao-hong, FENG Xin, LIU Qi* (66)

Pharmaceutical care for one patient with pheochromocytoma..... *YANG Jing, YANG Hui, LIU Li-hong* (69)

Clinical pharmacists participating in an osteosarcoma patient with severe liver damage caused by MAP regimen chemotherapy: a case analysis..... *LU Jia-shu, LI Jie* (72)

Chronic obstructive pulmonary disease with pulmonary infection: a case report..... *LI Yan, ZHOU Ying, CUI Yi-min, TIAN Shuo-han, LI Jing-zi, WANG Lei, XIAO Hong-min* (75)

Pharmaceutical care of antibiotics induced severe drug eruption: a case report..... *CHEN Yue, LIU Lei* (78)

A case report and literature review of acquired hemophilia A..... *WANG Xin-hui, LIU Gui-yang, ZHOU Liang, WANG Ming-mei, ZHANG Xin, WANG Xiao-qing, WEI Jin-fei* (82)

Case analysis and literature review of metronidazole treating pulmonary lophomonas blattarum infection..... *DENG Yu-fei, WANG Li-ping* (86)

Non-vitamin K antagonist oral anticoagulant dosing in patients with atrial fibrillation and renal dysfunction..... (89)

Effect of intra-articular triamcinolone vs saline on knee cartilage volume and pain in patients with knee osteoarthritis: a randomized clinical trial..... (89)

β-blockers and mortality after acute myocardial infarction in patients without heart failure or ventricular dysfunction..... (90)

Research and development dynamic alliance of opioid analgesic drugs..... (91)



优化高血压管理新策略： 硝苯地平控释片 **拜新同**[®]

尽早达标 更多获益

· 提高患者治疗信心和依从性

提升治疗信心，减少停药率

· 尽早改善血管病变

尽早阻断高血压与血管间相互作用的恶性循环

· 减少心脑血管事件

简要处方

【药品名称】通用名称：硝苯地平控释片

商品名称：拜新同[®] (Adalat[®])

【成份】本品主要成份为硝苯地平

【适应症】1. 高血压 2. 冠心病 慢性稳定性心绞痛（劳累性心绞痛）

【用法用量】治疗时应尽可能按个体情况用药。口服。

1. 高血压：30mg片剂，一次一片，一日一次；60mg片剂，一次一片，一日一次

2. 冠心病：30mg片剂，一次一片，一日一次；60mg片剂，一次一片，一日一次

【不良反应】常见不良反应主要见于头痛、水肿、血管扩张、便秘、感觉不适等，少见不良反应有变态反应、焦虑、睡眠异常、眩晕、偏头痛、头晕、震颤、视觉异常、心悸、低血压、昏厥、鼻充血、胃肠和腹部疼痛、一过性肝酶升高、红斑、肌肉痉挛、多尿、排尿困难等，详见说明书。

【禁忌】· 禁用于已知对硝苯地平或本品中任何成份过敏者

· 不得与利福平合用

· 禁用于心源性休克、有KOCK小囊患者及怀孕20周内和哺乳期妇女

【注意事项】1. 对于心力衰竭及严重主动脉瓣狭窄的患者，当血压很低时(收缩压<90mmHg的严重低血压)，服用本品，应十分慎重。

2. 本品有不可变形的物质，因此胃肠道严重狭窄的患者使用本品时应慎重。本品有不可吸收的外壳，这样可使药品缓慢释放进入人体内吸收。完整的空药片可在粪便中发现。

3. 硝苯地平通过细胞色素P4503A4系统代谢消除。因此对细胞色素P4503A4系统有抑制或诱导作用的药物可能改变硝苯地平的首过效应或清除率。

4. 硝苯地平控释片含有光敏性的活性成份，因此本品应避光保存。药片应防潮，从铝塑板中取出后应立即服用。（详见说明书）。

【药物分类】处方药

【批准文号】30mg: 国药准字J20130115 60mg: 国药准字J20140069

【进口药品注册证号】30mg: H20130332 60mg: H20130334

【生产企业】企业名称：Bayer Pharma AG, 生产地址：51368 Leverkusen, Germany

【分包装企业】企业名称：拜耳医药保健有限公司 生产地址：北京市北京经济技术开发区荣京东街7号

【说明书版本】核准日期：2006年11月23日；修改日期：2014年05月18日

关于本产品完整的处方信息请参阅产品说明书

京药广审（文）第2016080331号

本广告仅供医学药学专业人士阅读