



ISSN QK1851950

CN 11-4989 / R

8

中国科技论文统计源期刊

中国科技核心期刊

CLINICAL MEDICATION JOURNAL

2018年8月
第16卷第8期

临床药物治疗杂志

- 治疗肾性贫血新药——roxadustat
- 套细胞淋巴瘤治疗药物acalabrutinib的药理作用与临床评价
- 硼替佐米治疗淋巴瘤的临床研究进展
- 丙戊酸钠用于颅脑手术中预防癫痫的经济性评价

ISSN 1672-3384



9 771672 338180

万方数据

北京药学会

Beijing Pharmaceutical Association

月刊 2003年5月创刊
2018年8月 第16卷 第8期

ISSN 1672-3384
CN 11-4989 / R

8

中国科技论文统计源期刊
中国科技核心期刊

临床药物治疗杂志
LINCHUANG YAOWUZHILIAO ZAZHI

主管 北京市食品药品监督管理局

主办 北京药学会

名誉主编 于德泉 王汝龙

主编 李大魁 翟所迪

社长 薛立宁

副主编 胡欣 崔一民 赵荣生 梅丹 钟武

本期执行主编 钟武

编辑部主任 马文利

编辑出版 《临床药物治疗杂志》社

地址 北京市朝阳区北三环中路2号(100120)

电话 86(10)6417 8704-301/302

邮箱 zazhi@vip.sina.com

网址 http://www.lcywzlzz.com

广告经营许可证 京朝工商广字第8112号(1-1)

印刷 北京万谦恒溢广告传媒有限公司

国内发行 北京报刊发行局

国内订阅 全国各地邮局

邮发代号 82-110

国外发行 中国国际图书贸易总公司

邮发代号 BM 1764

邮购 《临床药物治疗杂志》社

国内定价 每期18.00元 全年216.00元

2018年第16卷第8期8月出版

ISSN 1672-3384

CN 11-4989/R

2018年版权归《临床药物治疗杂志》社所有

除非特别声明

本刊电子版出版发行合作伙伴

中国知网 www.cnki.net

万方数据 www.wanfangdata.com.cn



目次

■ 述评

治疗肾性贫血新药——roxadustat 贺晓瑛, 潘兴泉, 李家国, 肖典 (1)

套细胞淋巴瘤治疗药物 acalabrutinib 的药理作用与临床评价
..... 段文琪, 曹国颖, 于源, 陈明辉, 李永林 (4)

■ 综述

硼替佐米治疗淋巴瘤的临床研究进展
..... 陈恩, 彭康宁, 刘维, 翟所迪, 克晓燕 (9)

基因多态性与他莫昔芬代谢的相关研究进展
..... 熊莹, 张远, 喻冬柯, 吴家蓉, 唐静, 唐薇, 杨雨, 童荣生 (15)

■ 论著

丙戊酸钠用于颅脑手术中预防癫痫的经济性评价
..... 刘雪丽, 郑丽英, 史录文, 韩晟 (21)

曲妥珠单抗联合紫杉醇脂质体及卡培他滨对 HER-2 阳性复发转移性乳腺
癌患者血清 LCN-2 及 Six1 表达的影响 韩敏, 王坚, 郑玮薇 (26)

养正消积胶囊联合 XELOX 疗法对晚期恶性消化道肿瘤患者 T 细胞亚群
及生活质量的影响 陈磊 (30)

早期控制糖速对低血糖新生儿血清 S100B 蛋白和神经元特异性烯醇化酶
水平的影响 柯玉洁, 陈细香 (35)

北京妇产医院妊娠期妇女用药咨询的帕累托法则分析
..... 周京伊, 盖迪, 李轶凡, 韩朝宏, 种玲莉, 冯欣 (39)

阿托伐他汀钙联合替米沙坦对持续心房颤动电复律后窦性心律维持及炎
症反应的影响 张子云, 张祥玖, 耿振川, 王素超 (43)

药学干预对妇科清洁手术围术期预防应用抗菌药物的影响及价值
..... 雷伟, 马新秀, 姚尧, 李军珂, 赵路, 董栋 (46)

艾司奥美拉唑治疗非静脉曲张性上消化道出血的疗效及药物经济学分析
..... 王永辉, 孔永红, 付凯, 周静, 孙贺军 (50)

糠酸氟替卡松鼻用喷雾剂联合孟鲁司特治疗变应性鼻炎的临床研究	
.....	付云, 张玉洁, 符方淑 (55)
心内科与血管外科临床医师使用抗凝药情况的调查分析	
.....	都丽萍, 保芸, 李莹, 梅丹, 李拥军, 张波 (59)
帕金森病合并非运动症状患者多重用药调查分析	
.....	孙登昆, 刘文娜, 张邻 (63)
两种不同强心药物治疗失代偿性心力衰竭的疗效对比	
.....	刘玉杰, 王臣林 (66)
双氯芬酸及吡哌美辛预防经内镜逆行胰胆管造影术后胰腺炎的效果分析	
.....	武向鹏, 崔薇, 武向丽, 温桂海, 李恩君, 连晓华 (70)
卡络磺钠联合奥曲肽治疗消化道出血的疗效及安全性	
.....	郝燕 (74)
天蛭方对阴虚阳亢兼瘀血阻络证型高血压血液流变学的影响	
.....	石花, 程海, 段凯强, 史亚慧, 席翔雁, 孟凡芳 (78)
■ 药物与临床	
维 A 酸片致女性外阴溃疡 1 例	
.....	黄媛, 秦舟, 徐琰 (82)
1 例发生严重胰岛素抗药性的 ICU 患者的血糖管理	
.....	杨梅, 王晓玲, 卜一珊 (86)
1 例子宫内膜癌术后应用甲地孕酮致深静脉血栓同时合并癫痫患者的用药分析	
.....	任爽, 许静, 李静, 甄健存 (89)

Monthly Established in May,2003
Aug, 2018 Volume 16, Number 8

ISSN 1672-3384
CN 11-4989 / R

8

中国科技论文统计源期刊
中国科技核心期刊

临床药物治疗杂志
LINCHUANG YAOWUZHILIAO ZAZHI

Responsible Institution

Beijing Food and Drug Administration

Sponsor

Beijing Pharmaceutical Association

Honorary Editor-in-Chief

YU De-quan WANG Ru-long

Editor-in-Chief

LI Da-kui ZHAI Suo-di

Proprieter

XUE Li-ning

Deputy Editor-in-Chief

HU Xin CUI Yi-min ZHAO Rong-sheng
MEI Dan ZHONG Wu

Executive Editor-in-Chief

ZHONG Wu

Editorial Director

MA Wen-li

Edited and Published by

Clinical Medication Journal Agency
Address: No.2, North Third Ring Road, Chaoyang
District, Beijing 100120, China
Tel: 86 (10) 6417 8704-301/302
E-mail: zazhi@vip.sina.com
Website: http://www.lcywzlzz.com

Printed by

Beijing Wanqian Hengyi Advertising Media Co.,Ltd.

Domestic Distributor

Beijing Post Office
Code No.82-110

Overseas Distributor

China International Book Trading Corporation
Code No.BM1764
Price: ¥ 18.00

2018 Vol.16 No.8

Publication Date Aug, 2018

ISSN 1672-3384
CN 11-4989/R

Copyright

2018 by the Clinical Medication Journal Agency

CONTENTS

A new drug for the treatment of renal anemia——roxadustat	
..... HE Xiao-ying, PAN Xing-quan, LI Jia-guo, XIAO Dian	(1)
Pharmacological and clinical evaluation of acalabrutinib in the treatment of mantle cell lymphoma	
..... DUAN Wen-qi, CAO Guo-ying, YU Yuan, CHEN Ming-hui, LI Yong-lin	(4)
Progress of clinical studies of bortezomib in the treatment of lymphoma	
..... CHEN Ken, PENG Kang-ning, LIU Wei, ZHAI Suo-di, KE Xiao-yan	(9)
Research progress in polymorphisms related with the metabolism of tamoxifen	
.....XIONG Xuan, ZHANG Yuan, YU Dong-he, WU Jia-rong, TANG Jing, TANG Wei, YANG Yu, TONG Rong-sheng	(15)
The pharmacogenomics evaluation of sodium valproate used during the perioperative period in prevention of postoperative epilepsy	
..... LIU Xue-li, ZHENG Li-ying, SHI Lu-wen, HAN Sheng	(21)
Effect of herceptin combined with paclitaxel liposome and capecitabine on the expression of serum LCN-2 and Six1 in patients with HER-2 positive recurrence-metastasis breast cancer	 HAN Min, WANG Jian, ZHENG Wei-wei (26)
Efficacy of yangzhengxiaoji capsule combined XELOX therapy for the T-lymphocyte subset and quality of life in patients with advanced gastrointestinal carcinoma	 CHEN Lei (30)
The effect of early control of the glucose speed on the serum S100B protein and neuron specific enolase levels in neonates with hypoglycemia	
..... KE Yu-jie, CHEN Xi-xiang	(35)
A Pareto analysis of medication consultation on women in pregnancy in Beijing Obstetrics and Gynecology Hospital	
..... ZHOU Jing-yi, GAI Di, LI Yi-fan, HAN Chao-hong, ZHONG Ling-li, FENG Xin	(39)
Effects of atorvastatin combined with telmisartan on the maintenance of sinus rhythm and inflammatory response in the patients with persistent atrial fibrillation after electrical cardioversion	
..... ZHANG Zi-yun, ZHANG Xiang-jiu, GENG Zhen-chuan, WANG Su-chao	(43)

Effect and value of pharmaceutical intervention on the prevention and application of antibiotics in the perioperative gynecological aseptic operation	LEI Wei, MA Xin-xiu, YAO Yao, LI Jun-ke, ZHAO Lu, DONG Dong (46)
Curative effect and cost-effectiveness analysis of esomeprazole in the treatment of non-varicose upper gastrointestinal bleeding	WANG Yong-hui, KONG Yong-hong, FU Kai, ZHOU Jing, SUN He-jun (50)
Clinical research of fluticasone furoate nasal spray combined with montelukast in treating allergic rhinitis	FU Yun, ZHANG Yu-jie, FU Fang-shu (55)
Investigation and analysis of the usage of anticoagulants in cardiology and vascular surgery clinicians	DU Li-ping, BAO Yun, LI Ying, MEI Dan, LI Yong-jun, ZHANG Bo (59)
Investigation of the poly-pharmacy in Parkinson's patients with non-motor symptoms	SUN Deng-kun, LIU Wen-na, ZHANG He (63)
Efficacy of two kinds of cardiotonic drugs for the treatment of decompensated heart failure	LIU Yu-jie, WANG Chen-lin (66)
Effects of diclofenac and indomethacin on prevention of pancreatitis after endoscopic retrograde cholangiopancreatography	WU Xiang-peng, CUI Wei, WU Xiang-li, WEN Gui-hai, LI En-jun, LIAN Xiao-hua (70)
The efficacy and safety of carbazochrome sodium sulfonate combined with octreotide on the hemorrhage of digestive tract	YU Yan (74)
The study of Tianzhi prescription for hemorheology of hypertension patients with Yin deficient Yang stimulate and blood clot hinder vessels	SHI Hua, CHENG Hai, DUAN Kai-qiang, SHI Ya-hui, XI Xiang-yan, MENG Fan-fang (78)
A case of female vulvar ulcer induced by tretinoin tablets	HUANG Yuan, QIN Zhou, XU Ting (82)
Glycemic management on a severe insulin resistance patient in intensive care unit: a case report	YANG Mei, WANG Xiao-ling, BU Yi-shan (86)
Analysis of deep venous thrombosis induced by megestrol in a patient with endometrial cancer and epilepsy	REN Shuang, XU Jing, LI Jing, ZHEN Jian-cun (89)

利伐沙班片 抗凝从此简便

- ◆ 口服抗凝 2-4小时达峰
- ◆ 适用于预防多种血栓疾病

- 非瓣膜性房颤患者卒中和全身性栓塞预防
- DVT/PE*治疗和预防复发
- 关节置换术后VTE*预防

*治疗成人深静脉血栓形成（DVT）和肺栓塞（PE）预防静脉血栓栓塞（VTE）

【药品名称】通用名称：利伐沙班片 商品名称：拜瑞妥®(Xarelto®) 英文名称：Rivaroxaban Tablets

【成份】本品主要成份为利伐沙班。

【适应症及用法用量】1.用于择期髋关节或膝关节置换手术成年患者，以预防静脉血栓形成（VTE）：口服10mg，每日1次。如伤口已止血，首次用药时间应在手术后6-10小时之间。避免在CrCl < 30mL/min的患者中使用利伐沙班。2.用于治疗成人深静脉血栓形成（DVT）和肺栓塞（PE），降低初始治疗6个月后DVT和PE复发的风险：急性DVT或PE的初始治疗推荐剂量是前三周15mg每日两次，之后维持治疗及降低DVT和PE复发风险的剂量是20mg每日一次。对于中度或重度肾功能损害患者：前三周，患者应接受15mg每日两次。此后，推荐剂量为20mg，每日一次。如果评估得出患者的出血风险超过DVT及PE复发的风险，必须考虑将剂量从20mg每日一次，降为15mg每日一次。在CrCl < 30mL/min的患者中应避免使用利伐沙班。3.用于具有一种或多种危险因素（例如：充血性心力衰竭、高血压、年龄≥75岁、糖尿病、卒中或短暂性脑缺血发作病史）的非瓣膜性房颤成年患者，以降低卒中和全身性栓塞的风险：20mg每日一次，对于低体重和高龄（>75岁）的患者，可酌情使用15mg每日一次。对于中度或重度肾功能损害患者，推荐剂量为15mg每日一次。肌酐清除率<15mL/min的患者避免使用利伐沙班。口服，利伐沙班10mg可与食物同服，也可以单独服用，15mg或20mg片剂应与食物同服。

【不良反应】不良反应主要见于出血，疲劳，牙痛，口咽痛，上腹部疼痛，消化不良，鼻窦炎，尿道感染，瘙痒、水疱，背痛，骨关节炎，四肢疼痛，肌肉痉挛，晕厥，粒细胞缺乏症，血小板减少，过敏反应等，详见说明书。

【禁忌】1.对利伐沙班或片剂中任何辅料过敏的患者。2.有临床明显活动性出血的患者。3.具有大出血显著风险的病灶或病情，例如目前或近期患有胃肠道溃疡，存在出血风险较高的恶性肿瘤，近期发生脑部或脊椎损伤，近期接受脑部、脊椎或眼科手术，近期发生颅内出血，已知或疑似的食管静脉曲张，动静脉畸形，血管动脉瘤或重大脊椎内或脑内血管畸形。4.除了转换抗凝治疗，或给予维持中心静脉或动脉导管通畅所需剂量普通肝素（UFH）的特殊情况之外，禁用任何其他抗凝剂的伴随治疗，例如UFH、低分子肝素、肝素

衍生物、口服抗凝剂等。5.伴有凝血异常和临床相关出血风险的肝病者，包括达到Child Pugh B 和 C 级的肝硬化患者。6.孕妇及哺乳期妇女。

【注意事项】1.在无充分的替代抗凝治疗的情况下，提前停用利伐沙班，将血栓栓塞事件的风险升高。如因病理出血或已完成治疗之外的原因而必须停用，则考虑给予另一种抗凝剂。2.利伐沙班将出血风险升高，且可能引起严重或致死性出血。在决定是否给药时，必须权衡血栓栓塞事件的风险与出血的风险。谨慎观察服用利伐沙班的患者，以发现出血体征。建议在出血风险较高的情况下谨慎使用。如果发生严重出血，必须停用。合并使用影响止血的其他药物将出血风险升高。合并使用联合P-gp及强效CYP3A4抑制剂将使利伐沙班暴露量增加并可能使出血风险升高。3.在采用硬膜外麻醉或脊椎穿刺时，接受抗血栓药预防血栓形成并发的患者有发生硬膜外或脊柱血肿的风险，这可能导致长期或永久性瘫痪。4.不推荐以下出血风险较高的患者使用：先天性或获得性出血性疾病；未控制的严重高血压；不伴活动期溃疡但可导致出血并发的胃肠道疾病；血管源性视网膜病；支气管扩张症或肺出血史。5.如果需要接受有创性操作或手术治疗，在情况允许并基于医生的临床判断下，应在利伐沙班停药至少24小时之后再实施干预。6.利伐沙班片内含有乳糖。有罕见的遗传性乳糖或半乳糖不耐受、Lapp乳糖酶缺乏或葡萄糖-半乳糖吸收不良的患者不能服用该药物。

详见说明书。

【进口药品注册证号】H20150213, H20150214, H20140132

【药物分类】处方药

【持证商】Bayer Pharma AG 拜耳医药保健有限公司

【生产企业】企业名称：Bayer Pharma AG 生产地址：51368 Leverkusen, Germany

京药广审（文）第2017110524号

本广告仅供医学药学专业人士阅读

关于本产品完整的处方信息请参阅产品说明书

利伐沙班片
拜瑞妥® 10mg

利伐沙班片
拜瑞妥® 15mg

利伐沙班片
拜瑞妥® 20mg