



CSCD核心库来源期刊
全国中文核心期刊
中国科技核心期刊
RCCSE中国核心学术期刊
江苏省一级期刊

ISSN 1674-8530
CN 32-1814/TH
CODEN PAJE2

PAIGUAN JIXIE GONGCHENG XUEBAO

排灌机械工程学报

Journal of Drainage and Irrigation Machinery Engineering



2020
第38卷 第10期
Vol.38 No.10

中国·镇江
Zhenjiang, China

江苏大学 主办

中国农业机械学会排灌机械分会
国家水泵及系统工程技术研究中心
中国农业工程学会农业水土工程专业委员会

协办

目次

● 泵理论与技术

栏目主编: 王福军 袁建平

平衡孔直径对离心泵叶轮进口流态的影响

刘在伦, 杨凯越, 芦维强, 苏丹枫(973)

动静转子间隙比对核主泵水力性能的影响

程效锐, 魏彦强, 吴超, 刘贺, 王堃(979)

弹性体转子泵压力特性数值分析与试验

连加梯, 潘国军, 朱泽飞(985)

考虑介质黏性影响的多相混输泵叶片应力应变分析

史广泰, 姚显彤, 王闪, 李和林(991)

两种叶轮型式潜水排污泵的内流特征与通过能力

张丽丽, 马金星, 康灿, 李明义(997)

基于 CFD 的双螺杆膨胀机瞬态特性

王鑫伟, 蒋小平, 王行元, 王莉, 吴国桥(1003)

● 水利水电工程

栏目主编: 戴会超 仇宝云

超驼峰工况下轴流泵站事故停泵防护方案寻优

梁兴, 张剑焜, 李志红, 肖博屹, 陈实(1010)

大型贯流式泵站快速门加速启动过渡过程

许哲, 郑源, 阚阚, 陈会向, 陆洋, 戴景(1016)

● 流体工程

栏目主编：王正伟 林建忠

气泡在横流中的几何及动力学特性

庞春波,袁寿其(1023)

用于修复三尖瓣返流的三尖瓣塞离体试验研究

杨梦旭,王颢,荆腾,周中玺,王昆,贺照明(1030)

多路阀可视化机液系统建模及动态特性

张莉萍,徐雷,王夏金,何思奇(1037)

搅拌机布置方式对生化池流场的影响及优化

陈云帆,杨陈,张华,徐云峰,夏臣智(1045)

● 农业水土工程

栏目主编：康绍忠 许迪

桶栽条件下冬小麦产量的连旱效应

李道西,楼睿焘,李彦彬,边泽鹏,朱亚南(1051)

原料配比对 α -SiO₂基微孔陶瓷灌水器性能的影响

周伟,吴普特,张林,姚春萍,赵笑,蔡耀辉(1057)

滴灌灌水量对玉米耗水及生长的影响

王卫杰,张彦群,祁鸣笛,王传娟,吴忠东,王建东(1063)

微喷带单孔水量分布影响因素试验研究

徐茹,王文娥,胡笑涛(1069)

● 新冠肺炎与防护

栏目主编：王军锋

防疫通道喷雾消毒过程的数值模拟

左子文,王林,王军锋(1076)

CONTENTS

Influence of balance hole diameter on flow state at inlet of centrifugal pump impeller
..... *LIU Zailun, YANG Kaiyue, LU Weiqiang, SU Danfeng*(973)

Effect of stator and rotor clearance ratio on hydraulic performance of nuclear main pump
..... *CHENG Xiaorui, WEI Yanqiang, WU Chao, LIU He, WANG Kun*(979)

Numerical analysis and verification of pressure characteristics of elastomeric rotor pumps
..... *LIAN Jiadi, PAN Guojun, ZHU Zefei*(985)

Analysis of stress and strain of multiphase pump blade considering medium viscosity
..... *SHI Guangtai, YAO Xiantong, WANG Shan, LI Helin*(991)

Inner flow characteristic and transport capability of two submersible sewage pumps with different impellers
..... *ZHANG Lili, MA Jinxing, KANG Can, LI Mingyi*(997)

Transient performance of twin-screw expander based on CFD analysis
..... *WANG Xinwei, JIANG Xiaoping, WANG Xingyuan, WANG Li, WU Guoqiao*(1003)

Optimizing protection scheme for accident shutdown of axial flow pumping station under super hump conditions
..... *LIANG Xin, ZHANG Jiankun, LI Zhihong, XIAO Boyi, CHEN Shi*(1010)

Accelerated starting transition process of rapid gate in large tubular pumping station
..... *XU Zhe, ZHENG Yuan, KAN Kan, CHEN Huixiang, LU Yang, DAI Jing*(1016)

Geometric and dynamic characteristics of bubbles in cross-flow
..... *PANG Chunbo, YUAN Shouqi*(1023)

Tricuspid plug for functional tricuspid regurgitation: an invitro study
..... *YANG Mengxu, WANG Hao, JING Teng, ZHOU Zhongxi, WANG Kun, HE Zhaoming*(1030)

Modeling and dynamic characteristics of visualized machine-liquid system with multi-way valves
..... *ZHANG Liping, XU Lei, WANG Xiajin, HE Siqu*(1037)

Influence and optimization of mixer's arrangement of flow field of anoxic pool
..... *CHEN Yunfan, YANG Chen, ZHANG Hua, XU Yunfeng, XIA Chenzhi*(1045)

Effect of continuous drought on winter wheat yield in pot planting
..... *LI Daoxi, LOU Ruitao, LI Yanbin, BIAN Zepeng, ZHU Yanan*(1051)

Effect of raw material ratio on performances of α -SiO₂ microporous ceramic emitter
..... *ZHOU Wei, WU Pute, ZHANG Lin, YAO Chunping, ZHAO Xiao, CAI Yaohui*(1057)

Effects of drip irrigation amount on water consumption and growth of maize
..... *WANG Weijie, ZHANG Yanqun, QI Mingdi, WANG Chuanjuan, WU Zhongdong, WANG Jiandong*(1063)

Experimental study on influencing factors of water distribution in single hole of micro-sprinkler belt
..... *XU Ru, WANG Wen'e, HU Xiaotao*(1069)

Numerical simulation of spray disinfection process in sanitary channel
..... *ZUO Ziwen, WANG Lin, WANG Junfeng*(1076)