

目次

● 泵理论与技术

栏目主编：王福军 袁建平

往复泵泵阀流场与阀芯运动的动态耦合特性

张人会,孙鹏程,符义红(217)

诱导轮对紧凑型磁力泵压力脉动的影响

孔繁余,张坤,童凯,钱文飞,汪家琼(224)

竖井对低扬程贯流泵装置性能影响的数值模拟

周春峰,张敬波,焦伟轩,成立,蒋红樱(231)

基于流热固耦合的高温熔盐泵转动系统结构应力分析

朱荣生,陈一鸣,安策,康俊鋈,龙云,葛杰(238)

轴伸贯流泵多工况下的压力脉动特性

吴东磊,郑源,薛海朋,戴庆云,张玉全,刘卫东(244)

● 水利水电工程

栏目主编：戴会超 仇宝云

水电站排沙漏斗水沙运动规律

洪振国,田辉(251)

泵站出水池整流措施数值分析

王月华,王斌,王自明,周盛铨,叶龙(257)

● 流体工程

栏目主编：王正伟 林建忠

水流冲击多段滞留气团的三维数值模拟

卢坤铭,周领,刘静(264)

适用于西藏地区的聚风型垂直轴风力机结构特性分析

赵斌,武熠杰,王绍龙,袁喜鹏,冯放(270)

U 型和三角型减振槽对转套式配流系统空化的影响

杜善霄,张洪信,赵清海,姜晓天,王新亮(278)

● 农业水土工程

栏目主编: 康绍忠 许迪

盐阳离子类型对红壤裂缝开闭规律的影响

王辉,陈潇岳,王玮(285)

基于模拟退火粒子群算法的水资源优化配置

杜佰林,张建丰,高泽海,李涛,黄子奇,张娜(292)

射流三通连接滴灌带的水力性能沿程变化规律

张晨曦,王新坤,靳彬彬,姚吉成,薛子龙,王轩(300)

土壤容重对一维垂直浑水肥液入渗水氮运移特性影响

白瑞,费良军,陈琳,刘乐,钟韵,李巧丽(306)

● 排灌装备制造技术

栏目主编: 施卫东 黄修桥

流道结构对低压旋转式喷头水力性能影响试验研究

刘俊萍,李滔,张前(312)

不同工况对喷灌水量分布的影响

史永杰,朱兴业,胡广,张爱英,李吉鹏(318)

● 简讯

《排灌机械工程学报》入编《中文核心期刊要目总览》2020 年版 (291)

执行编辑 谈国鹏

特约编辑 王 鹏

插图绘制 镇江文苑

英文校核 李亚林

CONTENTS

| | |
|---|--|
| Dynamic coupling characteristics of valve flow field and valve core movement in reciprocating pump | ZHANG Renhui, SUN Pengcheng, FU Yihong(217) |
| Influence of inducer on pressure fluctuation of compact magnetic drive pump | KONG Fanyu, ZHANG Kun, TONG Kai, QIAN Wenfei, WANG Jiaqiong(224) |
| Numerical simulation of influence of shaft on performance of low head tubular pumping system | ZHOU Chunfeng, ZHANG Jingbo, JIAO Weixuan, CHENG Li, JIANG Hongying(231) |
| Structural stress analysis of rotor system of high-temperature molten-salt pump based on flow-thermal-structure coupling | ZHU Rongsheng, CHEN Yiming, AN Ce, KANG Junjun, LONG Yun, GE Jie(238) |
| Pressure pulsation characteristics of axial extension tubular pump under multiple working conditions | WU Donglei, ZHENG Yuan, XUE Haipeng, DAI Qingyun, ZHANG Yuquan, LIU Weidong(244) |
| Water and sediment motion law of sediment drainage funnel in hydropower station | HONG Zhenguo, TIAN Hui(251) |
| Numerical simulation of rectification measures in outlet sump of pumping station | WANG Yuehua, WANG Bin, WANG Ziming, ZHOU Shengzhi, YE Long(257) |
| Three-dimensional numerical simulation of transient pipe flow with multiple entrapped air pockets | LU Kunming, ZHOU Ling, LIU Jing(264) |
| Analysis of structural characteristics of vertical axis wind turbine with wind gathering device in Tibet | ZHAO Bin, WU Yijie, WANG Shaolong, YUAN Xipeng, FENG Fang(270) |
| Influence of U-shaped and triangular damping groove on cavitation of distribution system with rotary sleeve | DU Shanxiao, ZHANG Hongxin, ZHAO Qinghai, JIANG Xiaotian, WANG Xinliang(278) |
| Effects of salt cation types on propagation and closure law of desiccation cracks in red soil | WANG Hui, CHEN Xiaoyue, WANG Wei(285) |
| Optimal allocation of water resources based on simulated annealing particle swarm optimization algorithm | DU Bailin, ZHANG Jianfeng, GAO Zehai, LI Tao, HUANG Ziqi, ZHANG Na(292) |
| Variation of hydraulic performance of drip irrigation belts connected by jet tee | ZHANG Chenxi, WANG Xinkun, JIN Binbin, YAO Jicheng, XUE Zilong, WANG Xuan(300) |
| Effects of soil bulk density on water and nitrogen transport characteristics under one-dimensional vertical infiltration of muddy water and fertilizer | BAI Rui, FEI Liangjun, CHEN Lin, LIU Le, ZHONG Yun, LI Qiaoli(306) |
| Experimental study on influence of flow channel structure on hydraulic performance of low-pressure rotary sprinkler | LIU Junping, LI Tao, ZHANG Qian(312) |
| Effect of different working conditions on water for sprinkler irrigation | SHI Yongjie, ZHU Xingye, HU Guang, ZHANG Aiyong, LI Jipeng(318) |