

中国科技论文统计源期刊
中国科技核心期刊



精神医学杂志

JINGSHEN YIXUE ZAZHI 双月刊

2018年8月 第31卷 第4期

JOURNAL OF PSYCHIATRY

Volume 31 Number 4

August 2018

邮发代号:24-208

ISSN 2095-9346



山东省精神卫生中心主办
Shandong Mental Health Center

精神医学杂志

Journal of Psychiatry

双月刊 1988年10月创刊 第31卷 第4期 2018年8月1日出版

主 管

山东省卫生和计划生育委员会

主 办

山东省精神卫生中心
250014,济南市文化东路49号

编 辑

《精神医学杂志》编辑委员会

主 编

王汝展

副 主 编

张敬悬 刘金同 张卫华

编辑部主任

王文萍

出 版

《精神医学杂志》编辑部

250014,济南市文化东路49号

电话:(0531)86336634

E-mail:jsyxzz@163.com

印 刷

山东新社科印务有限公司

发 行

国内:山东省邮政公司

国外:中国国际图书贸易集团有限公司

(发行代号:Q2779)

订 购

全国各地邮电局

邮发代号:24-208

邮 购

《精神医学杂志》发行部

250014,济南市文化东路49号

电话:(0531)86336634

E-mail:jsyxzz@163.com

定 价

每期12元,全年72元

国际标准连续出版物号

ISSN 2095-9346

国内统一连续出版物号

CN 37-1454/R

版权归《精神医学杂志》编辑部所有

目 次

论 著

胁迫体验问卷中文版修订和信效度检验

..... 范丹华 倪清和 吴志国等(241)

某农村小学儿童孤独感与忽视的相关性研究

..... 侯文鹏 温玉杰 王雪琦等(245)

糖尿病肾病患者负性自动思维与社会支持对抑郁状况的影响研究

..... 郭立青 刘中宪 梁洁等(248)

双相抑郁短期治疗后不良认知改变及与童年虐待、抑郁情绪的关系

..... 胡春凤 李武 李龙飞等(252)

精神分裂症患者一级亲属血清C反应蛋白水平与患者症状严重程度的相关性

..... 张顺 张素娟 李娜等(257)

不同性别双相障碍患者临床特征对比分析

..... 曹宁 王中刚 刘传新(260)

青少年攻击行为与家庭环境、自尊的相关性研究

..... 郑崇泉 石雷鸣 王洪军等(264)

除非特别声明,本刊刊发的所有文章不代表本刊编委会的观点

如有印装质量问题,请向编辑部调换

期刊基本参数:CN37-1454/R * 1988 * B * A4 * 80 * zh * P * ¥12.00 * 21 * 2018-08

- 相对年龄效应对初中生和大学生自尊及自杀意念的影响 黄苏凡 陈熙尧 李争争等(268)
- 山东省 6~11 岁儿童行为问题流行病学调查及相关因素分析 刘树苗 王汝展 王延祜等(272)
- 山东省淄博市 18 岁及以上人群精神障碍流行病学调查 孙梦月 任清涛 张京学等(276)
- 聊城市第四次精神障碍流行病学调查分析 李玉鸿 王艳梅(279)
- MECT 治疗不同精神障碍患者所需刺激累计电量的差异及影响因素研究 杨 楠 程小菁 王文萍等(283)
- 甜梦口服液联合阿立哌唑治疗抗精神病药物所致脾肾两虚型女性闭经及高泌乳素症临床研究
..... 陈建荣 宫焕凤(286)
- 住院精神分裂症患者家属心理弹性与社会支持、应对方式的相关性研究 景国建 程 梅(290)

医学前沿

- DRD3 基因 rs6280 位点多态性与图雷特综合征表型的关联分析 何 凡 黄环环 魏彦照等(295)

论文

- 首次住院双相障碍 153 例预后 3 年随访研究 李英存 李 馨(298)

- 男性海洛因与甲基苯丙胺依赖者心理渴求及影响因素分析 潘柯良 李 蓉(301)

综述

- 元认知训练在精神障碍治疗中的应用进展 李晓琪 曹瑞想 郭志华(304)

- 经颅磁刺激与精神分裂症认知障碍 关恒永 李喜波 潘艳芬等(308)

- 辩证行为疗法在进食障碍中的应用 张 靖 陈 珏(312)

- 虚拟现实技术在精神疾病诊断及治疗中的应用 段 新 卢 燕(316)

简 讯

- 《精神医学杂志》第三届编辑委员会委员名单 (267)

责任编辑 朱婷婷 英文编辑 寻广磊 王 昶 吴钰倩 统计学编辑 刘金同 编审 张秀平

Journal of Psychiatry

Bimonthly Established in October 1988

Volume 31 Number 4 August 1, 2018

Responsible Institution

Health and Family Planning Commission of Shandong Province

Sponsor

Shandong Mental Health Center
49 Wen Hua Dong Road
Jinan 250014, China

Editing

Editorial Board of Journal of Psychiatry

Editor in Chief

WANG Ruzhan

Associate Editor

ZHANG Jingxuan
LIU Jintong
ZHANG Weihua

Managing Director

WANG Wenping

Publishing

Editorial Department of Journal of Psychiatry
49 Wen Hua Dong Road
Jinan 250014, China
Tel: (0531) 86336634
E-mail: jsyxzz@163.com

Distributor

Distribution Center of Journal of Psychiatry
49 Wen Hua Dong Road
Jinan 250014, China
Tel: (0531) 86336634
E-mail: jsyxzz@163.com

Printing

Shandong New Sheke Printing & Publish Co. Ltd.

CSSN

ISSN 2095-9346
CN 37-1454/R

Contents in Brief

Revision, reliability and validity of Coercion Experience Scale-Chinese version.

..... FAN Danhua, ZHAN Qinghe, WU Zhiguo, et al. (241)

The association between children's loneliness and neglect in rural primary schools.

..... HOU Wenpeng, WEN Yujie, WANG Xueqi, et al. (245)

The influence of negative automatic thoughts and social support on depression in patients with diabetic nephropathy.

..... GUO Liqing, LIU Zhongxian, LIANG Jie, et al. (248)

The change of maladaptive cognition and its relationship with childhood abuse and depression after short-term treatment in patients with bipolar depression.

..... HU Chunfeng, LI Wu, LI Longfei, et al. (252)

Correlation between serum C-reactive protein level and disease severity in first-degree relatives of schizophrenics.

..... ZHANG Shun, ZHANG Sujuan, LI Na, et al. (257)

A comparative study of the clinical features in patients with bipolar disorder between different genders.

..... CAO Ning, WANG Zhonggang, LIU Chuanxin. (260)

A related study of aggressive behavior and family environment, self-esteem in adolescents.

..... ZHENG Chongquan, SHI Leiming, WANG Hongjun, et al. (264)

The influence of relative age effect on self-esteem and suicidal ideation in junior middle school students and college students.

..... HUANG Sufan, CHEN Xiyao, LI Zhengzheng, et al. (268)

An epidemiological investigation of behavioral problems and the relevant factors in children aged 6 ~ 11 years in Shandong province.

..... LIU Shumiao, WANG Ruzhan, WANG Yanhu, et al. (272)

An epidemiological investigation on mental disorders among adults in Zibo city of Shandong province.

..... SUN Mengyue, REN Qingtao, ZHANG Jingxue, et al. (276)

Analysis of the fourth mental disorder epidemiological investigation in Liaocheng city.

..... LI Yuhong, WANG Yanmei. (279)

Research on discrepancies and influencing factors of stimulating cumulative charge needed by MECT therapy in different mental disorders.

..... YANG Ying, CHENG Xiaojing, WANG Wenping, et al. (283)

Clinical study on Tianmeng oral liquid combined with aripiprazole in treatment of spleen and kidney deficiency type of female amenorrhoea and hyperprolactinemia caused by antipsychotics.

..... CHAN Jianrong, GONG Huanfeng. (286)

A related study of resilience and social support, coping style in family members of inpatients with schizophrenia.


..... JING Guojian, CHENG Mei. (290)

Association analysis between dopamine D₃ receptor gene rs6280 polymorphism and tourette syndrome phenotypes.

..... HE Fan, HUANG Huanhuan, WEI Yanzhao, et al. (295)

棕榈酸帕利哌酮注射液

用于精神分裂症急性期和维持期的治疗



棕榈酸帕利哌酮注射液简明处方资料

【药品名称】

通用名称：棕榈酸帕利哌酮注射液

商品名称：善思达[®] Invega Sustenna

英文名称：Paliperidone Palmitate Injection

【适应症】

本品用于精神分裂症急性期和维持期的治疗。

【用法用量】

推荐剂量：建议患者在起始治疗首日注射本品 150 mg，一周后再次注射 100mg，前 2 剂起始治疗药物的注射部位均为三角肌。建议维持治疗剂量为每月 75mg，根据患者的耐受情况和 / 或疗效，可在 25 ~ 150 mg 的范围内增加或降低每月的注射剂量。第 2 剂药物之后，每月 1 次注射的部位可以为三角肌或臀肌。

给药方式：本品仅供肌肉注射使用。注射时，应缓慢地注入肌肉深部。注意不要将药物注射入血管内或皮下。每次注射都必须由专业的卫生技术人员操作。每剂药物都应一次性注射完毕，不能分次注射。

从口服抗精神药物转用本品：对于从未使用过帕利哌酮口服制剂、利培酮口服制剂或利培酮注射剂的患者，建议在开始本品治疗前，先通过口服帕利哌酮缓释片或口服利培酮确定患者对帕利哌酮的耐受性。

在开始使用本品治疗后可以停止服用之前的口服抗精神药物。

按照【用法用量】的描述使用本品。

从长效注射用抗精神药物转用本品：对于从长效注射用抗精神药物转用本品的患者，应该在下一次预计的注射日使用本品。

【禁忌】 禁止用于那些服用利培酮和帕利哌酮过敏患者，包括过敏性反应和血管神经性水肿。也禁用于对本品任何辅料过敏的患者。

【贮藏】 30° C下常温保存。请勿冷冻保存。

【包装】 包装规格：1支/盒。棕榈酸帕利哌酮注射液预填充在注射器中，在中国有3个不同装量：

0.75 ml/支（相当于75 mg帕利哌酮）
1.0 ml/支（相当于100 mg帕利哌酮）
1.5 ml/支（相当于150 mg帕利哌酮）

【有效期】 24个月。

【生产企业】 企业名称：Janssen Pharmaceutica N.V.