

检验医学

JIANYAN YIXUE LABORATORY MEDICINE

检验医学

二〇一八年

第三十三卷

第二期

中国科技论文统计源核心期刊
美国化学文摘(CA)收录期刊
俄罗斯《文摘杂志》(AJ)收录期刊
波兰《哥白尼索引》(IC)收录期刊
《CAJ-CD规范》执行优秀期刊
美国剑桥科学文摘社
CSA-ProQuest数据库收录期刊
美国《乌利希期刊指南》收录期刊

2018年2月 第33卷 第2期

Volume 33 Number 2

February 2018



本期导读:

异性骨髓移植后无精症患者Y染色体的检测
心血管疾病风险评估系统研究进展
炎症性肠病血清学标志物的研究进展

2 2018

ISSN 1673-8640



万方数据



上海市临床检验中心

检验医学

JIANYAN YIXUE

月刊 1986年3月创刊 第33卷 第2期 2018年2月28日出版

主管

上海市卫生和计划生育委员会

主办

上海市临床检验中心

200126, 上海市浦东新区洪山路 528 号

协办

上海市医学会

上海交通大学医学院检验系

主编

王华梁

编辑部主任

李欣

出版

《检验医学》编辑部

200126, 上海市浦东新区洪山路 528 号

电话: 021-68316211 68316300-1102

传真: 021-68315766

网址: <http://www.shjyxx.com>

E-mail: shjyxxzz@126.com

支持单位

上海交通大学医学院附属同仁医院

广告经营许可证

沪工商广字 3101520130011

印刷

上海欧阳印刷厂有限公司

发行

国内: 上海市报刊发行局

国外: 中国国际图书贸易集团有限公司

(北京 399 信箱, 100044) 代号 C3199

订购

全国各地邮政局

邮发代号 4-472

定价

每期 13 元, 全年 156 元

中国标准连续出版物号

ISSN 1673-8640

CN 31-1915/R

2018 年版权归©《检验医学》编辑部所有

目次

临床应用研究·论著

血清淀粉样蛋白 A、胱抑素 C 与尿白蛋白 / 肌酐比值联合检测
在早期糖尿病肾病中的诊断价值

..... 张如霖, 王弘明, 彭霞, 等 (97)

抗中性粒细胞胞浆抗体检测对系统性血管炎的临床价值

..... 谭立明, 焦安君, 冯晓晶, 等 (101)

0 ~ 3 岁婴幼儿凝血功能参考区间的建立

..... 邹琛, 高原 (106)

不同程度亚临床甲状腺功能减退症患者止凝血相关指标变化的
研究

..... 高芳, 张云娜, 赵乃蕊, 等 (110)

痰涂片检出白细胞吞噬细菌在下呼吸道感染诊断中的价值

..... 曹慧玲, 杭鸣, 赵苏瑛, 等 (115)

血栓弹力图 -MA 参数在急性冠状动脉综合征中的诊断价值

..... 陆秋涯, 陆怡德, 孙爱华, 等 (119)

巴彦淖尔市健康人群 UF-1000i 尿沉渣分析仪参考区间调查

..... 闫利明, 马骏龙 (124)

技术与评价·论著

ICP-MS 测定全血中 5 种微量元素及其参考区间的建立

..... 徐凤仙, 于嘉屏, 吴娟娟 (127)

HPLC-MS/MS 检测血浆百草枯浓度方法的建立

..... 岳晓静, 李卫, 李平法 (132)

胸腔积液 γ -干扰素释放试验对结核性胸腔积液诊断价值的 Meta
分析

..... 李慧敏, 马清光, 李洪英 (139)

耐碳青霉烯类药物肺炎克雷伯菌和鲍曼不动杆菌对替加环素的
敏感性及其药物敏感性试验的临床应用

..... 刘妍, 袁应华 (147)

[期刊基本参数] CN31-1915/R * 1986 * m * A4 * 94 * zh * P * ¥13.00 * 20 * 2018-02

AVE-562 全自动粪便分析仪的临床应用评价

..... 鲍蕴文, 顾孔珍, 徐克前 (152)

实验室管理·论著

上海地区厌氧菌检验室间质量评价

..... 陈蓉, 刘学杰, 徐蓉, 等 (156)

病例报道·论著

异性骨髓移植后无精症患者 Y 染色体的检测

..... 胡莹, 梁先念, 于建红, 等 (160)

综述与讲座

心血管疾病风险评估系统研究进展..... 沈逸枫, 吴炯, 郭玮, 等 (163)

炎症性肠病血清学标志物的研究进展..... 曾俊祥, 潘秀军, 沈立松 (170)

以血细胞分析为例浅谈医学参考测量实验室的建立

..... 康娟, 王会如, 孙京昇, 等 (177)

经验交流

系统性红斑狼疮患者血清 FER、CA125 的检测及临床意义 俞虹 (182)

病例报道

眼底血管造影剂致尿总蛋白定量检测结果异常一例报道

..... 邵文琦, 吴炯, 吴卫云, 等 (185)

4 例布鲁菌感染病例分析 马淑青, 袁晓明 (188)

简讯

上海市临床检验中心肌酐和糖化血红蛋白参考方法被批准列入 JCTLM 参考实验室列表 (105)

欢迎订阅《检验医学》 (169)

公告 (176)

上海市临床检验质量控制中心完成 2017 年第 2 次临床检验专业飞行检查 (187)

第十三届全国检验医学参考系统年会召开 (190)

本期执行编委: 王华梁 沈立松 胡翔群 樊绮诗 潘柏申 万海英 李智 仲人前 朱晴晖
居漪 沈茜 倪语星 倪培华 赵虎 高锋

本期责任编辑: 范基农

本期英文编辑: 董悦颖

注: 除非有特别声明, 本刊刊出的所有文章不代表上海市临床检验中心和本刊编委会的观点。

本刊如有印装质量问题, 请向本刊编辑部调换。

LABORATORY MEDICINE

Monthly Established in March 1986 Volume 33, Number 2 February 30, 2018

Responsible Institution

Shanghai Municipal Commission of Health
and Family Planning

Sponsor

Shanghai Center for Clinical Laboratory
No. 528, Hongshan Road, Shanghai
200126, China

Co-sponsors

Shanghai Medical Association
Faculty of Medical Laboratory Science,
Shanghai Jiaotong University School of Medicine

Editor-in-Chief

WANG Hualiang (王华梁)

Editorial Director

LI Xin (李欣)

Publishing

Editorial Department of *LABORATORY
MEDICINE*

No. 528, Hongshan Road, Shanghai
200126, China

Tel: 0086-21-68316211

0086-21-68316300-1102

Fax: 0086-21-68315766

<http://www.shjyxx.com>

E-mail: shjyxxzz@126.com

Supporter

Tongren Hospital, Shanghai Jiaotong University
School of Medicine

Printing

Shanghai OUYANG Printing Co., Ltd.

Distributors

Domestic : Shanghai Distributor Bureau for
Newspapers and Periodicals

Overseas : China International Book Trading
Corporation (Box 399, Beijing 100044, China)
Code C3199

CSSN

ISSN 1673-8640

CN 31-1915/R

Copyright ©2018 by the Editorial Department
of *LABORATORY MEDICINE*

CONTENTS IN BRIEF

Combined determination of serum amyloid A protein, cystatin C
and urinary albumin-to-creatinine ratio in the diagnosis of early
diabetic nephropathy

..... ZHANG Rulin, WANG Hongming, PENG Xia, et al (97)

Anti-neutrophil cytoplasmic antibody determination for systemic
vasculitis

..... TAN Liming, JIAO Anjun, FENG Xiaojing, et al (101)

Establishment of the reference intervals of coagulation function in
0-3-year-old children

..... ZOU Chen, GAO Yuan (106)

Changes of haemostatic parameters in patients with different levels
of subclinical hypothyroidism

..... GAO Fang, ZHANG Yunna, ZHAO Nairui, et al (110)

Role of leukocyte phagocytosis bacterium in sputum smear
specimens for the diagnosis of lower respiratory tract infection

..... CAO Huiling, HANG Ming, ZHAO Suying, et al (115)

Thromboelastography-MA parameter in the diagnosis of acute
coronary syndrome

..... LU Qiuya, LU Yide, SUN Aihua, et al (119)

Determinations of 5 kinds of trace elements by ICP-MS and
establishment of reference intervals

..... XU Fengxian, YU Jiaping, WU Juanjuan (127)

Determination of paraquat in plasma by HPLC-MS/MS

..... YUE Xiaojing, LI Wei, LI Pingfa (132)

Role of pleural effusion interferon-gamma release assay for the diagnosis of tuberculous pleural effusion: a Meta analysis	<i>LI Huimin, MA Qingguang, LI Hongying</i> (139)
Susceptibility of tigecycline against carbapenems resistant <i>Klebsiella pneumoniae</i> and <i>Acinetobacter baumannii</i> and susceptibility test	<i>LIU Yan, YUAN Yinghua</i> (147)
Application of AVE-562 automated feces analyzer	<i>BAO Yunwen, GU Kongzhen, XU Keqian</i> (152)
External quality assessment for anaerobic bacterium detection in Shanghai	<i>CHEN Rong, LIU Xuejie, XU Rong, et al</i> (156)
Y chromosome detection for an azoospermia patient after sex-mismatched bone marrow transplantation	<i>HU Ying, LIANG Xiannian, YU Jianhong, et al</i> (160)
Research progress of cardiovascular disease risk assessment system	<i>SHEN Yifeng, WU Jiong, GUO Wei, et al</i> (163)
Research progress of serological biomarkers for inflammatory bowel disease	<i>ZENG Junxiang, PAN Xiujun, SHEN Lisong</i> (170)
Establishment of clinical reference measurement laboratory using blood cell analysis as an example	<i>KANG Juan, WANG Huiru, SUN Jingsheng, et al</i> (177)

All articles published represent the opinions of the authors, and do not reflect the official policy of Shanghai Center for Clinical Laboratory or the Editorial Board, unless this is clearly specified. Please contact the Editorial Department of *LABORATORY MEDICINE*, if there are printing and binding problems.