

★中国核心期刊 (遴选) 数据库收录期刊
★中国学术期刊综合评价数据库 (CAJCED) 统计源期刊

ISSN 1008-2263
CN 11-3945/TE

OIL DEPOT AND GAS STATION

石油库与加油站

SHIYOUKU YU JIAYOUZHAN

ONE COMPANY. ONE WORLD. ONE SOURCE.™

OPW

A DOVER™ COMPANY

OPW为您提供**安全环保的**
地下油料输送系统

www.opw-fc.com.cn

OPW亚太地区营运总部

优必得石油设备(苏州)有限公司

上海分公司

电话: 021-24112600

北京分公司

电话: 010-85235573

广州分公司

电话: 020-28865786

中国工厂

电话: 0512-62745328

ISSN 1008-2263



9 771008 226006



中国石化销售有限公司主办

2014 第3期

第23卷 总第133期

Vol.23 Total No.133



石油库与加油站

SHI YOU KU YU JIA YOU ZHAN

1992年创刊(双月刊)
第23卷 第3期
总第133期
2014年6月20日出版

编委会名誉主任:李春光 张海潮
编委会主任:左兴凯
副主任:郭飞鸿 王文联 王维民
王 靓
特邀顾问:吕 品 柴志明
委员:
张秀来 王洪川 徐福斌 张紫傲
冯培育 李玉杏 芮继强 陈必文
尹超明 任士宪 杜予斌 杨计明
黄 河 李一庆 郑京华 贾约鹏
罗开勇 阎 华 黄炳利 柳湘滨
张天明 罗统华 牛竞民 王津培
韩庆跃 刘华斌 王 敏 韩 杰
夏凤梧 王 安 戴福俊 周雪洪
徐江桥 刘 胜 何 明 张 毅
卜文平 高劲松 杜道林 沈青祁
杜红岩 周家祥 韩 钧 金万刚
社长:左兴凯
副社长:郭飞鸿 王文联
主编:王维民
副主编:金万刚
责任编辑:张 玉

主管:中国石油化工集团公司
主办:中国石化销售有限公司
编辑出版:《石油库与加油站》杂志社
国内发行:《石油库与加油站》杂志社
地址:北京市东城区广渠家园6号楼
303室
邮编:100022
电话:(010)67006041;67006042
传真:(010)67006043
E-mail:sykjyz@sina.com
国外发行:中国图书进出口总公司
国外发行代号:2263BM
印刷:廊坊飞腾印刷包装有限公司
厂址:廊坊市安次区永华道25号
邮编:065000

标准连续出版物号:ISSN 1008-2263
CN 11-3945/TE
广告许可证号:京东工商广字第8033号
国内定价:每册12元,全年72元

本刊对所载图文拥有
版权,未经许可,不得转载
或复制,本刊保留追究的
权利。

目 次

储运技术

- 1 国内加油站罩棚钢结构常见质量问题分析 王永 冯照平 王作家 李培庆
- 5 加油站埋地双层油罐技术综述 陶 彬 张卫华 孙秀明 周金广

加气站

- 8 液推式加气子站噪音治理的实践 徐东兴 牛竞民 唐顺武
- 11 LNG加气站现场的应急处置 元少平
- 15 LNG加气站保冷材料的选用与施工 朱永东

油气管道

- 17 输油管道裂纹缺陷漏磁检测技术的探讨 宋志强 张 莹 曹明宝 张清民

信息技术

- 20 内控信息化的构建与应用 梁小涛

安全技术

- 23 杂散电流的危害和预防对策 章伟全
- 26 加油枪静电导通故障分析及预防措施 黄贤平
- 29 新加油加气站规范中“安全间距”与“防火间距”的探讨 许 敏 许 斌 刘永强

数质量管理

- 33 对加强加油站油品数量管理的思考 舒信亮 薛顺勇

安全管理

- 36 加油站油气回收改造中的风险分析与控制措施 柳玉平
- 39 加油站资金安全管理存在的问题及对策 敖敏虹

经营管理

- 42 油库工程变更签证管理的探讨 王 军 张 波

报道及其他

- [后插1] 《石油库与加油站》杂志投稿须知
- 4 《石油库与加油站》杂志2013年度合订本征订启事
- 32 中国石化集团暨股份公司安全、环境与健康(HSE)的方针、目标和承诺
- 35 我国通过《环保法修订案》,将于2015年1月1日施行
- 38 2013年中国炼油能力分企业构成情况
- 38 2014年国内主要炼厂产能增长情况
- 44 2014年第3期广告目次



Honorary Chairman of Editorial Committee: Li Chunguang, Zhang Haichao

Chairman of Editorial Committee: Zuo Xingkai

Vice Chairman of Editorial Committee: Guo Feihong, Wang Wenlian, Wang Weimin, Wang Liang

Special Consultants: Lu Pin, Chai Zhiming

Members: Zhang Xiulai, Wang Hongchuan, Xu Fubin, Zhang ziao, Feng Peiyu, Li Yuxing, Rui Jiqiang, Chen Biwen, Yin Chaoming, Ren Shixian, Du Yubin, Yang Jiming, Huang He, Li Yiqing, Zheng Jinghua, Jia Yuepeng, Luo Kaiyong, Yan Hua, Huang bingli, Liu Xiangbin, Zhang Tianming, Luo Tonghua, Niu Jingmin, Wang Jinpei, Han Qingyue, Liu Huabin, Wang Min, Han Jie, Xia Fengwu, Wang An, Dai Fujun, Zhou Xuehong, Xu Jiangqiao, Liu Sheng, He Ming, Zhang Yi, Bu Wenping, Gao Jinsong, Du Daolin, Shen Qingqi, Du Hongyan, Zhou Jiexiang, Han Jun, Jin Wangang

Director: Zuo Xingkai

Vice Director: Guo Feihong, Wang Wenlian

Editor-in-Chief: Wang Weimin

Vice Editor-in-Chief: Jin Wangang

Editor-in-Charge: Zhang Yu

Responsible Department: China Petrochemical Corporation (SINOPEC)

Sponsor: SINOPEC Sales Company

Publisher: Editorial Office of Oil Depots and Oil Stations

Distributor (Domestic): Editorial Office of Oil Depots and Oil Stations

Address: Building No. 6, Guangqujiayuan, Dongcheng District, Beijing

Postcode: 100022

Tel: (010) 67006041; 67006042

Fax: (010) 67006043

E-mail: sykjyz@sina.com

Distributor (Abroad): China National Publication Import & Export Corporation

Printer: Fei Teng Printing Co. Ltd of Langfang

Address: No. 25, Yonghua Dao Ave Langfang

Postcode: 065000

ISSN 1008—2263; CN11—3945/TE

No. of Ad. License: 8033, Dongcheng District, Beijing

Domestic Price: RMB72 per year

Copyright for all originally published reports.

Contents and Abstracts

STORAGE TECHNOLOGIES

1 Analysis on Common Quality Problems of Steel Structure of Canopy in Domestic Gas Station. Wang Yong, Feng Zhaoping, Wang Zuoqia, Li Peiqing.

Abstract: From the safety detection results of 51 steel structures of canopies chosen randomly from the detected gas stations, some representative problems existing in the design, construction, usage, were found out. And some suggestions for the construction, safe application of grid canopy in gas station in the future were put forward.

Keywords: gas station; canopy; steel structure; suggestion.

5 Review on the Technology of Underground Double-layered Tank in Gas station. Tao Bin, Zhang Weihua, Sun Xiuming, Zhou Jinguang.

Abstract: The development status of underground double-layered tank, the structure and properties of four types of tank were briefly introduced, and the double-layered tanks existing in gas stations were technologically compared. Combining with the application status of double-layered tank at home and abroad, it was proposed that the relevant departments should publish the double-layered tank standards as soon as possible, to regulate the production and the quality of the products, and better promote application of double-layered tank in gas station.

Keywords: gas station, underground tank, double-layered tank.

GAS REFUELING STATION

8 Discussion on the Noise Control of Hydraulic Piston

Type Gas Filling Substation. Xu Dongxing, Niu Jingmin, Tang Shunwu.

Abstract: The harms of noise to human body and the reasons causing noise of hydraulic piston type gas substation were briefly introduced. In order to control the noise of a hydraulic piston type gas substation, combining to the field environment, a new sound insulation room was built outside the hydraulic skid in the gas substation. According to the comparison of measured data before and after the treatment, the working and living environment of surrounding residents and the station field employees was effectively improved, providing the reference for the noise control of hydraulic piston type gas substation.

Keywords: gas filling substation, noise control, discussion.

11 LNG Filling Station On-site Emergency Disposal. Yuan Shaoping

Abstract: This paper briefly introduces the potential incidents type, on-site emergency disposal and principles, emergency measures in LNG filling station. The proper on-site emergency disposal measures can minimize accidental loss, with obvious effect on the accident emergency rescue and disaster relief.

Keywords: LNG filling station, accident, emergency disposal.

15 Selection of Cold Insulation Material of LNG Station and Construction. Zhu Yongdong.

Abstract: Selection of cold insulation material for LNG filling station pipeline and construction process are introduced, in order to strictly control the construction quality, and improve the cold insulating effect of LNG pipe.

Keywords: pipe cold insulating, cold insulation material, construction.

OIL AND GAS PIPELINE

17 Study of Magnetic Flux Leakage Testing Technology for Oil Pipeline Crack Flaw. Song Zhiqiang, Zhang Ying, Cao Mingbao, Zhang Qingmin.

Abstract: The formation, influencing factors and pattern classification of oil pipeline crack flaw were analyzed. The principle and detection method of magnetic flux leakage testing were studied. And the experiment and the experimental results are analyzed, the corresponding rule was obtained.

Keywords: oil pipeline, crack flaw, magnetic flux leakage testing technology.

INFORMATION TECHNOLOGY

20 Establishment and Application of Internal Control Information. Liang Xiaotao.

Abstract: The paper stated the challenge and effect of information application on the internal control of enterprise, the corresponding changes of internal control system to adapt to environment changes, and how to strengthen the internal control for enterprises under the environment of information. And the construction of internal control information is discussed on basis of the practice of enterprise management.

Keywords: enterprise internal control, information, application.

SAFETY TECHNOLOGY

23 Hazard of Stray Current and Preventive Measures. Zhang Weiquan

Abstract: The definition, characteristics, and causes of stray current were briefly introduced. The leakage and fire explosion accidents induced by stray current in flammable and explosive place were particularized, the reasons causing accident were analyzed, and some countermeasures for the prevention of accidents were put forward.

Keywords: stray current, hazard, preventive measures.

26 Analysis on Electrostatic Conduction Fault of Refueling Gun and Preventive Measures. Huang Xianping.

Abstract: The hazard of electrostatic conduction fault of refueling gun and preventive measures were introduced. The electrostatic conduction fault easily oc-

curred in the application of refueling guns were analyzed, and some preventive measures and the suggestions for improvement are put forward, in order to ensure the safe production and normal operation of gas station.

Keywords: gas gun, electrostatic, fault analysis, preventive measures.

29 Discussion on Safety Distance and Fire Interval in the New Standard for Filling Station. Xu Min, Xu Bin, Liu Yongqiang.

Abstract: The new revised national standard "Code for design and construction of filling station" (GB50156—2012) replaced the concept of fireproof distance with the safety distance and fire interval, but without corresponding definition. Referring to other design specifications, the concepts of safety distance and fire interval were preliminarily analyzed. The terms in the revised specification were considered to be more rigorous, standardized. But the expression of fire distance still exists in the items and their interpretations, and some suggestions on the relevant content were put forward.

Keywords: filling station, safety interval, fireproof distance, safety distance.

QUANTITY AND QUALITY MANAGEMENT

33 Thoughts on Strengthening Oil Quantity Management of Gas Station. Shu Xinliang, Xue Shunyong.

Abstract: The oil quantity management method in gas station and the current shortcomings in operation were introduced. It was suggested to strengthen the awareness, confirm the goals, do a solid job of regulating basic work of gas station management, strengthen the two key links monitoring of transportation and unloading, strengthen the fuel consumption management, further performance appraisal and increase the incentive mechanism, by which the oil quantity management could be improved consistently.

Keywords: gas station, quantity management, suggestions.

SAFETY MANAGEMENT

36 Risk Analysis of Oil Vapor Recovery System Transformation in Gas Station and Control Measures. Liu Yuping.

Abstract: The risks existing in oil vapor recovery system transformation in gas station were analyzed from the aspects of personnel, equipments, and operation process, and the relevant management and technical measures were put forward for control and elimination of risks, including rigorous on-site supervision, regulating operation process, so as to realize the safety of oil vapor recovery system transformation.

Keywords: gas station, oil vapor recovery transformation, risk, control.

39 Problems of Capital Security Management in Gas Station and Countermeasures. Hao Minhong.

Abstract: The problems existing in the capital security management in gas station are pointed out such that the employee safety awareness is not strong, gas station hardware facilities is not perfect, the blind area exists in supervision of doorstep collection service, and emergency response ability is insufficient. In view of the above problems, the corresponding improvement measures and recommendations are presented.

Keywords: gas station, capital management, problems, countermeasures.

OPERATION MANAGEMENT


42 Discussion on Management of Variation Order in Oil Depot Project. Wang Jun, Zhang Bo.

Abstract: Based on the definition of project variation, the main factors causing variation order of oil depot project were analyzed and summarized. The major problems existing in the variation order were pointed out, and the measures to strengthen management of variation order were proposed.

Keywords: oil depot, project variation, variation order, management.

连云港振兴集团石化设备制造有限公司竭诚为您提供
以下产品和服务，公司董事长韩新生热诚欢迎您考察指导！

储罐用设备





码头用设备



公路/铁路用设备



自动化



欢迎索取样本资料！

LIANYUNGANG ZHENXING(GROUP) PETROCHEMICAL EQUIPMENT MANUFACTURE CO., LTD
地址：连云港市经济开发区大浦工业园云桥路10号 邮编：222006
电话：0518-85150100 85152700 Http://www.zxpeco.com
传真：0518-85152706 E-mail: zxsh@zxpeco.com