
ISSN 1008-2263 CN 11-3945/TE

OIL DEPOT AND GAS STATION



SHIYOUKU YU JIAYOUZHAN



微信公众号: opwchina

优必得石油设备(苏州)有限公司 www.opwglobal.com.cn

ISSN 1008-2263





2016 **#** 4 m

第25卷 总第146期 Vol.25 Total No.146



石油库的加油站

SHI YOU KU YU JIA YOU ZHAN

A+ 1- 1- 11

1992 年创刊(双月刊) 第25卷 第4期 总第 146 期 2016年8月20日出版

编委会名誉主任:李春光 张海潮 编委会主任: 左兴凯

副主任:郭飞鸿 王文联 王维民 王 靓

特邀顾问: 吕 品 柴志明 委员:

张秀来 王洪川 徐福斌 张紫傲 冯培育 李玉杏 芮继强 陈必文 尹超明 任士宪 杜予斌 杨计明 黄 河 李一庆 郑京华 贾约鹏 罗开勇 阎 华 黄炳利 柳湘滨 张天明 罗统华 牛竞民 王津培 韩庆跃 刘华斌 王 敏 韩 杰 夏凤梧 王 安 戴福俊 周雪洪 徐江桥 刘 胜 何 明 张 毅 卜文平 高劲松 杜道林 沈青祁 杜红岩 周家祥 韩 钧 金万刚 社长:左兴凯

副社长:郭飞鸿 王文联

主编:王维民 副主编:金万刚 责任编辑: 齐凤云

主管:中国石油化工集团公司 主办:中国石化销售有限公司 编辑出版:《石油库与加油站》杂志社 国内发行:《石油库与加油站》杂志社 地址:北京市东城区广渠家园6号楼 303室

邮编:100022

电话:(010)67006041;67006042

传真:(010)67006043

E - mail: sykjyz@ vip. sina. com 国外发行:中国图书进出口总公司 国外发行代号:2263BM

印刷:廊坊飞腾印刷包装有限公司 厂址:廊坊市安次区永华道25号 邮编:065000

标准连续出版物号: ISSN 1008 - 2263 CN 11 - 3945/TE

广告许可证号:京东工商广字第8033号 国内定价:每册 15 元,全年 90 元

本刊对所载图文拥有 版权、未经允许、不得转载 或复制。本刊保留追诉的 **34**38888888

次 目

	1項:	运技术			
	1	LED 灯具在加油站的应用	程	琪	
	5	双层油罐的基本技术问题和设备选型的思路	曹	琛	
	9	油罐电动阀动密封改进的探索	王台	学军	
	油	气管道			
	11	埋地钢制管道防腐阴极保护电流漏损的检测与控制			
		李晓越 考丹丹 徐克明	郭治	共印	
	安	全技术			
	14	美国油库消防系统运行管理标准的先进性介绍		•••	
		孙翠林 李年杰 孟虎林 李 根	马仁	韦平	
	17	油库罐区泡沫灭火系统的设计 王文娟	贾	丽	
	数	质量管理			
	19	柴油堵塞倾向性测定时间的不确定度评定	朱玉		
	22	基于 HACCP 的喷气燃料质量监控的可行性探讨 ···········		•••	
		朱建军	王	立	
	26	微库仑法测定汽油中氯含量条件的优化 …	刘东	忠华	
	安	全管理			
	29	运用安全心理学提高加油站安全管理水平	张	琪	
	32	油罐车运输安全隐患的分析与应对措施	张	蓉	
	经	营管理			
	34	成品油外采询比价机制的探讨	夏原	凤梧	
	37	加油站实施"一站一策"营销的措施及成效	黄ノ	乃文	
	39	加油站顾客满意度持续改进的研究	南金	刘飞	
报道及其他					
	4	今年上半年全国安全生产形势总体稳定			
	13	中国石化安全理念、方针、目标			
	21	中国石化安全守则			
	44	2016 年第 4 期广告目次			

[后插1]《石油库与加油站》杂志投稿须知



OIL DEPOT AND GAS STATION

Bimonthly, Started Publication in 1992 Vol. 25, No. 4 No. 146 totally Aug 20, 2016

Honorary Chairman of Editorial Committee: Li Chunguang, Zhang Haichao

Chairman of Editorial Committee: Zuo Xingkai Vice Chairman of Editorial Committee: Guo Feihong, Wang Wenlian, Wang Weimin, Wang Liang Special Consultamts: Lu Pin, Chai Zhiming

Members: Zhang Xiulai, Wang Hongchuan, Xu Fubin, Zhang ziao, Feng Peiyu, Li Yuxing, Rui Jiqiang, Chen Biwen, Yin Chaoming, Ren Shixian, Du Yubin, Yang Jiming, Huang He, Li Yiqing, Zheng Jinghua, Jia Yuepeng, Luo Kaiyong, Yan Hua, Huang bingli, Liu Xiangbin, Zhang Tianming, Luo Tonghua, Niu Jingmin, Wang Jinpei, Han Qingyue, Liu Huabin, Wang Min, Han Jie, Xia Fengwu, Wang An, Dai Fujun, Zhou Xuehong, Xu Jiangqiao, Liu Sheng, He Ming, Zhang Yi, Bu Wenping, Gao Jinsong, Du Daolin, Shen Qingqi, Du Hongyan, Zhou Jiaxiang, Han Jun, Jin Wangang

Director: Zuo Xingkai

Vice Director: Guo Feihong, Wang Wenlian

Editor-in-Chief: Wang Weimin Vice Editor-in-Chief: Jin Wangang

Editor-in-Charge: Qi Fengyun

Responsible Department: China Petrochemical Corporation (SINOPEC)

Sponsor: SINOPEC Sales Company

Publisher: Editorial Office of Oil Depots and Oil Stations

Stations

Distributor (**Domestic**): Editorial Office of Oil Depots and Oil Stations

Address: Building No. 6, Guangqujiayuan, Dongcheng District, Beijing

Postcode: 100022

Tel: (010) 67006041; 67006042

Fax: (010) 67006043

E-mail: sykjyz@ vip. sina. com

Distributor (Abroad): China National Publication Import & Export Corporation

Printer: Fei Teng Printing Co. Ltd of Langfang Address: No. 25, Yonghua Dao Ave Langfang Postcode: 065000

ISSN 1008-2263; CN11-3945/TE

No. of Ad. License: 8033, Dongcheng District, Beijing

Domestic Price: RMB90 per year

Copyright gor all originally published reports.

· II ·

Contents and Abstracts

STORAGE TECHNOLOGY

1 Application of LED Lamps in Gas Stations. Cheng Qi.

Abstract: In view of the disadvantages of traditional lamps of high energy consumption, low color rendering, and short service life, the advantages of LED, such as long service life, low power, small volume, high brightness, less heat radiation, firmness and durability, etc., are introduced. Based on the investigation of lamps used in domestic gas stations, the effects of LED lamps applied in two gas stations are analyzed, and some advices are proposed for the application of LED lamps in gas stations in the future.

Key words: gas station, application, LED lamp, effect, analysis.

5 The Selection Idea of Double - Layer Oil Tank in China. Cao Chen.

Abstract: The present situation of the application of double – layer tanks in the gas station in China is introduced, and the definition, main characteristics and the function of the double – layer oil tank are described. The idea of selecting double tank is proposed from a global, scientific, regulatory perspective.

Key words: gas station, double - layer tank, type selection, idea, discussion.

9 Discussion on Transformation of Dynamic Sealing of Oil Tank Electric Valve. Wang Xuejun.

Abstract: In view of the dynamic seal leakage problem of the electric valve used in an oil depot, 2 sets of solutions are put forward. The first method is to replace the fluorine sealing ring. The second is the innovative use of graphite packing ring instead of the framework seal. The second method has the advantages of short maintenance time, low labor intensity and low cost, avoiding the floating tray to fall to the tank bottom and reladling when solving tank root valve leakage.

Key words: oil tank, electric valve, dynamic seal, leakage, solution.

OIL AND GAS PIPELINE

11 Detection and Control of Current Leakage of Cathodic Protection System for Buried Steel Pipeline. Li Xiaoyue, Kao Dandan, Xu Keming, Guo Hongyin.

Abstract: The buried steel pipeline is generally protected by using the anti – corrosive coating and cathodic protection measures. The damage of anticorrosion layer will cause current leakage of cathodic protection system. The reasons causing current leakage of the cathodic protection, such as anticorrosion layer damage, aging failure of the overall anticorrosive layer, failure of insulating flange or grounding battery, and metallic connection of the protection pipe with other pipe, are analyzed, and the corresponding control measures are proposed. The measures to prevent the over negative potential of cathodic protection are also put forward.

Key words: buried pipeline, cathodic protection, current leakage, control, measures.

SAFETY TECHNOLOGY

14 Research on Advanced Operation Management Standards of Oil Depot Fire Protection System in America. Sun Cuilin, Li Nianjie, Meng Hulin, Li Gen, Ma Weiping.

Abstract: According to the lower frequency problem of facilities inspection existing in the domestic operation management standard of fire protection system in oil depot, the advanced experience and recommended practices in the aspects of management system, equipment inspection and maintenance, and emergency exercise included in the specification NFPA25 – 2011 issued by the American National Fire Protection Association, are introduced and compared with the domestic relevant fire protection system standards. And some suggestions on improving domestic oil depot fire protection standards are presented.

Key words: the United States, oil depot, fire protection system, management standard, research.

17 Design of Foam Extinguishing System for Tank Farm in Oil Depot. Wang Wenjuan, Jia Li.

Abstract: The general technical requirements for foam extinguishing system in oil depot are introduced. Taking the design of foam extinguishing system for fixed roof tank as an example, according to the known conditions, the parameters including foam mixture volume, number of foam generators, foam

liquid reserves and foam pipe diameter are calculated, and the advice for equipment selection and piping layout of foam extinguishing system are proposed.

Key words: oil depot, tank farm, foam, fire extinguishing system, design.

QUANTITY AND QUALITY MANAGEMENT

19 Evaluation of Uncertainty in Determining Filter Blocking Tendency of Diesel. Zhu Zhenrong.

Abstract: Based on the measurement of filter blocking tendency of diesel denoted by time, according to the rule of measuring uncertainty, the mathematical model was established and used to analyze and evaluate the uncertainty components in the determination process. It is pointed out that the uncertainty of diesel blocking tendency time measured mainly come from the effluence of repeatability test, pressure of the vacuum pump, measurement of samples volume, determination of stopwatch time and temperature of the sample, and the feasibility and accuracy of the method was scientifically evaluated.

Key words: diesel fuel, blocking, tendency, determination time, uncertainty, evaluation.

22 Feasibility Study of Jet Fuel Quality Monitoring Based on HACCP. Zhu Jianjun, Wang Li.

Abstract: The basic principle of the Hazard Analysis and Critical Control Point (HACCP), as a guarantee to prevent food from biological, chemical, and physical hazards, and the relation with the Good Manufacturing Practices (GMP) and the Sanitation Standard Operating Procedures (SSOP) are introduced, and the importance of jet fuel quality monitoring is emphasized. The ideas of monitoring jet fuel quality using HACCP is proposed, together with the possible problems that shoul.

Key words: HACCP, jet fuel, quality monitoring, feasibility, discussion.

26 Optimization of Determining Method of Chlorine Content in Gasoline by Microcoulometry. Zheng Chunling, Liu Zhonghua.

Abstract: According to the problems existing currently in determination of chlorine content in gasoline using microcoulometry, such as the instable baseline, low conversion rate, over – adjusting peak, and tailed peak, the effects of five factors, including bias voltage, sampling resistance, gain, gas flow

rate, sample volume on the test results is discussed. The optimized test conditions are proposed, laying the foundation for the accurate determination of chlorine content in gasoline.

Key words: microcoulometry, gasoline, chlorine content, determination conditions, optimization.

SAFETY MANAGEMENT

29 Using Safety Psychology to Improve Safety Management Level of Gas Station. Zhang Qi.

Abstract: The basic concept of safety psychology is briefly introduced, and from the two aspects of unsafe factors of psychological disorders and individual adverse psychological factors, the violations phenomenon is analyzed. The measures to improve gas station safety management using safety psychology are proposed: the first is to change the simplex training method and implement diverse safety education; the second is to improve the working environment and optimize the working conditions; the third is to play the role of incentives and mobilize the enthusiasm for the safety management; the forth is to alleviate psychological pressure and enhance the self – relaxation ability of employee.

Key words: gas station, application, safety psychology, safety management, measures.

32 Hazard Analysis of Oil Transportation by Road and Countermeasures. Zhang Rong

Abstract: In view of the safety management of road transportation of oil products, the hidden danger factors existing in the four links of carrier, vehicle, journey, and parking in the road transportation process are analyzed, and the corresponding security measures are put forward.

Key words: oil product, tanker, hidden danger, analysis, countermeasures.

OPERATION MANAGEMENT

34 Discussion on Price Inquiry and Comparison Mechanism for Procurement of Oil Products. Xia Fengwu.

Abstract: Taking the SINOPEC Shanghai Oil Products Company as an example, the origin, function and significance of external procurement of oil products by SINOPEC Corp., and the formulating principles, methods, processes of the price inquiry and comparison mechanism are introduced. The implementation of the procurement mechanism shows its

advantages of being open and transparent, maximizing the resource benefit, protecting business personnel, and improving market competitiveness, and the disadvantages of longer decision – making process and difficult contract execution, providing a reference for procurement business of oil products.

Key words: oil product, external procurement, price inquiry and comparison, mechanism, discussion.

37 Measures of and Effects Executing " One Station, One Strategy" Marketing Mode in Gas Stations. Huang Naiwen.

Abstract: The practices and effectiveness of executing different marketing strategy in different gas stations (" One Station, One Strategy") of SINOPEC Jiangsu Nantong Oil Products Company is introduced: the first is to establish a business philosophy of " strong retail leading to a powerful company" through the implementation of differentiated service, strict examination, and on – site guidance; the second is to improve customer files, optimize consumption environment, and develop delivery service; the third is to develop the business of different products according to the location of gas stations.

Key words: gas station, marketing, measures, effect.

39 Research on Continual Improvement of Customer Satisfaction in Gas Station. Nan Jianfei.

Abstract: The relations of the customer satisfaction with continual improvement are described, and the significance and reasons of the continual improvement of customer satisfaction in gas station are analyzed. The in - depth investigation, data analysis, factor screening and the implementation workflow which are required for the continual improvement of gas station customer satisfaction are introduced, some strategies for the continual improvement of customer satisfaction are put forward, the common used methods for the continual improvement of customer satisfaction are presented, such as telephone access, issuing questionnaire, on - site visits, and conversazione, providing a reference for oil products sales enterprises to improve customer relationship management level and customer satisfaction.

Key words: oil product sales enterprise, customer satisfaction, continual improvement, discussion.

· IV ·













国家标准参与起草者 3DFF油罐自主知识产权 国家科技创新基金项目 中国人保质量承保 专注石油/化工/环保产品

SF双层油罐

可承受罐顶覆砂石重量和50吨车载荷作用

罩棚下SF双层油罐

可承受罐顶覆砂石重量和110吨重车载荷作用





























山东万普海容石油设备科技发展有限公司

地址: 山东省滨州市经济开发区渤海24路799号 传真: 0543-5167333/5167111 邮编: 256600

服务专线: 400-188-0628

---www.oneupchina.com---