★中国核心期刊 (遴选) 数据库收录期刊 ★中国学术期刊综合评价数据库 (CAJCED)统计源期刊



OIL DEPOT AND GAS STATION



SHIYOUKU YU JIAYOUZHAN



优必得石油设备(苏州)有限公司 www.opwglobal.com.cn

ISSN 1008-2263



万方数据



2018 第 1 期

第27卷 总第155期 Vol.27 Total No.155



石油库的加油铝

SHI YOU KU YU JIA YOU ZHAN

1992 年创刊(双月刊) 第27卷 第1期 总第 155 期 2018年2月20日出版

编委会名誉主任:张海潮 夏世祥 编委会主任:张 毅

副主任:佟德健 王 靓 王维民 特邀顾问:叶慧青 谢 劼 王顺江

韩祥峰

委员:

李玉杏 姜 晖 许渝峰 洪 威 徐福斌 冯东明 秦茂伟 聂时榜 朱建德 王志坤 王 琴 邹恩庭 郭自强 黄 河 李一庆 卢品宝 黄流雄 罗开勇 伏 韬 孙维跃 李国营 李清杰 刘华斌 谭 毅 刘 悦 田树源 李 炜 冯培育 冯宇飞 王 飞 任士宪 沈李沪 徐永生 戴福俊 付毅波 江 宁 卜文平 高劲松 杜道林 沈青祁 杜红岩 周家祥 韩 钧 金万刚

社长:张 毅 副社长:佟德健 主编:王 靓 副主编:金万刚

责任编辑: 齐凤云

主管:中国石油化工集团公司 主办:中国石化销售有限公司

编辑出版:《石油库与加油站》杂志社

国内发行:《石油库与加油站》杂志社 地址:北京市东城区广渠家园6号楼 303 室

邮编:100022

电话:(010)67006041;67006042

传真:(010)67006043

E - mail: sykjyz@ vip. sina. com 国外发行:中国图书进出口总公司 国外发行代号:2263BM

印刷:廊坊飞腾印刷包装有限公司 厂址:廊坊市安次区永华道25号 邮编:065000

标准连续出版物号: CN 11 - 3945/TE

广告许可:京东工商广登字 20170081 号 国内定价:每册 15 元,全年90 元

本何均为美田共興市 域的 木棒大虾 不得转散 或寒寒 科 沙 联 鹤 鸭 绿 婶

Ø 次

储运技术	
1	加油站潜油泵提枪不出油的故障及处理 林宏波
加气站	
5	天然气点供项目客户开发的原则及建设运营管理 洪铭声
油气管道	
8	安徽二期成品油管道顺序输送的运行分析 李鑫伟
环境保护	
13	成品油码头油气回收存在的问题及应对措施 邹秀健
15	成品油库清污分流和含油污水系统问题的探讨 李莹莹
数质量管理	
18	油品销售企业船舶运输损耗管理探析 谢 鑫
22	油品质量风险动态管控体系的构建 柯 立
25	成品油销售企业质检室设计要点 毛 忠 花虎南
安全管理	
28	以信息化为支撑的"四全四员"安全督查管理实践 张 磊
33	油库码头燃料油装卸过程中存在的安全环保问题及对策
	茅兴智
经营管理	
36	加油站潜在销售能力的理论测算和实证分析
41	加油站实物资产管理存在的问题及对策 陈红胜
报道及其他	
[中	·插 4] 中国石化集团公司安全生产光荣榜(销售企业部分)
12	2017 年中央企业年利润首破 1.4 万亿元
27	《石油库与加油站》杂志 2017 年度合订本征订启事
32	2018 年第1 期广告目次
35	安监总局 6 项措施激励安全生产守信
43	2018 年我国成品油需求增速将放缓
44	《石油库与加油站》杂志投稿须知

《石油库与加油站》杂志投稿须知



OIL DEPOT AND GAS STATION

Bimonthly, Started Publication in 1992 Vol. 27, No. 1 No. 155 totally Feb 20, 2018

Honorary Chairman of Editorial Committee: Zhang Haichao, Xia Shixiang

Chairman of Editorial Committee: Zhang Yi

Vice Chairman of Editorial Committee: Tong Dejiang, Wang Liang, Wang Weimin

Special Consultamts: Ye Huiqing, Xie Jie, Wang Shunjiang, Han Xiangfeng

Members: Li Yuxing, Jiang Hui, Xu Yufeng, Hong Wei, Xu Fubin, Feng Dongming, Qin Maowei, Nie Shibang, Zhu Jiande, Wang Zhikun, Wang Qin, Zou Enting, Guo Ziqiang, Huang He, Li Yiqing, Lu Pinbao, Huang Liuxiong, Luo Kaiyong, Fu Tao, Sun Weiyue, Li Guoying, Li Qingjie, Liu Huabin, Tan Yi, Liu Yue, Tian Shuyuan, Li Wei, Feng Peiyu, Feng Yufei, Wang Fei, Ren Shixian, Shen Lihu, Xu Yongsheng, Dai Fujun, Fu Yibo, Jiang Ning, Bu Wenping, Gao Jinsong, Du Daolin, Shen Qingqi, Du Hongyan, Zhou Jiaxiang, Han Jun, Jin Wangang

Director: Zhang Yi

Vice Director: Tong Dejian Editor-in-Chief: Wang Liang

Vice Editor-in-Chief: Jin Wangang

Editor-in-Charge: Qi Fengyun

Responsible Department: China Petrochemical Corporation (SINOPEC)

Sponsor: SINOPEC Sales Company

Publisher: Editorial Office of Oil Depots and Oil Stations

Distributor (**Domestic**): Editorial Office of Oil Depots and Oil Stations

Address: Building No. 6, Guangqujiayuan, Dongcheng District, Beijing

Postcode: 100022

Tel: (010) 67006041; 67006042

Fax: (010) 67006043

E-mail: sykjyz@ vip. sina. com

Distributor (Abroad): China National Publication Import & Export Corporation

Printer: Fei Teng Printing Co. Ltd of Langfang Address: No. 25, Yonghua Dao Ave Langfang

Postcode: 065000

ISSN 1008-2263; CN11-3945/TE

No. of Ad. License: 20170081, Dongcheng District, Beijing

Domestic Price: RMB90 per year

Copyright gor all originally published reports.

· II ·

Contents and Abstracts

STORAGE TECHNOLOGY

1 Common Faults of Submersible Oil Pump in Gas Station and Solving Solutions. Lin Hongbo.

Abstract: Based on the brief introduction of the structure, working process and electrical control mode of submersible oil pump in gas station, combining the actual work, the reasons causing the faults of submersible pump are analyzed, and the basic diagnostic method is put forward. The specific measures are proposed from the aspects of electrical control circuit, internal accessories fault, improvement of the process design, and implementation of maintenance and the training, to ensure the normal operation of the gas station.

Key words: gas station, submersible pump, fault, analysis, treatment.

GAS REFUELING STATION

5 Development Principles, Construction and Operation Management of Natural Gas Offline Supply Project. Hong Mingsheng.

Abstract: According to the fact that some customers are unable to connect the natural gas (NG) pipeline under the influence of many factors during the process of replacement of coal by natural gas, a solution for building LNG regasification station and CNG decompression station is proposed. The concept and classification of natural gas offline supply projects are introduced. Base on the customer requirements for NG quality, distance to custom, custom site, NG consumption, equipment investment and other factors, the selection principle of processes for offline supply project is put forward. On the basis of the differences of industrial and civil users, the principle for customer development is presented. According to relevant policies, NG supply plan, measurement, settlement, safety management and verification, the suggestions for the project construction and operation management are proposed, providing a reference for the construction and operation management of the offline supply project.

Key words: natural gas, gas refueling station, offline supply project, development principle, construction, operation management, suggestion.

OIL AND GAS PIPELINE

8 Analysis on Sequential Transport Operation of Anhui Phase 2 Oil Product Pipeline. Li Xinwei.

Abstract: Taking the oil product pipeline of the Anhui project Phase 2 of SINOPEC Corporation as an example, based on the oil pipeline hydraulic characteristics and sequential transport theory, the critical Reynolds number, the critical flow rate, and the hydraulic friction coefficient of every section of the pipeline were calculated and analyzed, and the hydraulic calculation formula for each section was summed up, providing the theoretical basis for pumps configuration and energy efficient operation.

Key words: oil product, pipeline, sequential transport, critical flow, hydraulic calculation, analysis.

ENVIRONMENTAL PROTECTION

13 Existing Problems of Oil Vapor Recovery in Oil Product Wharf and Countermeasures. Zou Xiujian.

Abstract: In view of the current status of oil vapor recovery in oil products wharf and the existing problems such as unsound policy norms, incomplete ship set, condition restriction of the old wharf, and lack of relevant experience, the corresponding countermeasures are put forward: the first is to communicate timely with relevant departments, and to learn and summarize the pilot experience; the second is to utilize combined process of condensation and adsorption or membrane and adsorption for oil vapor recovery in the wharf; the third is to actively promote relevant standards and regulations as soon as possible; and the forth is to actively strive for relevant policy support.

Key words: oil product, wharf, oil vapor recovery, current situation, problem, countermeasures.

15 Discussion on the Problem of Sewage Diversion and Oily Sewage System in Oil Depot. Li Yingying. Abstract: Based on the investigation and statistical analysis of drainage systems in 6 oil depots locating in the East China, North China and Northwest district, it is found that the initial polluted rainwater has not been effectively treated, the operation of the sewage diversion system is not optimistic, and then a certain risk of environmental pollution problems exist in some oil depot. Some advices are suggested that the slightly – polluted rainwater is treated by a three – stage oil separation and sedimentation tank, the sewage collecting pipe in oil depot is perfected, and the ability of sewage detection is improved.

Key words: oil depot, sewage treatment, system, problem, countermeasures.

QUANTITY AND QUALITY MANAGEMENT

18 Discussion on Loss Control of Ship Transportation

in Oil Sale Enterprises. Xie Xin.

Abstract: Starting from the technical characteristics of oil products and comprehensive loss of ship transportation, the reasons causing loss are analyzed. Two management models, i. e. management of unit quota loss, comprehensive assessment of volume insured transportation, are introduced and compared. The scope of the two models is clarified, providing a reference for oil sales enterprises to reduce shipping loss.

Key words: oil sales enterprises, ship, transportation, loss, management, discussion.

22 Construction of Dynamic Risk Management and Control System for Oil Quality. Ke Li.

Abstract: Through the statistical analysis of the oil quality detection data and the recognition of key risk indicators of oil quality in oil storage, purchase, transportation and marketing, an oil quality management method by integrating three function modules, including oil quality warning index, trend management of oil quality index control chart, and differential control of key indicators of oil quality risk, is proposed. The establishment of oil quality risk management and control system with the characteristics of " internal management for inspection error, active management for quality risk, and key management for key risk" is explored to reduce the risk of oil quality and achieve effective control of oil quality risk.

Key words: oil product, quality, risk, management and control, system, construction.

25 The Key Points in Design of Quality Inspection Room of Oil Product Sales Enterprise. Mao Zhong, Hua Hunan.

Abstract: According to the standards " Code for design of oil depot (GB 50074 - 2014)" and " Specification for design of center laboratory in petrochemical industry (SH/T 3103 - 2009)", combining with the current situation of quality inspection room in oil sales enterprise, the key points in design of quality inspection room are presented from several aspects of location, function layout, electricity, gas and water circuits, ventilation system, test table and other matters needing attention, providing a reference for the relevant enterprises to set up quality inspection room.

Key words: oil product, sales enterprise, quality inspection room, design, key points.

SAFETY MANAGEMENT

28 The Safety Supervision and Management Practice Supported by Information Technology. Zhang Lei.

Abstract: The background, general idea, working framework, specific methods and implementation results of the safety supervision and management practice of "four - all, four - role" supported by infor-

mation technology in SINOPEC Beijing Oil Products Company are introduced. In support of information technology, a safety inspection mode of all – staff participation, all processes management, all – round supervision, and all – weather supervision is created; at the same time, each inspector is trained into several roles of inspector, instructor, analyst, and examiner. The safety process management system is developed with information means to help safety supervision. And then, the plan, execution, analysis and closed loop management of PDCA are strictly implemented. As the result, the enterprise safety management has achieved remarkable results.

Key words: petrochemical sales enterprises, information, safety, supervision, model, innovation, effectiveness.

33 Safety and Environmental Protection Problems during Fuel Oil Loading and Unloading at Oil Depot Wharf and Countermeasures. Mau Xingzhi.

Abstract: According to the characteristics of heavy fuel oil, such as large viscosity, high flash point, and the safety and environmental problems existing in the process of fuel oil loading and unloading at the oil depot wharf, the corresponding countermeasures are put forward. In terms of prevention of fuel oil leakage, the first is to strengthen the monitoring of oil pipeline and flange connection, the second is to strengthen the regulation of cabin changing process, the third is to enhance the communication between on - site personnel, and the forth is to conscientiously implement the ship shore inspection system. In the fire and explosion prevention, the first is to strictly control the fire source, the second is to implement the oil temperature control, and the third is to eliminate static electricity.

Key words: oil depot, wharf, fuel oil, loading and unloading, safety, problems, countermeasures.

OPERATION MANAGEMENT

36 Theoretical Calculation of Potential Sales Capability of Gas Station. Zhang Lei, Liu Yongjie, Qi Chao.

Abstract: The research status of business area theory at home and abroad was briefly introduced. Through the construction of business area model theory of gas station, different types of business area delineation of gas station were analyzed, and the investigation focus and correction coefficient adjustment method for various types of gas station were further distinguished. On the basis of theoretical research, through introducing a number of empirical studies, a relatively mature determination scheme of potential sales capability index of gas station was achieved.

Key words: gas station, business area, potential sales, capacity, calculation, Reilly rule, Huff model.

41 Problems in Physical Assets Management of Gas Station and Countermeasures. Chen Hongsheng.

Abstract: Aiming at the problems existing in management of physical assets in gas station, such as weak management consciousness, unserious inventory check, disjointed management, large difference between accounts and entity, lack of maintenance, excessive maintenance costs, distorted EM system data, and lack of effective supervision, the corresponding countermeasures are put forward: the first is to improve the awareness to jointly manage the physical assets of the gas station; the second is to lay stress on the inventory of assets to strengthen asset allocation management; the third is to strengthen the asset maintenance and management of discarded disposal; the forth is to strengthen information management and improve the asset management level.

Key words: gas station; physical assets; management; problems; countermeasures.

LED油站气站防爆灯区

产品特点 / PRODUCT FEATURES

- 实用新型专利技术产品(专利号: ZL.2014.2.0245850.3, 高达145lm/W,显著 提升照明效果的同时,大大降低用电。
- ▶ 宽电压设计,供电110~240V,不受输出 影响。
- ▶ 可带应急功能,应急电池一次充电可使用 120分钟以上。无需单独配备应急光源,直 接使用照明光源,应急功率可调。



专为加油\气站设计

LED 智能控制标识灯箱∠



智能控制品牌柱灯箱,专利技术(实用 新型专利号:2015.2.0834743.9)日耗电量 最低可达2.2度.



智能控制檐口灯箱,专利技术(实用 新型专利号:2015.2.0834748.1)日耗 电量最低可达5.4度.

智能控制

超低能耗



武汉赵德金科技发展有限公司 WUHAN ZHAODEJIN TECHNOLOGY CO., LTD

地址:湖北省武汉市汉阳区汉阳大道周湾工业园303号

电话:027-84680292 手机:13871560105

传真:027-84461553 邮编:430050

Email:84871036@163.com

服务热线:400-8030-310

ISSN1008-2263 CN11-3945/TE