

★中国核心期刊(遴选)数据库收录期刊
★中国学术期刊综合评价数据库(CAJCED)统计源期刊

ISSN 1008-2263
CN 11-3945/TE

OIL DEPOT AND GAS STATION

石油库与加油站

SHIYOUKU YU JIAYOUZHAN

OPW
a  company

·广告·

DEFINING | WHAT'S NEXT

三次油气回收系统

一款能带来
收益的
油气处理装置

油气
回收率高达

99%

¥

高
效
益



扫码关注



微信扫码



微信扫码

系统符合国家环保标准要求及北京等地方标准。

优必得石油设备(苏州)有限公司
www.opwglobal.com.cn

中国工厂
电话: 0512-62745328

上海分公司
电话: 021-2492800

北京分公司
电话: 010-60589018

广州分公司
电话: 020-28865785

ISSN 1008-2263



9 771008 226204



中国石化集团石油库与加油站事业部

2020 第 4 期

第29卷 总第170期

Vol.29 Total No.170



Honorary Chairman of Editorial Committee: Zhao Rifeng, Xia Shixiang

Chairman of Editorial Committee: Zhang Yi

Vice Chairman of Editorial Committee: Tong Dejiang, Wang Liang, Wang Weimin

Special Consultants: Xu Weidong, Ye Huiqing, Di Chunyu, Wang Shunjiang

Members: Li Yuxing, Xu Yufeng, Hong Wei, Xu Fubin, Zhao Xunben, Qin Maowei, Nie Shibang, Zhu Jiande, Wang Zhikun, Wang Qin, Zou Enting, Guo Ziqiang, Cao Xiaopan, Li Yiqing, Lu Pinbao, Huang Liuxiong, Shi Jinxian, Fu Tao, Huang Bingli, Zhao Dayi, Xu Hailin, Li Qingjie, Liu Huabin, Tan Yi, Zhong Wei, Tian Shuyuan, Yang Zhen, Feng Peiyu, Feng Yufei, Wang Fei, Qian Jianhua, Shen Lihu, Xu Yongsheng, Liu Sheng, Fu Yibo, Jiang Ning, Bu Wenping, Gao Jinsong, Xie Yun, Du Daolin, Shen Qingqi, Zhou Jiexiang, Han Jun, Jin Wangang

Director: Zhang Yi

Vice Director: Tong Dejian

Editor-in-Chief: Wang Liang

Vice Editor-in-Chief: Jin Wangang

Editor-in-Charge: Qi Fengyun

Responsible Department: China Petrochemical Corporation (SINOPEC)

Sponsor: SINOPEC Sales Company

Publisher: Editorial Office of Oil Depots and Oil Stations

Distributor (Domestic): Editorial Office of Oil Depots and Oil Stations

Address: Building No. 6, Guangqujiayuan, Dongcheng District, Beijing

Postcode: 100022

Tel: (010) 67006041; 67006042

Fax: (010) 67006043

E-mail: sykjyz@vip.sina.com

Distributor (Abroad): China National Publication Import & Export Corporation

Printer: Jia Yi Printing Co. Ltd of Langfang

Address: Nan xin zhuang village, qiu zhuang township, Langfang

Postcode: 065000

ISSN 1008—2263; **CN**11—3945/TE

No. of Ad. License: 20170081, Dongcheng District, Beijing

Domestic Price: RMB90 per year

Copyright for all originally published reports.

Contents and Abstracts

STORAGE TECHNOLOGY

1. Discussion on Storage and Transportation of Diesel Exhaust Fluid. Zhu Zongmin.

Abstract: Based on the brief description of the main characteristics, technical standards and main storage and transportation methods of diesel exhaust fluid (DEF) product, the problems in storage and transportation of unpackaged DEF product in China are discussed. Taking the sales of DEF by SINOPEC Zhejiang Oil Products Company as an example, the measures of reasonable layout of the production plant, construction of secondary distribution center, and construction of DEF facilities in the gas station are put forward to reduce the sales cost and ensure the product quality. At the same time, the market prospect of DEF is prospected.

Key words: diesel vehicle, exhaust fluid, storage and transportation, problems, discussion.

6 The Problems in Application of Servo Liquidometer in Internal Floating Roof Tank and Countermeasures. Guo Jianxin.

Abstract: The installation and function of the stabilizing pipe of servo liquidometer in the internal floating roof tank is briefly introduced. In view of the problems of safety, environmental protection and oil loss caused by the installation of servo liquidometer on the perforated stabilizing pipe, the countermeasures of installing the flexible expansion sleeve outside the stabilizing pipe are put forward. The selection, installation, operation and application of flexible expansion sleeve are described, which can provide guarantee for safe operation of oil tank.

Key words: oil depot, internal floating roof, storage tank, servo liquidometer, stabilizing pipe, problems, countermeasures.

OIL AND GAS PIPELINE

9 Further Application of Pump Efficiency Test Based on SCADA System. Zhao Yong, Li Xinwei, Dong Mu, Qiu Long.

Abstract: Due to the interference factors such as difficult adjustment of temporary working conditions,

deviation of readings, unstable operation parameters, small amount and discontinuity of data acquisition in the manual test of pump efficiency in Changling – Chenzhou oil product pipeline of SINOPEC, the problems of poor stability and representativeness exist in the acquired data. By using the SCADA system, the signal data of integrated protection system in the electric microcomputer and the operation parameters of the pump unit are collected directly, and embedding the calculation formula of the pump efficiency test in the system, the pump efficiency test can be carried out conveniently and analyzed accurately, which can provide the data support for the optimal operation of the pipeline transportation and the energy conservation and consumption reduction.

Key words: oil product, oil pipeline, oil pump, efficiency, test, SCADA system, application.

INFORMATION TECHNOLOGY

13 Construction of Capital Management Platform of SINOPEC Beijing Oil Products Company. Song Siying.

Abstract: In view of the urgent need to improve the level of capital management, the complexity of retail business and payment mode, the disconnection of wholesale and retail business with payment, and the multiple application systems and the data isolation involved in financial accounting in the development of diversified business of SINOPEC Beijing Oil Products Company, a construction plan of capital management platform with standard information system interface is put forward in order to realize the closed – loop management of sales capital, online transaction, and daily settlement. The main content, construction principle, system structure, module design, safety design, standardization and supporting management measures of the platform are introduced. The implementation of the platform can reduce the workload of staff through the automatic printing of delivery note, enhance the accuracy of transactions through the automatic delivery of electronic handover details to the bank, simplify the front – line capital management through the one key completion of capital daily settlement, innovate the capital management means via the automatic reconciliation and clearing, realize the standardization of payment access, improve the

capital supervision efficiency, and then can avoid part of capital risk, realize real – time supervision and risk prevention, and improve work efficiency.

Key words: oil sales enterprise, capital, management, platform, construction.

ENVIRONMENTAL PROTECTION

22 Analysis on Fluctuation of Gas – Liquid Ratio of Secondary Oil Vapor Recovery in Gas Station and Countermeasures. Teng Tianjiao.

Abstract: Based on the brief introduction of the relevant standards and requirements for detection of oil vapor recovery system of gas stations in China, the United States and Germany, the relevant data of fluctuation of gas – liquid ratio of the secondary oil vapor recovery system in five gas stations in a certain district is compared, and it is pointed out that the fluctuation of gas – liquid ratio is affected by the components of oil, the volatilization rate of gasoline and the intact rate of equipment. The measures to improve gas – liquid ratio are proposed, such as regulating oil refueling operation, replacing centralized oil vapor recovery by decentralized method, applying electronic gas – liquid ratio control valve, and ensuring the integrity of secondary oil vapor recovery equipment. At the same time, some suggestions are put forward to modify the relevant standards of oil vapor recovery.

Key words: gas station, secondary oil vapor recovery, gas – liquid ratio, data, fluctuation, problems, analysis, countermeasures.

QUANTITY AND QUALITY MANAGEMENT

26 Analysis on the Factors Influencing Lubricity Evaluation of Vehicle Diesel. Li Xiang, Zhou Xiaomei, Niu Linqi, Huang Botao.

Abstract: In the current test methods for evaluating the lubricity of vehicle diesel in China, the requirements for test repeatability and reproducibility are too broad, which makes it difficult for oil sales enterprises to control the quality index and results in unsatisfied comparison test results of relevant data. According to the test experience accumulated in the daily inspection process, the test investigation was carried out from the factors involved in the diesel lubricity test, such as diesel storage mode, test sample temperature, adding mode of test sample, ambient temperature and humidity, wear spot observation mode and test altitude, etc. Many factors

affecting the diesel lubricity test were found, and relevant improvement suggestions were put forward.

Key words: vehicle diesel, lubricity, evaluation, test, influencing factor, analysis.

SAFETY MANAGEMENT

31 The Addition and Subtraction Method of Safety Management in Oil Product Sales Enterprises. Wang Jipeng.

Abstract: The main problems in HSSE management of oil product sales enterprises are analyzed from the aspects of human, material, management and environment, and six additions and four subtractions in HSSE management are put forward. That is, the visualization of system and process, the daily management, the employee satisfaction, the enthusiasm of employees, the work efficiency, and the training of grass - roots employees should be improved by additions; the systems and processes, cost, labor intensity, and habitual violations of employee should be reduced by subtractions.

Key words: oil, sales, enterprise, HSSE, management, addition, subtraction.

OPERATION MANAGEMENT

34 Some Suggestions on Improving Bidding Management Level. Chai Yuxiang.

Abstract: In view of the problems of nonstandard operations before, during and after the bid opening in the bidding management of project construction and material procurement, some suggestions are put forward to improve the bidding management level. Firstly, preparations should be completed in advance to improve the feasibility of the bidding scheme. The demand plan should be operated in advance, the scheme should be prepared strictly and meticulously, and the index decomposition should be implemented layer by layer. Secondly, the key management and control links should be conducted to improve the success rate of one - time bidding. The technical standards of products should be clarified, the bidding process should be strictly controlled, and the management of bid evaluation experts should be strengthened. Thirdly, the service guarantee link should be perfected to improve standardization of bidding management. The publicity and training should be improved to promote concept change, establish rules and regulations, improve

management, supervision and discipline enforcement, and ensure fairness and justice.

Key words: project, construction, materials, procurement, bidding, management, promotion, suggestions.

37 Investment Analysis of Newly - Built and Expanded Oil Product Depots. He Xiaoling.

Abstract: Taking the first level, second level and third level sample oil depots newly built or expanded in SINOPEC in recent years as the basis of research investment, according to the budget data of sample oil depots and the calculation and tracking of some projects, the common law of investment growth change is summarized: ① The oil depots with storage capacity less than 30000 m³ should be built as few as possible. ② The investment, economy and performance of the oil depot with a capacity of 30000 - 80000 m³ are reasonable; ③ Only when the operation volume reaches a certain scale, the oil depot with a storage capacity of more than 100000 m³ can be built, which can provide a reference for the investment of new or expanded oil depot.

Key words: oil product, oil depot, construction, investment, analysis.

42 The Practice of " Three Basics, Four Circulations" Management System in the Anti - Seepage Transformation of Gas Stations. Feng Mingkui.

Abstract: In view of the problems such as high pressure of safe construction, difficult control of construction process management, tight time, heavy task, and centralized task in the anti - seepage transformation of gas stations at present, through the establishment and improvement of the " three basics " management system including basic situation, basic process and basic cycle, and the " four circulations " working mechanism involving operation procedures, skill training, supervision and inspection, assessment and appraise, of the anti - seepage transformation of gas stations, the anti - seepage transformation task of gas station has been completed safely, efficiently and smoothly, which can provide a guarantee for the normal operation and development of enterprises.

Key words: gas station, anti - seepage, transformation, management, mechanism, innovation.



石油库与加油站

SHI YOU KU YU JIA YOU ZHAN

1992 年创刊(双月刊)

第 29 卷 第 3 期

总第 169 期

2020 年 6 月 20 日出版

编委会名誉主任:赵日峰 夏世祥
 编委会主任:张毅
 副主任:佟德健 王靓 王维民
 特邀顾问:许卫东 叶慧青 邱春宇
 王顺江

委员:
 李玉杏 许渝峰 洪威 徐福斌
 赵顺本 秦茂伟 聂时榜 朱建德
 王志坤 王琴 邹恩庭 郭自强
 曹小攀 李一庆 卢品宝 黄流雄
 石锦献 伏韬 黄炳利 赵大毅
 徐海林 李清杰 刘华斌 谭毅
 仲伟 田树源 杨震 冯培育
 冯宇飞 王飞 钱建华 沈李沪
 徐永生 刘胜 付毅波 江宁
 卜文平 高劲松 谢云 杜道林
 沈青祁 周家祥 韩钧 金万刚

社长:张毅
 副社长:佟德健
 主编:王靓
 副主编:金万刚
 责任编辑:齐凤云

主管:中国石油化工集团有限公司
 主办:中国石化集团销售实业有限公司
 编辑出版:《石油库与加油站》杂志社
 国内发行:《石油库与加油站》杂志社
 地址:北京市东城区广渠家园 6 号楼
 303 室
 邮编:100022
 电话:(010)67006041;67006042
 传真:(010)67006043
 E-mail:sykjyz@vip.sina.com
 国外发行:中国图书进出口总公司
 国外发行代号:2263BM
 印刷:廊坊市佳艺印务有限公司
 厂址:廊坊市安次区仇庄乡南辛庄村
 邮编:065000

标准连续出版物号:ISSN 1008 - 2263
 CN 11 - 3945/TE
 广告许可:京东工商广登字 20170081 号
 国内定价:每册 15 元,全年 90 元

本刊对所载图文拥有
 版权,未经许可,不得转载
 或复制,本刊保留追诉的
 权利。

目次

储运技术

- 1 柴油车尾气处理液储运问题的探讨 朱宗敏
- 6 内浮顶储罐伺服液位计应用中存在的问题及对策 郭建新

油气管道

- 9 基于 SCADA 系统进行泵效测试的深化应用.....
- 赵勇 李鑫伟 董牧 邱龙

信息技术

- 13 中国石化北京石油分公司资金管理平台的建设..... 宋思莹

环境保护

- 22 加油站二次油气回收气液比波动问题的分析及对策..... 腾天骄

数质量管理

- 26 车用柴油润滑性评定的影响因素分析.....
- 李想 周笑梅 牛琳琪 黄博涛

安全管理

- 31 成品油销售企业安全管理的加减法..... 王季鹏

经营管理

- 34 提高招标管理水平的几点建议..... 柴玉香
- 37 新建和扩建成品油油库的投资分析..... 何小玲
- 42 加油站防渗改造“三基四循”管理体系的实践 丰明魁

报道及其他

- 5 《石油库与加油站》杂志 2019 年度合订本征订启事
- 21 中国石化发布安全生产专项整治三年行动计划
- 25 中国石化 3 万座加油站实现“一键加油”
- 30 2020 年第 3 期广告目次
- 36 中国石化将在广州建设 20 余座加氢站

LED 加油站气站防爆灯

产品特点 / PRODUCT FEATURES

- 实用新型专利技术产品(专利号: ZL2014.2.0245850.3, 高达145lm/W, 显著提升照明效果的同时, 大大降低用电。
- 宽电压设计, 供电110-240V, 不受输出影响。
- 可带应急功能, 应急电池一次充电可使用120分钟以上。无需单独配备应急光源, 直接使用照明光源, 应急功率可调。



专为加油\气站设计

**节能
高效
安全
环保**

LED 智能控制标识灯箱



夜间效果实拍




夜间效果实拍

智能控制标识灯箱, 专利技术(实用新型专利号: 2015.2.0834748.1)日耗电量最低可达5.4度。

智能控制品牌柱灯箱, 专利技术(实用新型专利号: 2015.2.0834743.9)日耗电量最低可达2.2度。

智能控制

超低能耗

 **武汉赵德金科技发展有限公司**
WUHAN ZHAODEJIN TECHNOLOGY CO., LTD

地址: 湖北省武汉市汉阳区汉阳大道彭家岭178号西门
电话: 027-84660292 手机: 13871560105
传真: 027-84461553 邮编: 430050
Email: 84871034@qq.com
服务热线: **400-8030-318**