

目 次

- 考虑土体强度不均匀性时宽窄基坑坑底隆起稳定研究 郑刚, 俞丹瑶, 程雪松, 潘军, 王若展 (1)
- 强度和变形双控条件下基础尺寸的设计及优化 杨光华, 孙树楷, 刘清华, 贾恺, 姜燕 (5)
- 预留土基坑支护性状的有限元分析 秦会来, 周予启, 周同和, 李冬晓 (9)
- 软土地区偏压基坑抗隆起稳定安全系数的强度折减法研究 史吏, 倪定宇, 闫自海, 陈娟, 胡敏云 (13)
- 基于影像源法的基坑开挖引起的土体水平位移预测 徐日庆, 程康, 应宏伟, 冯苏阳, 林存刚, 杨鸿玉 (17)
- 管廊隧道开挖对上覆在建深基坑影响的三维有限元分析 戴轩, 徐管应, 霍海峰, 程雪松, 闫晓荣 (21)
- 珠海软土工程特性空间异性规律研究 宋许根, 王志勇, 柏威伟, 王哲, 谢书萌, 夏开宗 (25)
- 挥发性有机污染场地原位评价的膜界面探测器 MIP 研究综述 武猛, 蔡国军, 刘松玉, 李学鹏, 王水, 钟道旭, 戴济群 (29)
- 降水井错位布置对基坑预降水引发围护结构侧移的影响 曾超峰, 袁志成, 薛秀丽 (33)
- 逆作法基坑支护结构三维 m 法及工程应用 应宏伟, 王小刚, 郭跃, 胡亚元, 杨学林 (37)
- 邻近地铁隧道的软土深基坑变形实测分析 徐中华, 宗露丹, 沈健, 王卫东 (41)
- 快速地铁列车荷载下软土地基沉降数值模拟研究 雷华阳, 张磊, 许英刚, 梁建文, 巴振宁 (45)
- 桩体刚度对复合地基支承路堤失稳破坏模式的影响研究 郑刚, 郭知一, 杨新煜, 周海祚, 于晓旋, 赵佳鹏, 夏博洋 (49)
- 基坑围护 SMW 工法桩施工对下卧盾构隧道变形影响分析 王占生, 潘皇宋, 庄群虎, 刘建国, 陈秀鸣, 童立元 (53)
- 盾构隧道在可液化场地中的地震响应分析 朱彤, 王睿, 张建民 (57)
- 狭窄基坑条件下基于普朗德尔地基极限承载力公式的隆起稳定性研究 陈艳平 (61)
- 设置 EPS 柔性垫层的刚性挡土墙土压力研究 谢明星, 郑俊杰, 邵安迪, 景丹 (65)
- 天津市基坑抽排地下水水量计量研究 刁钰, 高泽东, 郑刚, 褚振西, 郭勇志, 贾镇阳 (69)
- 基坑倾斜桩支护的变形数值分析 王恩钰, 周海祚, 郑刚, 何晓佩, 杨石飞, 魏建华 (73)
- 微型钢管灌注桩的竖向承载性状研究 潘健, 袁文俊, 韦莎丽, 程赛 (77)
- 基于尖端坡降变化的双层堤基渗透破坏通道上溯研究 贾恺, 汤连生, 曹洪, 杨光华 (81)
- 南京软土地区基坑墙体变形性状研究 万星, 戈铭, 贺智江, 邓松, 丁建文 (85)
- 黏性土复合地基挡墙侧压力研究 李连祥, 黄佳佳, 季相凯 (89)
- 预应力型钢组合支撑受力性能分析及试验研究 胡琦, 施坚, 黄天明, 方华建, 李健平, 陈赟, 张凯 (93)
- 基坑斜-直交替支护桩工作机理分析 郑刚, 何晓佩, 周海祚, 王恩钰, 杨石飞, 魏建华 (97)
- 飞机移动荷载作用下跑道地基响应范围变化规律 张甲峰, 钱建固, 吕玺琳, 李帅, 李军世, 苏尔好 (101)
- 基于 Biot 理论多种简化模型的适用性研究 胡丹, 李芬, 张开银 (105)
- 黄土地区平山造地岩土工程设计方法浅析 曹杰, 张继文, 郑建国, 梁小龙, 刘智, 李攀 (109)
- 天津滨海 Z2 号线盾构隧道接头螺栓比选及抗弯刚度研究 张稳军, 张琪, 张高乐 (113)
- 云母石英片岩片理面力学特征试验研究 吴福宝 (117)
- 刚柔法向接触对混凝土防渗墙应力的影响研究 徐晗, 潘家军, 江泊清, 谭凡, 杨昕光 (121)

| | | |
|--|------------------------------|-------|
| 考虑注浆压力影响锚-土界面剪切蠕变 Kriging 模型 | 陈昌富, 朱世民, 高 傑, 温永凯, 毛凤山 | (125) |
| 深厚软土地层紧邻地铁深大基坑分区设计与实践 | 殷一弘 | (129) |
| AC-14 大抓力锚在无黏性土中的拖锚运动研究 | 任宇晓, 郭炳川, 高 鑫, 庄道坤, 闫澍旺, 王彦頔 | (133) |
| 碱激发高炉矿渣固化铅污染土酸缓能力、强度及微观特性研究 | 伍浩良, 薄煜琳, 杜延军, 魏明俐, 薛 强 | (137) |
| 高铁路基粗颗粒土非饱和水力学及微观特性研究 | 刘 鹏, 康 馨, 陈 阳, 陈仁朋 | (141) |
| 粒径对尾矿抗剪强度及坝体稳定性影响 | 张 超, 马昌坤, 杨春和, 陈青林, 潘振凯 | (145) |
| 化学电渗法加固软基位移场观测透明土模型试验 | 孔纲强, 刘大鹏, 傅钧义, 周 杨, 文 磊 | (149) |
| 复合地基侧向开挖上覆荷载影响规律离心机试验研究 | 李连祥, 季相凯, 刘嘉典, 贾 斌 | (153) |
| 断丝 PCCP 管道外贴 CFRP 修复足尺模型试验研究 | 翟科杰, 方宏远, 付 兵, 王复明, 胡本月, 雷新海 | (157) |
| 主动式斜直交替倾斜桩支护基坑数值研究 | 刁 钰, 苏奕铭, 郑 刚 | (161) |
| 基于流固耦合分析的富水隧道外水压力与限量排放标准研究 | 郭鸿雁, 纪亚英, 方 林, 李 科, 唐承平, 王世法 | (165) |
| 软土地层大直径泥水盾构掘进引起的地面变形分析 | 吴昌胜, 朱志铎, 宋世攻, 张 军, 彭宇一 | (169) |
| 基于扰动状态概念理论的固化淤泥一维压缩模型 | 饶春义, 朱剑锋, 潘斌杰, 刘浩旭, 周志军 | (173) |
| 考虑颗粒破碎影响的吸力贯入式平板锚安装过程研究 | 谭慧明, 于淙洋, 王 中 | (177) |
| 基于分子动力学模拟技术的黏土矿物微观行为研究应用 | 杨 微, 陈仁朋, 康 馨 | (181) |
| 土工格栅-土体界面特性大型直剪试验研究 | 刘开富, 许家培, 周青松, 谢新宇, 胡 意 | (185) |
| 坝基不同倾角软弱夹层的破坏模式及 D-C 模型参数研究 | 吕 布, 杨之俊, 韦秀东, 卢继忠, 傅旭东 | (189) |
| 天津 Z2 线地铁运营对沿线地面振动的影响分析 | 刘一文, 巴振宁, 高愈辉, 田巧焕 | (193) |
| 饱和细粒土固结过程中三维微观空架结构研究 | 李 学, 宋 晶, 赵 洲, 李志杰, 黄伟标 | (197) |
| 软土地区管幕群顶管施工地面沉降监测与分析 | 潘伟强 | (201) |
| 基于粒子群与 Markov 优化的 PMIGM (1,1) 模型预测路基沉降方法研究 | 刘海明, 周小贵, 王忠伟, 黄 涤, 杨怀皓 | (205) |
| 基于高斯过程回归的响应面法及边坡可靠度分析 | 朱 彬, 裴华富, 杨 庆 | (209) |
| 一个非饱和结构性黄土三维胶结接触模型 | 蒋明镜, 孙若晗, 李 涛, 刘 俊 | (213) |
| 基于温度变化的路基盐渍土动强度参数试验研究 | 赵福堂, 常立君, 张吾渝 | (217) |
| 土工格栅加筋砂土复合体极限承载能力分析 | 徐 超, 梁 程 | (221) |
| 电磁波 CT 技术在钻孔灌注桩后压浆效果检测中的应用研究 | 黄生根, 胡永健, 付 卓, 李忠爽 | (225) |
| 约束固化土承载特性和机理初探 | 刘金龙, 李世洋, 刘兴华, 李建平, 高政国, 黄 新 | (229) |
| 基坑改造中应注意的问题 | 王宏民, 吴梦龙 | (233) |
| 高填方土石混合料强夯振动响应及加固机理研究 | 魏迎奇, 蔡 红, 吴帅峰, 肖建章, 宋建正 | (237) |
| 考虑上覆水综合作用的水下真空预压沉降分析 | 林 澈, 闫澍旺, 付登锋 | (241) |
| 地表堆载下盾构隧道纵向非线性变形简化解析解 | 柯宅邦, 梁荣柱, 童智能, 乐腾胜, 郭 杨 | (245) |
| 软土地区基坑对周边环境影响空间效应分析 | 楼春晖, 夏唐代, 刘念武 | (249) |

CONTENTS

| | |
|---|---|
| Basal heave stability of wide and narrow excavations considering non-homogeneous features of soft clay | ZHENG Gang, YU Dan-yao, CHENG Xue-song, PAN Jun, WANG Ruo-zhan (1) |
| Design and optimization of foundation sizes under dual control conditions of strength and deformation | YANG Guang-hua, SUN Shu-kai, LIU Qing-hua, JIA Kai, JIANG Yan (5) |
| Retaining traits of berm-retained excavations by FEM | QIN Hui-lai, ZHOU Yu-qi, ZHOU Tong-he, LI Dong-xiao (9) |
| Strength reduction method for safety coefficient of heave-resistant stability of asymmetrically-loaded excavations in soft soil areas | SHI Li, NI Ding-yu, YAN Zi-hai, CHEN Juan, HU Min-yun(13) |
| Prediction of horizontal displacement of soils caused by excavation of foundation pits based on virtual mirror technology | XU Ri-qing, CHENG Kang, YING Hong-wei, FENG Su-yang, LIN Cun-gang, YANG Hong-yu (17) |
| Three-dimensional finite element analysis of impact of utility tunnel construction on overlying deep excavations | DAI Xuan, XU Guan-ying, HUO Hai-feng, CHENG Xue-song, YAN Xiao-rong (21) |
| Spatial heterogeneity of engineering properties of Zhuhai soft soils | SONG Xu-gen, WANG Zhi-yong, BAI Wei-wei, WANG Zhe, XIE Shu-meng, XIA Kai-zong (25) |
| Review of membrane interface probe for in-situ investigation of volatile organic compounds-contaminated sites | WU Meng, CAI Guo-jun, LIU Song-yu, LI Xue-peng, WANG Shui, ZHONG Dao-xu, DAI Ji-qun (29) |
| Behavior of retaining wall during dewatering before soil excavation under layout of staggered wells | ZENG Chao-feng, YUAN Zhi-cheng, XUE Xiu-li (33) |
| Three-dimensional m method for retaining structures and its application for top-down construction of excavations | YING Hong-wei, WANG Xiao-gang, GUO Yue, HU Ya-yuan, YANG Xue-lin (37) |
| Deformation of a deep excavation adjacent to metro tunnels in soft soils | XU Zhong-hua, ZONG Lu-dan, SHEN Jian, WANG Wei-dong (41) |
| Numerical simulation of settlement of soft soil foundation under fast metro train loads | LEI Hua-yang, ZHANG Lei, XU Ying-gang, LIANG Jian-wen, BA Zhen-ning (45) |
| Influences of stiffness of piles on failure modes of embankment of composite foundation | ZHENG Gang, GUO Zhi-yi, YANG Xin-yu, ZHOU Hai-zuo, YU Xiao-xuan, ZHAO Jia-peng, XIA Bo-yang(49) |
| Impact of pit supporting SMW pile construction on underneath shield tunnel deformation | WANG Zhan-sheng, PAN Huang-song, ZHUANG Qun-hu, LIU Jian-guo, TONG Li-yuan, CHEN Xiu-ming(53) |
| Seismic response analysis of shield tunnels in liquefiable soils | ZHU Tong, WANG Rui, ZHANG Jian-min (57) |
| Uplift stability of narrow foundation pits based on Prandtl formula | CHEN Yan-ping (61) |
| Lateral earth pressure on rigid retaining walls with EPS deformable geofoam inclusions | XIE Ming-xing, ZHENG Jun-jie, SHAO An-di, JING Dan(65) |
| Measurement of groundwater dewatering in excavations in Tianjin | DAO Yu, GAO Ze-dong, ZHENG Gang, CHU Chen-xi, GUO Yong-zhi, JIA Zhen-yang(69) |
| Numerical analyses of deformation of inclined pile-retained excavations | WANG En-yu, ZHOU Hai-zuo, ZHENG Gang, HE Xiao-pei, YANG Shi-fei, WEI Jian-hua (73) |
| Shaft bearing behaviors of micro cast-place piles with steel tubes | PAN Jian, YUAN Wen-jun, VAISHALI Sharma, CHENG Sai (77) |
| Upstream movement of piping channel of double-layer dike foundation based on tip hydraulic gradient | JIA Kai, TANG Lian-sheng, CAO Hong, YANG Guang-hua(81) |
| Characteristics of deformation of retaining wall due to deep excavation in Nanjing | WAN Xing, GE Ming, HE Zhi-jiang, DENG Song, DING Jian-wen(85) |
| Lateral pressures on retaining wall of composite foundation in clayey soils | LI Lian-xiang, HUANG Jia-jia, JI Xiang-kai (89) |
| Experimental study on prestressed assembly steel strut system in foundation excavations | HU Qi, SHI Jian, HUANG Tian-ming, FANG Hua-jian, LI Jian-ping, CHEN Yun, ZHANG Kai (93) |
| Working mechanism of inclined-vertical retaining piles in excavations | ZHENG Gang, HE Xiao-pei, ZHOU Hai-zuo, WANG En-yu, YANG Shi-fei, WEI Jian-hua (97) |
| Influence scope of airport runway ground under aircraft moving loads | ZHANG Jia-feng, QIAN Jian-gu, LÜ Xi-lin, LI Shuai, LI Jun-shi, SU Er-hao(101) |
| Applicability of simplified formulations based on Biot's theory | HU Dan, LI Fen, ZHANG Kai-yin (105) |
| Design of high-fill reclamation projects in loess areas | CAO Jie, ZHANG Ji-wen, ZHENG Jian-guo, LIANG Xiao-long, LIU Zhi, LI Pan(109) |
| Selection of bolted joints and bending stiffness of shield tunnel of Z2 metro line in Tianjin Binhai New Area | ZHANG Wen-jun, ZHANG Qi, ZHANG Gao-le (113) |
| Experimental study on mechanical characteristics of mica quartz schist foliation surface | WU Fu-bao (117) |
| Influences of rigid and flexible normal contacts on stress of concrete cut-off walls | XU Han, PAN Jia-jun, JIANG Ji-wei, TAN Fan, YANG Xin-guang (121) |
| Kriging method-based creep model for anchor-soil interface considering grouting pressure | |

| | |
|--|---|
| | CHEN Chang-fu, ZHU Shi-min, GAO Jie, WEN Yong-kai, MAO Feng-shan (125) |
| Design and practice of partitioning of deep large foundation pits close to subway in thick soft soils | YIN Yi-hong (129) |
| Motion of dragging AC-14 anchor in cohesionless soil | |
| | REN Yu-xiao, GUO Bing-chuan, GAO Xin, ZHUANG Dao-kun, YAN Shu-wang, WANG Yan-di (133) |
| Acid neutralization capacity, strength properties and micro-mechanism of Pb-contaminated soils stabilized by alkali-activated GGBS | |
| | WU Hao-liang, BO Yu-ling, DU Yan-jun, WEI Ming-li, XUE Qiang (137) |
| Microstructural and hydraulic properties of compacted high-speed rail subgrade coarse soils | |
| | LIU Peng, KANG Xing, CHEN Zhuo, CHEN Ren-peng (141) |
| Effects of particle diameter on shear strength of tailings and stability of tailings dams | |
| | ZHANG Chao, MA Chang-kun, YANG Chun-he, CHEN Qing-lin, PAN Zhen-kai (145) |
| Transparent model tests on displacement field measurement of soft ground reinforcement by electro-osmotic chemical method | |
| | KONG Gang-qiang, LIU Da-peng, FU Jun-yi, ZHOU Yang, WEN Lei (149) |
| Centrifugal model tests on lateral mechanical properties of composite foundation under different additional loads | |
| | LI Lian-xiang, JI Xiang-kai, LIU Jia-dian, JIA Bin (153) |
| CFRP wrapping to retrofit a deteriorated prestressed cylinder concrete pipe: full-scale experiments | |
| | ZHAI Ke-jie, FANG Hong-yuan, FU Bing, WANG Fu-ming, HU Ben-yue, LEI Xin-hai (157) |
| Numerical study on oblique-straight alternate piles for active support of excavations | DIAO Yu, SU Yi-ming, ZHENG Gang (161) |
| External water pressures and limited emission standards of water-rich tunnels based on fluid-solid coupling analysis | |
| | GUO Hong-yan, JI Ya-ying, FANG Lin, LI Ke, TANG Cheng-ping, WANG Shi-fa (165) |
| Ground settlement caused by large-diameter slurry shield during tunnel construction in soft soils | |
| | WU Chang-sheng, ZHU Zhi-duo, SONG Shi-gong, ZHANG Jun, PENG Yu-yi (169) |
| One-dimensional compression model for solidified silt based on theory of disturbed state concept | |
| | RAO Chun-yi, ZHU Jian-feng, PAN Bin-jie, LIU Hao-xu, ZHOU Zhi-jun (173) |
| Simulation on installation process of suction embedded plate anchor considering effect of particle breakage | |
| | TAN Hui-ming, YU Cong-yang, WANG Zhong (177) |
| Application of molecular dynamics simulation method in micro-properties of clay minerals | |
| | YANG Wei, CHEN Ren-peng, KANG Xin (181) |
| Large-scale direct shear tests on properties of geogrid-soil interfaces | |
| | LIU Kai-fu, XU Jia-pei, ZHOU Qing-song, XIE Xin-yu, HU Yi (185) |
| Failure modes and constitutive model for weak interlayer of dam foundation with different inclination angles | |
| | LÜ Bu, YANG Zhi-jun, WEI Xiu-dong, LU Ji-zhong, FU Xu-dong (189) |
| Influences of metro operation on ground vibration along Tianjin Z2 line | |
| | LIU Yi-wen, BA Zhen-ning, GAO Yu-hui, TIAN Qiao-huan (193) |
| Three-dimensional pore evolution analysis in consolidation of saturated fine-grained soil | |
| | LI Xue, SONG Jing, ZHAO Zhou, LI Zhi-jie, HUANG Wei-biao (197) |
| Monitoring and analysis of ground settlement during pipe roof construction of pipe-jacking groups in soft soil areas | PAN Wei-qiang (201) |
| Prediction of subgrade settlement using PMIGM(1,1) model based on particle swarm optimization and Markov optimization | |
| | LIU Hai-ming, ZHOU Xiao-gui, WANG Zhong-wei, HUANG Di, YANG Huai-hao (205) |
| Gaussian process regression-based response surface method and reliability analysis of slopes | ZHU Bin, PEI Hua-fu, YANG Qing (209) |
| A three-dimensional cementation contact model for unsaturated structural loess | |
| | JIANG Ming-jing, SUN Ruo-han, LI Tao, LIU Jun (213) |
| Experimental study on dynamic strength parameters of subgrade saline soil under temperature variation | |
| | ZHAO Fu-tang, CHANG Li-jun, ZHANG Wu-yu (217) |
| Ultimate bearing capacity of geogrid-reinforced sand composite | XU Chao, LIANG Cheng (221) |
| Application of cross-hole electromagnetic wave CT in detection of post-grouting effect | |
| | HUANG Sheng-gen, HU Yong-jian, FU Zhuo, LI Zhong-shuang (225) |
| Bearing characteristics and mechanism of confined stabilized soils | |
| | LIU Jin-long, LI Shi-yang, LIU Xing-hua, LI Jian-ping, GAO Zheng-guo, HUANG Xin (229) |
| Problems for reconstruction of foundation pits | WANG Hong-min, WU Meng-long (233) |
| Vibration response and reinforcement mechanism of high-fill soil-stone mixtures by dynamic compaction | |
| | WEI Ying-qi, CAI Hong, WU Shuai-feng, XIAO Jian-zhang, SONG Jian-zheng (237) |
| Settlement analysis by considering combined effect of covering water in underwater vacuum preloading | |
| | LIN Shu, YAN Shu-wang, FU Deng-feng (241) |
| Simplified analytical solution for nonlinear longitudinal deformation of shield tunnels under surface surcharge | |
| | KE Zhai-bang, LIANG Rong-zhu, TONG Zhi-neng, YUE Teng-sheng, GUO Yang (245) |
| Spatial effects of deformation due to excavation in soft clay | LOU Chun-hui, XIA Tang-dai, LIU Nian-wu (249) |