


ISSN 1000-3835
CN 31-1316/TU

振动与冲击

JOURNAL OF VIBRATION AND SHOCK



ZHENDONG YU CHONGJI

半月刊 | 第32卷 | **23/2013**

ISSN 1000-3835



9 771000 383134

万方数据

中国振动工程学会
上海交通大学 主办
上海市振动工程学会

目 次

- 基于冲击韧性的钢桥面铺装环氧沥青混凝土疲劳性能设计研究..... 张顺先, 张肖宁, 徐伟, 等(1)
- 关节柔性的漂浮基空间机器人基于奇异摄动法的轨迹跟踪非奇异模糊 Terminal 滑模控制及柔性振动抑制
..... 梁捷, 陈力(6)
- 基于 2.5 维有限元 - 边界元分析轨道随机不平顺影响下的铁路地基振动 冯青松, 雷晓燕(13)
- 高阶单步法的非线性误差传递效应分析..... 栾强利, 陈章位, 文祥(20)
- 新型同步箝位控制压电马达 贺良国, 刘永斌, 张祺, 等(26)
- 基于欧拉单元的水下气泡高效数值仿真算法研究 苏怡然, 唐文勇, 郑绍文, 等(32)
- 隐式中点法对于非线性阻尼结构的稳定性 潘天林, 吴斌(38)
- 基于同步压缩变换和局部替代数据的非平稳振动信号分解方法..... 胡异丁, 任伟新, 杨栋(43)
- 基于 CPWP 混合原子分解的滚动轴承故障诊断方法研究 姜锐红, 刘树林, 刘颖慧, 等(48)
- 超高层建筑风致响应共振分量的简化计算 章李刚, 楼文娟(52)
- 基于自适应猴群算法的传感器优化布置方法研究..... 伊廷华, 张旭东, 李宏男(57)
- 串联隔震体系水平刚度的参数研究..... 杜永峰, 吴忠铁, 范萍萍(64)
- 全船结构静动态优化设计 周素素, 夏利娟(69)
- 基于非负最小二乘反卷积波束形成的发动机噪声源识别 褚志刚, 杨洋(75)
- 基于有监督增量式局部线性嵌入的故障辨识 李锋, 田大庆, 王家序, 等(82)
- 基于空间傅里叶变换的柱面结构声学灵敏度分析..... 陈剑, 陈立涛, 张炳荣(89)
- 调频型颗粒阻尼器与高架连续梁桥减震控制研究 许维炳, 闫维明, 王瑾, 等(94)
- 滑动轴承 - 转子系统油膜失稳参数影响分析..... 马辉, 李辉, 牛和强, 等(100)
- 基于多重分形与奇异值分解的往复压缩机故障特征提取方法研究 赵海洋, 徐敏强, 王金东(105)
- 基于短时能量的声发射源定位方法研究..... 赵江海, 杨慧, 顾菊平, 等(110)

磁悬浮轴承 H ₂ 鲁棒控制策略研究	龙亚文, 谢振宇, 徐欣 (115)
钨球高速侵彻中厚钢板成坑特性	汪庆桃, 张庆明, 翟喆, 等(121)
橡胶双层减振与隔振系统冲击响应研究	张志, 张兆会, 董森, 等(126)
加油机溢流阀流体振动噪声分析与优化	苏华山, 杨国来, 张立强, 等(130)
基于各向异性分形几何理论的摩擦非线性数学模型	田红亮, 赵春华, 方子帆, 等(135)
汽车悬架整车动力学模型的参数辨识	张慧杰, 郭志平, 司景萍, 等(145)
钢筋混凝土箱型墩延性抗震性能研究	夏樟华, 宗周红 (151)
滑动轴承-转子系统不平衡-不对中-碰摩耦合故障动力学建模及响应信号分解	肖汉, 周建中, 肖剑, 等(159)
环境激励下结构损伤识别广义柔度扰动法	周卫东, 杨秋伟, 赵卫 (166)
基于虚拟激励法的框架-摇摆刚架结构体系的动力可靠度研究	李慧, 刘迪, 杜永峰, 等(170)
沟槽型表面织构对界面摩擦振动噪声特性的影响	王正国, 莫继良, 王安宇, 等(175)
高速铁路大跨钢桁梁斜拉桥梁端锚固结构疲劳性能研究	卫星, 强士中 (180)
离散小波变换快速卷积算法研究	秦毅, 王腾, 毛永芳 (186)
离心-振动试验系统的准连续高阶终端滑模控制方法	王跃钢, 左朝阳, 文超斌, 等(191)
冲击荷载下高桥墩的弹塑性动力屈曲	罗松南, 李礼 (196)
基于 B 样条本征时间尺度分解和对角切片谱的轴承故障诊断	钟先友, 曾良才, 赵春华, 等(201)

本期广告索引

彩色广告

- 封二 苏州广博力学环境实验室
- 封三 德维创中国有限公司
- 封四 米勒贝姆振动与声学系统(北京)有限公司
- 前插 1 杭州亿恒科技有限公司
- 前插 2 Brüel & Kjær 中国
- 前插 3 江苏泰斯特电子设备制造有限公司
- 前插 4 比利时 LMS 北京代表处

单色、彩色广告

- 后插 1 南京安正软件工程有限公司
- 后插 2 南京安正软件工程有限公司
- 后插 3 武汉优泰电子技术有限公司
- 后插 4 北京东方振动和噪声技术研究所
- 后插 5 扬州英迈克测控技术有限公司
- 后插 6 上海君协光电科技发展有限公司
- 后插 7 上海君协光电科技发展有限公司

CONTENTS

- Epoxy asphalt concrete fatigue performance design for a steel bridge deck pavement based on impact toughness
 ZHANG Shun-xian, ZHANG Xiao-ning, XU wei, et al (1)
- Nonsingular fuzzy terminal sliding mode control and elastic vibration suppressing of a free-floating space robot with flexible joints based on trajectory tracking of the singular perturbation method LIANG Jie , CHEN Li (6)
- Railway ground vibration with track random irregularities based on 2.5D finite element-boundary element method
 FENG Qing-song, LEI Xiao-yan (13)
- Nonlinear error propagation effect of high order single step method ... LUAN Qiang-li, CHEN Zhang-wei, WEN Xiang (20)
- A novel piezoelectric motor with synchronous anchoring/loosening control
 HE Liang-guo, LIU Yong-bin, ZHANG Qi, et al(26)
- A high efficiency eulerian method for numerical simulation of underwater bubbles
 SU Yi-ran, TANG Wen-yong, ZHENG Shao-wen, et al(32)
- Stability of implicit midpoint algorithm for solving nonlinear damped structures PAN Tian-lin, WU Bin (38)
- Nonstationary vibration signal decomposition based on synchrosqueezing transformation and local surrogate data
 HU Yi-ding, REN Wei-xin, YANG Dong (43)
- Rolling bearing fault diagnosis based on CPWP merged atomic decomposition
 JIANG Rui-hong, LIU Shu-lin, LIU Ying-hui, et al(48)
- Simplified calculation for wind-induced resonant response components of high-rise buildings
 ZHANG Li-gang, LOU Wen-juan (52)
- Optimal sensor placement based on adaptive monkey algorithm ... YI Ting-hua, ZHANG Xu-dong, LI Hong-nan (57)
- Parametric analysis and calculation formula for horizontal stiffness of a series isolation system
 DU Yong-feng, WU Zhong-tie, FAN Ping-ping (64)
- Whole-ship structural optimization under static and dynamic conditions ZHOU Su-su, XIA Li-juan (69)
- Noise source identification for an engine based on FFT-non-negative least square (NNLS) deconvolution beamforming
 CHU Zhi-gang, YANG Yang (75)
- Fault identification method based on supervised incremental locally linear embedding
 LI Feng, TIAN Da-qing, WANG Jia-xu, et al(82)
- Acoustic sensitivity analysis for cylindrical radiators based on spatial Fourier transformation
 CHEN Jian, CHEN Li-tao, ZHANG Bing-rong (89)
- A tuned particle damper and its application in seismic control of continuous viaducts
 XU Wei-bing, YAN Wei-ming, WANG Jin, et al(94)
- Parametric influence analysis of oil-film instability in a sliding bearing-rotor system
 MA Hui, LI Hui, NIU He-qiang, et al(100)
- Fault feature extraction based on multifractal and singular value decomposition for reciprocating compressors
 ZHAO Hai-yang, XU Min-qiang, WANG Jin-dong (105)

Acoustic emission source locating method based on short-time energy	ZHAO Jiang-hai, YANG Hui, GU Ju-ping, et al(110)
H_{∞} robust control strategy for an active magnetic bearing	LONG Ya-wen, XIE Zhen-yu, XU Xin (115)
Character of carter for tungsten spheres with a high-velocity penetrating into a medium-thick steel plate	WANG Qing-tao, ZHANG Qing-ming, ZHAI Zhe, et al(121)
Shock response of a rubber double-deck vibration isolation system	ZHANG Zhi, ZHANG Zhao-hui, DONG Sen, et al (126)
Analysis and improvement for noise and vibration of a relief valve in a gasoline pump system	SU Hua-shan, YANG Guo-lai, ZHANG Li-qiang, et al(130)
Mathematical model of nonlinear friction based on anisotropic fractal geometric theory	TIAN Hong-liang, ZHAO Chun-hua, FANG Zi-fan, et al(135)
Parametric identification of a vehicle suspension dynamic model	ZHANG Hui-jie, GUO Zhi-ping, SI Jing-ping, et al(145)
Ductility a seismic performance of reinforced concrete box piers	XIA Zhang-hua, ZONG Zhou-hong (151)
Dynamic modeling and response signal decomposition for a sliding bearing-rotor system with unbalance-misalignment-rubbing coupled faults	XIAO Han, ZHOU Jian-zhong, XIAO Jian, et al(159)
Damage identification with generalized flexibility perturbation method under ambient excitation	ZHOU Wei-dong, YANG Qiu-wei, ZHAO Wei (166)
Dynamic reliability of a RC frame with rocking of moment frames based on pseudo excitation method	LI Hui, LIU Di, DU Yong-feng, et al(170)
Effect of grooved surface texture on interface friction vibration and noise properties	WANG Zheng-guo, MO Ji-liang, WANG An-yu, et al (175)
Fatigue performance of cable-to-girder connection of a long span high-speed railway cable-stayed bridge with steel truss	WEI Xing, QIANG Shi-zhong (180)
Fast convolution algorithm for discrete wavelet transformation	QIN Yi, WANG Teng, MAO Yong-fang (186)
Quasi-continuous high-order terminal sliding mode control for a centrifuge force-vibration test system	WANG Yue-gang, ZUO Zhao-yang, WEN Chao-bing, et al(191)
Elastic-plastic dynamic buckling of a high pier under impulse loads	LUO Song-nan, LI Li (196)
Bearing fault diagnosis based on B-spline intrinsic time-scale decomposition and diagonal slice spectrum	ZHONG Xian-you, ZENG Liang-cai, ZHAO Chun-hua, et al(201)

JOURNAL OF VIBRATION AND SHOCK

Vol. 32 No. 23 DECEMBER 2013


Editorial Office: 1954 Huashan Rd. Shanghai, 200030, China

Issuer Abroad: China National Publishing Industry Trading Corporation


(Post-Office Box No. 728, Beijing, China)

INTRODUCING

THE NEW GENERATION OF PAK HARDWARE CONTROLLERS




HIGHER CHANNELS AND SAMPLING RATES | STANDALONE SYSTEMS ADDRESSING SIMPLE APPLICATIONS | NEW WAYS OF WORKING



G2

THINK
STORE
CONNECT



二代控制系统性能

- ◎ 更强的核心处理器，更高缓存，支持更多通道、更高采样率的数据采集
- ◎ 更高的以太网数据传输速率
- ◎ 本地数据存储功能（eSATA），脱离笔记本媒介
- ◎ WLAN（IEEE 802.11n）技术，提供更稳定、更高速率的无线数据传输
- ◎ 更有效、更安静的系统供电

MÜLLER-BBM

VibroAkustik Systeme

米勒贝姆振动与声学系统（北京）有限公司

北京市西城区裕民路18号 北环中心1002室

电话：010-51285118，传真：010-82251626

E-mail: info@MuellerBBM-vas.cn

www.MuellerBBM-vas.cn

www.MuellerBBM-vas.com