


QK1815394

振动与冲击

JOURNAL OF VIBRATION AND SHOCK



ZHENDONG YU CHONGJI

半月刊 | 第37卷 | **5/2018**

ISSN 1000-3835



9 771000 383189

万方数据

中国振动工程学会
上海交通大学 主办
上海市振动工程学会

目 次

- 三维分形接触热导的建模与多参数影响分析..... 李小彭, 刘 洋, 王 雪, 等 (1)
- 均匀湍流诱发的侧斜螺旋桨的随机振动特性研究..... 王 力, 谌 勇, 郭云松, 等 (7)
- 上下盘断层参数对 RC 框架结构地震响应研究(I:非隔震) 汪大洋, 张永山, 唐承志, 等 (13)
- 上下盘断层参数对 RC 框架结构地震响应研究(II:隔震) 汪大洋, 张永山, 唐承志, 等 (20)
- 桥梁颤振导数与气动导纳关系的试验验证 张伟峰, 张志田, 张显雄, 等 (28)
- 基于线扫描图像技术的立井多绳摩擦提升钢丝绳承载特性研究 蔡 翔, 曹国华, 韦 磊, 等 (36)
- 星载串联型柔性抓捕机构的多级阻尼镇定控制 褚 明, 董正宏, 任珊珊, 等 (42)
- 新型着陆器单腿动力学仿真模型碰撞参数修正 吴宏宇, 王春洁, 丁建中, 等 (50)
- 考虑弹流润滑及滑动作用下滚动轴承系统局部缺陷位移激励动力学建模 ... 荆昌锋, 康建雄, 苑 浩, 等 (56)
- 基于广义 BP 神经网络的切削颤振识别研究 谢锋云, 江炜文, 陈红年, 等 (65)
- 空气静压轴承微振动形成机理分析 裴 浩, 龙 威, 杨绍华, 等 (71)
- 基于排列熵与 IFOA-RVM 的汽轮机转子故障诊断 石志标, 陈 斐, 曹丽华 (79)
- 双层泡沫铝夹芯板抗滚石冲击结构性能优化研究 程 鹏, 李 伟, 翟敏刚, 等 (85)
- 四边自由矩形板横向振动的近似解及其实验 付江松, 徐 鉴 (92)
- 任意多个沉积谷地对平面 SV 波的散射 巴振宁, 陈昊维, 梁建文 (98)
- 管内 Cu-水微米颗粒流湍流强化传热研究 王 涛, 金伟娅, 高增梁, 等 (108)
- 基于辅助粒子滤波的疲劳裂纹扩展预测研究..... 杨伟博, 袁慎芳, 邱 雷, 等 (114)
- 运行工况下转子系统模态参数识别技术研究..... 臧廷朋, 王凤仁, 温广瑞, 等 (120)
- 内外激励下风电齿轮传动系统的非线性动力学特性..... 向 玲, 高 楠, 唐 亮, 等 (126)
- 考虑路面不平输入的车辆侧倾状态估计及主动控制..... 张亮修, 周 静, 成 强, 等 (133)
- 基于振动分离信号构建和同步平均的行星齿轮箱轮齿裂纹故障特征提取..... 赵 磊, 郭 瑜, 伍 星 (142)

基于分离系数矩阵差分法的输流管道轴向耦合响应特性研究·····	张 挺, 谭志新, 张 恒, 等 (148)
蒙皮裂纹点阵夹芯梁振动特性分析及裂纹识别·····	陈建恩, 施月奇, 刘 军, 等 (155)
冲击缓冲用磁流变阻尼器的响应特性模型与实验研究·····	李赵春, 顾 权, 周冰倩, 等 (163)
具有振幅依赖性的纤维增强复合薄板非线性阻尼的时域测试方法·····	李 晖, 孙 伟, 常永乐, 等 (169)
大型柔性起重臂系统回转吊装刚柔耦合动力学模型·····	颜世军, 彭 剑, 刘 泽, 等 (175)
车辆动态称重压电信号的 SSA 降噪算法与试验 ·····	刘小锋, 冯志敏, 陈跃华, 等 (180)
铝弹丸超高速正撞击铝合金薄板产生溅射物云特性研究·····	王 猛, 冯敏慧, 唐恩凌, 等 (188)
基于帝国竞争算法和 LQG 的磁流变阻尼器-建筑结构系统的振动控制 ·····	林秀芳, 陈淑梅, 黄国荣 (194)
三偏心蝶阀振动特性分析·····	王海民, 孔祥帅, 刘 欢 (202)
磁流变阻尼器性能检测系统的研究·····	李 潮, 陈章位, 贺惠农 (207)
K8 型单层球面网壳爆炸动力响应的简化计算方法研究 ·····	苏倩倩, 翟希梅 (213)
修剪型神经网络在锚杆锚固缺陷识别中的应用·····	孙晓云, 吴世星, 韩 广, 等 (221)
摄动力方法在模态扩展中的应用讨论·····	牟小龙, 冯慧华, 左正兴, 等 (228)
基于近似等距投影和支持向量机的滚动轴承故障诊断·····	刘 畅, 伍 星, 刘 韬, 等 (234)
索-梁耦合振动下的拉索复合减振方法研究 ·····	梁 栋, 狄方殿, 陈红霞, 等 (240)
基于刚柔耦合的综合传动汇流行星排断齿故障动态特性仿真研究·····	郝驰宇, 冯广斌, 闫鹏程, 等 (248)
基础隔震结构竖向连续倒塌机制及影响因素研究·····	杜永峰, 段好才, 徐天妮 (257)



本期广告索引

单色、彩色广告

- 封二 扬州英迈克测控技术有限公司
- 封三 德维创中国有限公司
- 封四 北京声望声电技术有限公司
- 前插 1 杭州亿恒科技有限公司
- 前插 2 南京安正软件工程有限公司
- 前插 3 南京安正软件工程有限公司

- 前插 4 德国 m+p 国际公司北京代表处
- 前插 5 PCB 压电传感技术(北京)有限公司
- 前插 6 北京东方振动和噪声技术研究所

彩色广告

- 后插 1 杭州锐达数字技术有限公司
- 后插 2 杭州锐达数字技术有限公司

CONTENTS

Modeling of 3-D fractal thermal contact conductance and multi-parameter effect analyses	LI Xiaopeng, LIU Yang, WANG Xue, et al (1)
Random vibration of a skewed propeller-shaft system induced by homogeneous turbulence	WANG Li, CHEN Yong, GUO Yunsong, et al (7)
Effects of hanging wall/footwall fault parameters on seismic responses of RC frame structures (I; non-isolated structures)	WANG Dayang, ZHANG Yongshan, TANG Chengzhi, et al (13)
Effects of hanging wall/footwall fault parameters on seismic responses of RC frame structures (II; isolated structures)	WANG Dayang, ZHANG Yongshan, TANG Chengzhi, et al (20)
Test verification for relations between bridge flutter derivatives and aerodynamic admittances	ZHANG Weifeng, ZHANG Zhitian, ZHANG Xianxiong, et al (28)
Load-bearing characteristics of hoisting wire rope of a vertical shaft with multi-rope friction based on line scanning image technique	CAI Xiang, CAO Guohua, WEI Lei, et al (36)
Multi-stage damping stabilization control for a space-borne series-wound flexible capturing mechanism	CHU Ming, DONG Zhenghong, REN Shanshan, et al (42)
Collision parameters updating for single-leg dynamic simulation model of a novel lander	WU Hongyu, WANG Chunjie, DING Jianzhong, et al (50)
Dynamic modeling for local defect displacement excitation in rolling bearing systems under elasto-hydrodynamic lubrication and slip	YAN Changfeng, KANG Jianxiong, YUAN Hao, et al (56)
Cutting chatter recognition based on generalized BP neural network	XIE Fengyun, JIANG Weiwen, CHEN Hongnian, et al (65)
Formation mechanism of micro-vibration in aerostatic bearings	PEI Hao, LONG Wei, YANG Shaohua, et al (71)
Fault diagnosis of steam turbine rotor based on permutation entropy and IFOA-RVM	SHI Zhibiao, CHEN Fei, CAO Lihua (79)
Structure performance optimization of double-layer aluminum foam sandwich panels under rockfalls impact	CHEN Peng, LI Wei, ZHAI Mingang, et al (85)
An approximate solution to transverse vibration of a rectangular plate with 4 free edges and its experimental verification	FU Jiangsong, XU Jian (92)
Scattering of arbitrary alluvial valleys to incident plane SV waves	BA Zhenning, CHEN Haowei, LIANG Jianwen (98)
Turbulent flow and enhanced heat transfer induced by Cu-water microfluid in tube	WANG Tao, JIN Weiya, GAO Zengliang, et al (108)
Prediction of fatigue crack propagation based on auxiliary particle filtering	YANG Weibo, YUAN Shenfang, QIU Lei, et al (114)
Identification technique for modal parameters of rotor systems under operation condition	ZANG Tingpeng, WANG Fengren, WEN Guangrui, et al (120)
Nonlinear dynamic features of wind turbine's gear systems subjected to internal and external excitations	XIANG Ling, GAO Nan, TANG Liang, et al (126)
Roll state estimation and active control of vehicles considering road uneven disturbances	ZHANG Liangxiu, ZHOU Jing, CHENG Qiang, et al (133)
Fault feature extraction of gear tooth crack of planetary gear-box based on constructing vibration separation signals and 万方数据	

synchronous average	ZHAO Lei, GUO Yu, WU Xing (142)
Axial coupled response characteristics of a fluid-conveying pipeline based on split-coefficient matrix finite difference method	ZHANG Ting, TAN Zhixin, ZHANG Heng, et al (148)
Vibration characteristics analysis and crack identification for a truss core sandwich beam with skin crack	CHEN Jian'en, SHI Yueqi, LIU Jun, et al (155)
Modeling and tests for response features of MR damper as a shock isolation device	LI Zhaochun, GU Quan, ZHOU Bingqian, et al (163)
Time domain test method for nonlinear damping of a fiber-reinforced composite thin plate with amplitude dependence	LI Hui, SUN Wei, CHANG Yongle, et al (169)
Rigid-flexible coupled dynamic model of a huge-type truck crane's boom system during its slewing hoisting	YAN Shijun, PENG Jian, LIU Ze, et al (175)
SSA de-noising algorithm and tests for piezoelectric signals of vehicle weigh-in-motion	LIU Xiaofeng, FENG Zhimin, CHEN Yuehua, et al (180)
Characteristics of ejecta cloud generated due to aluminum projectiles' impacting aluminum thin plate at hypervelocity	WANG Meng, FENG Minhui, TANG Enling, et al (188)
Vibration control of a seismically-excited structural building with MR dampers based on ICA-LQG	LIN Xiufang, CHEN Shumei, HUANG Guorong (194)
Vibration characteristics analysis for a tri-eccentric butterfly valve	WANG Haimin, KONG Xiangshuai, LIU Huan (202)
A detecting system for performance of MR dampers	LI Chao, CHEN Zhangwei, HE Huinong (207)
Simplified calculation method for dynamic response of K8 single-layer reticulated shell under blast load	SU Qianqian, ZHAI Ximei (213)
Application of pruning type neural network in defect identification of bolt anchoring systems	SUN Xiaoyun, WU Shixing, HAN Guang, et al (221)
Application discussion of perturbed force approach in modal expansion	MOU Xiaolong, FENG Huihua, ZUO Zhengxing, et al (228)
Fault diagnosis of rolling bearings based on near-isometric projection and support vector machine	LIU Chang, WU Xing, LIU Tao, et al (234)
Cable's compound vibration reduction method under cable-girder coupled vibration	LIANG Dong, DI Fangdian, CHEN Hongxia, et al (240)
Effects of broken tooth fault on dynamic characteristics of conflux planetary gear in power shift steering transmission based on rigid-flexible coupled method	HAO Chiyu, FENG Guangbin, YAN Pengcheng, et al (248)
Vertical progressive collapse mechanism and influencing factors of base-isolated structures	DU Yongfeng, DUAN Haocai, XU Tianni (257)

JOURNAL OF VIBRATION AND SHOCK

Vol. 37 No. 5 MARCH 2018

Editorial Office: 1954 Huashan Rd. Shanghai, 200030, China

Issuer Abroad: China National Publishing Industry Trading Corporation

(Post-Office Box No. 728, Beijing, China)



BSWA

BSWA

手持式1型及2型声级计 BSWA308/309

声望公司自主研发的全数字声级计，符合IEC 61672:2002 1级（BSWA 308）或2级（BSWA 309）标准。声级计使用高精度24位AD转换器及最新的ARM芯片作为运算和处理核心，全数字信号处理使得测量结果更加稳定，较低的功耗使得仪器可以用4节电池运行更长时间。



微信二维码

BSWA 声望技术

总部

北京声望声电技术有限公司 地址：北京市西城区裕民路18号北环中心1002-1003室 邮编：100029
电话：400 060 3060 传真：010-82251626 Email: bswa@bswa.com.cn Website: www.bswa.com.cn

广州办事处

地址：广州市海珠区广州大道南855号敦和商务公寓A栋M03室 电话/传真：020-84217929