

ISSN 1000-3835

CN 31-1316/TU

振动与冲击

JOURNAL OF VIBRATION AND SHOCK

振动与冲击

第三十九卷

第十五期

二〇二〇年八月

ZHENDONG YU CHONGJI

半月刊 | 第39卷 | **15/2020**

ISSN 1000-3835



9 771000 383202

万方数据

中国振动工程学会
上海交通大学 主办
上海市振动工程学会

目 次

- 圆柱体入水空泡壁面运动特性与空泡演化关系实验研究····· 夏维学, 王 聪, 曹 伟, 等 (1)
- 小比例柱面网壳振动台试验及动力响应概率模型····· 张 明, 谢昌霖, 支旭东 (8)
- 抑制海上浮式风力机振动的 TMD 限位策略研究····· 杨佳佳, 贺尔铭, 姚文旭, 等 (18)
- 基于深度度量学习的轴承故障诊断方法 ····· 李小娟, 徐增丙, 熊 文, 等 (25)
- 应力状态对水泥砂浆侵彻性能的影响 ····· 陈丽娜, 单俊芳, 周李姜, 等 (32)
- 背风墙面开孔的低矮房屋风致内压响应研究 ····· 黄 鹏, 陈 胜, 黄舜杰 (41)
- 基于稀疏信号功率迭代补偿的矢量传感器阵列 DOA 估计····· 王伟东, 张群飞, 史文涛, 等 (48)
- 液膜密封振动及冲击动力学特性 ····· 徐鲁帅, 郝木明, 袁小阳, 等 (58)
- 基于噪声辅助信号特征增强的滚动轴承早期故障诊断 ····· 周易文, 陈金海, 王 恒, 等 (66)
- 新型钢滚轴及混合隔震结构地震模拟振动台试验研究 ····· 黄襄云, 张 磊, 刘彦辉, 等 (74)
- 气囊对光电倍增管水下内爆影响试验研究 ····· 吴天正, 郑 鹏, 杜志鹏, 等 (82)
- 单面立式平衡机的不平衡叠加效应的实验研究 ····· 王秋晓, 李皓月, 郭永财, 等 (88)
- 基于新型自复位摩擦耗能支撑的 RC 框架结构地震残余变形控制 ····· 毕仲君, 胡志强, 王 琪, 等 (95)
- 一种高阶模态涡振试验新气弹模型的模型参数优化设计····· 温 青, 华旭刚, 陈政清, 等 (103)
- 轴向载荷条件下弹性边界约束梁结构振动特性分析····· 赵雨皓, 杜敬涛, 许得水 (109)
- 基于参数优化 VMD 和增强多尺度排列熵的单向阀故障诊断 ····· 潘 震, 黄国勇, 吴 漫 (118)
- 地铁车站钢筋混凝土中柱试件抗震混合试验研究····· 杨澄宇, 蔡雪松, 袁 勇 (126)
- 温变工况下超定独立成分分析导波监测方法····· 肖 航, 肖 黎, 屈文忠 (133)
- 榫卯侧向紧密度对台阶透榫节点抗震性能影响试验研究····· 苏海红, 高永林, 陶 忠, 等 (142)
- 准静态条件弧齿锥齿轮传递误差和齿根应力试验研究····· 王 成, 万博文, 陈燕燕, 等 (150)
- 耦合条件下微穿孔板吸声特性研究····· 侯九霄, 朱海潮, 袁苏伟 (156)
- 时滞位移反馈作用下多自由度微陀螺的刚度非线性及控制研究····· 郝淑英, 宋宇昊, 李伟雄, 等 (163)

螺栓法兰连接结构简化动力学建模及模型参数辨识·····	蒋国庆, 洪 荣, 陈万华 (170)
基于声发射的滚动轴承损伤定位方法研究·····	柳小勤, 汤林江, 侯凯泽, 等 (176)
基于波叠加法的非共形近场声全息波函数的构造与选择·····	向 宇, 石梓玉, 陆 静, 等 (183)
风电齿轮箱两级行星齿轮传动系统的非线性动力学特性·····	向 玲, 刘随贤, 张军华 (193)
汽车动力总成主动悬置系统分层控制策略研究·····	陈哲明, 王 恒, 陈 勇, 等 (200)
基于磁悬浮技术曳引式乘客电梯三维加速度测量·····	江 东, 陈 才, 赵彦超, 等 (207)
基于大型动三轴试验的粗粒土累积塑性应变概率模型研究·····	冷伍明, 翟 斌, 徐 方, 等 (214)
双球并联入水空化及运动特性实验研究·····	王 旭, 吕续舰 (221)
泊松白噪声激励下斜拉索的面内随机振动·····	刘婧瑞, 陈林聪, 赵珖冰 (230)
强震区中等跨度斜拉桥抗震体系研究·····	黄永福, 马 健, 夏支贤 (237)
基于 6σ 的汽车发动机半主动悬置稳健性优化设计·····	张紫微, 郑 玲, 薛婉莹, 等 (243)
齿轮-轴承系统非线性混沌控制参数摄动与轨道偏差分析·····	林 何, 王三民, RÄTSCH Matthias, 等 (250)
基于多体动力学方法大型风力机台风致响应特性与偏航影响·····	包文奕, 王 浩, 柯世堂 (257)

第十三届全国振动理论及应用学术会议论文

基于模型实时辨识自适应控制算法的时变机械系统振动主动控制·····	郑洪波, 杨德权, 黄志伟, 等 (266)
基于主动舵支承的推进轴系横向振动抑制仿真与实验研究·····	谢溪凌, 任明可, 黄修长, 等 (271)
基于微波感知的挠性结构动态响应监测·····	熊玉勇, 李松旭, 彭志科 (277)

本期广告索引

单色、彩色广告

- 封二 陕西大工旭航电磁科技有限公司
- 封三 北京东方振动和噪声技术研究所
- 封四 扬州英迈克测控技术有限公司
- 前插1 无锡市厚德自动化仪表有限公司
- 前插2 南京安正软件工程有限公司

- 前插3 南京安正软件工程有限公司
- 前插4 江苏泰斯特电子设备制造有限公司

彩色广告

- 后插1 杭州锐达数字技术有限公司
- 后插2 杭州锐达数字技术有限公司

CONTENTS

Tests for relationship between cavity evolution and motion characteristics of cavity wall during a cylinder entry into water	XIA Weixue, WANG Cong, CAO Wei, et al (1)
Shaking table tests for a small-scale single-layer latticed cylindrical shell and its dynamic response probability model	ZHANG Ming, XIE Changlin, ZHI Xudong (8)
TMD limited position strategy for vibration suppression of floating offshore wind turbines	YANG Jiajia, HE Erming, YAO Wenxu, et al (18)
Bearing fault diagnosis method based on deep metric learning	LI Xiaojuan, XU Zengbing, XIONG Wen, et al (25)
Effects of stress state on penetration performance of cement mortar	CHEN Lina, SHAN Junfang, ZHOU Lijiang, et al (32)
Wind-induced internal pressure response of low-rise buildings with leeward wall opening	HUANG Peng, CHEN Sheng, HUANG Shunjie (41)
DOA estimation of vector sensor arrays based on sparse signal power iterative compensation	WANG Weidong, ZHANG Qunfei, SHI Wentao, et al (48)
Dynamic analysis for vibration and impact of liquid film sealing	XU Lushuai, HAO Muming, YUAN Xiaoyang, et al (58)
Early fault diagnosis for rolling bearing based on noise-assisted signal feature enhancement	ZHOU Yiwen, CHEN Jinhai, WANG Heng, et al (66)
Shaking table tests for seismic isolation of structures with pure new type steel roller supports and those with combined supports	HUANG Xiangyun, ZHANG Lei, LIU Yanhui, et al (74)
Tests for effects of airbag on underwater implosion of photomultiplier tube	WU Tianzheng, ZHENG Peng, DU Zhipeng, et al (82)
Tests for unbalance superposition effect of a single-sided vertical balancing machine	WANG Qiuxiao, LI Haoyue, GUO Yongcai, et al (88)
Seismic residual deformation control for RC frame structures based on a novel self-centering friction damping brace	BI Zhongjun, HU Zhiqiang, WANG Qi, et al (95)
Optimal parametric design of a new aeroelastic model for higher-order vertical modal vortex-induced vibration tests	WEN Qing, HUA Xugang, CHEN Zhengqing, et al (103)
Vibration characteristics analysis for an axially loaded beam with elastic boundary restraints	ZHAO Yuhao, DU Jingtao, XU Deshui (109)
Check valve fault diagnosis based on VMD parametric optimization and enhanced multi-scale permutation entropy	PAN Zhen, HUANG Guoyong, WU Man (118)
Hybrid simulation for aseismic performance of subway station with its RC central column as test specimen	YANG Chengyu, CAI Xuesong, YUAN Yong (126)
Guided wave monitoring method based on over-determined independent component analysis under temperature variation conditions	XIAO Hang, XIAO Li, QU Wenzhong (133)
Tests for effects of lateral tenon and mortise tightness on aseismic performance of step through tenon joints	SU Haihong, GAO Yonglin, TAO Zhong, et al (142)
Tests for transmission error and tooth root stress of spiral bevel gears under quasi-static condition	WANG Cheng, WAN Bowen, CHEN Yanyan, et al (150)
Acoustic absorption characteristics of a flexible micro-perforated panel cavity with a flexible back one	HOU Jiuxiao, ZHU Haichao, YUAN Suwei (156)

Stiffness nonlinearity and control of multi-DOF micro-gyroscope under time-delay displacement feedback	HAO Shuying, SONG Yuhao, LI Weixiong, et al (163)
Simplified dynamic modeling and model parametric identification for bolted flange connection structures	JIANG Guoqing, HONG Rong, CHEN Wanhua (170)
Fault localization for rolling bearing based on AE	LIU Xiaoqin, TANG Linjiang, HOU Kaize, et al (176)
Construction and selection of nonconformal near-field acoustic holography wave function based on wave superposition method	XIANG Yu, SHI Ziyu, LU Jing, et al (183)
Nonlinear dynamic characteristics of two-stage planetary gear transmission system in wind turbine gearbox	XIANG Ling, LIU Suixian, ZHANG Junhua (193)
Hierarchical control strategy for active suspension system of automobile powertrain	CHEN Zheming, WANG Heng, CHEN Yong, et al (200)
3-D acceleration measurement of traction passenger elevator based on magnetic levitation technology	JIANG Dong, CHEN Cai, ZHAO Yanchao, et al (207)
Probabilistic model of cumulative plastic strain of coarse-grained soil fill based on large-scale dynamic triaxial tests	LENG Wuming, ZHAI Bin, XU Fang, et al (214)
Tests for cavitation and motion characteristics of double-ball parallel water entry	WANG Xu, LÜ Xujian (221)
In-plane random vibration of stay cable system under Poisson white noise excitation	LIU Jingrui, CHEN Lincong, ZHAO Yaobing (230)
Aseismic system of medium-span cable-stayed bridge in strong earthquake area	HUANG Yongfu, MA Jian, XIA Zhixian (237)
Robust optimization design for vehicle SEM based on 6 method	ZHANG Ziwei, ZHENG Ling, XUE Wanying, et al (243)
Nonlinear chaos control parametric perturbation and orbital deviation of a gear-bearing system	LIN He, WANG Sanmin, RÄTSCHE Matthias, et al (250)
Typhoon-induced response characteristics and yaw effects of large wind turbine based on multi-body dynamics method	BAO Wenyi, WANG Hao, KE Shitang (257)
Active vibration control of time-varying mechanical systems based on an adaptive algorithm with model real-time identification	ZHENG Hongbo, YANG Dequan, HUANG Zhiwei, et al (266)
Simulation and tests for lateral vibration transmission suppression of a propulsion shafting system based on active stern support	XIE Xiling, REN Mingke, HUANG Xiuchang, et al (271)
Dynamic response monitoring of flexible structures based on microwave sensing	XIONG Yuyong, LI Songxu, PENG Zhike (277)

JOURNAL OF VIBRATION AND SHOCK

Vol. 39 No. 15 AUGUST 2020

Editorial Office: 1954 Huashan Rd. Shanghai, 200030, China

Issuer Abroad: China National Publishing Industry Trading Corporation
(Post-Office Box No. 728, Beijing, China)



杰出的动态性能

准确的捕捉瞬态信号

扬州英迈克测控技术有限公司

YMC PIEZOTRONICS INC

YMC石英力/压力传感器系列



动态力传感器/动态压力传感器

◎高强度 ◎动态范围宽 ◎上升时间快