



中国科技论文统计源期刊
中国科技核心期刊

ISSN 1672-1861
CN 11-4967/R

中国妇产科临床杂志

ZHONGGUO FUCHANKE LINCHUANG ZAZHI

CHINESE JOURNAL
OF CLINICAL OBSTETRICS
AND GYNECOLOGY

2015 第16卷 第2期
Vol.16 No.2

ISSN 1672-1861



主管 中华人民共和国教育部
主办 北京大学

CHINESE JOURNAL OF CLINICAL OBSTETRICS AND GYNECOLOGY

Bimonthly Established in May 2000 Volume 16, Number 2 March 15, 2015

Responsible Institution

Ministry of Education
People's Republic of China

Editing

Editorial Board of CCOG
No. 11, Xizhimen South Street,
Beijing 100044,
P. R. China
Tel: 86(010)88324270, 88324179
Fax: 86(010)88324179
Email: zgog@163.net

Editor in chief

WEI Lihui

Managing Director

CUI Heng

Publishing

Peking University Medical Press
No. 38, Xueyuanlu Rd
Beijing, 100191
China
Tel: 86(010)82801249
Fax: 86(010)82801249
Email: bjb@mail.bjmu.edu.cn

Printing

Jiaxindaxinyishu Printing Co. Ltd.
Beijing

CSSN

ISSN 1672 - 1861
CN 11 - 4967/R

Copyright © 2015 by the

Editorial Board of CCOG
<http://www.obgyn.cn>

CONTENTS IN BRIEF

- Short-term effect of improved-Manchester surgery on severe pelvic organ prolapsed women with prolonged cervix** (100)
ZHANG Lifang, DUAN Aihong, SHENG Jie, WEI Wei, HUANG Liang, ZHANG Yalan, ZHENG Ping, WU Minghui, HOU Dongmin, LU Dan.
- Clinical effect of silicone pessary treatment for pelvic organ prolapse** (105)
WEI Jihong, ZHAN Xuemei, FANG Zhao.
- Clinical efficacy of 131 cases hymenoplasty by three stratus suture method** (108)
WEI Shuyi, LI Qiang, LI Senkai, ZHOU Chuande, LI Fengyong, ZHOU Yu.
- Clinical efficacy of a vaginal contraction method by perineal body reconstruction combined with crapy vaginal mucosa suturing** (112)
ZHAO Yang, LI Qiang, LI Senkai, ZHOU Chuande, LI Fengyong, ZHOU Yu, DING Jian, CAO Yujiao, ZHANG Siya, WEI Shuyi.
- Sildenafil improves endometrial blood flow in patients with repeated implantation failure** (115)
LI Hua, LI Rong, WANG Lina, WANG Liying, ZHEN Xiumei, XU Dongxiao, QIAO Jie.
- Dysregulated complement activation in early-onset severe preeclampsia and late-onset severe preeclampsia** (119)
XU Bingning, HE Yingdong, CHEN Qian.
- The effect of active phase start point on the treatment of labor stage** (123)
ZHANG Xiaowei, LIN Xiufeng, YIN Pingping.
- Clinical experience of noninvasive prenatal testing with fetal cell-free DNA for trisomy 21, 18, and 13** (126)
LI Yanfang, ZHANG Lanzhen, TIAN Geng, ZHANG Hongying, ZHANG Hongyun.
- Clinical significance of pelvic lymphadenectomy in early-stage endometrial cancer** (130)
LIU Yi, YANG Jiaxin, LIU Shiping, SHAN Ying, LI Xiaoyan.
- Analysis of prognostic factors of I A~II B squamous carcinoma of the cervix** (133)
LIU Yu, ZHAO Lijun, LI Mingzhu, LI Mingxia, WANG Jianliu, WEI Lihui.
- Effect of levonorgestrel-releasing intrauterine system for prevention of the recurrence of endometrial polyps** (136)
QIN Ling, YANG Junjuan, WANG Yanhong, LIU Caixia, BIAN Aiping, ZHAO Qian.
- A clinical analysis of 38 cases pelvic mass after total hysterectomy** ... (139)
WANG Juan, WANG Zhiqi, WANG Jianliu.
- Emotion and social support impact medical coping modes in women who are going to receive IVF/ICSI treatment** (142)
SHI Xiao, QUAN Song.
- Meta-analysis of relationship between androgen receptor CAG repeats length polymorphism and the polycystic ovary syndrome** (145)
YU Ruimei, QIU Naixuan, CHEN Chummin.
- Effect of flavonoids and polysaccharides extracts from *Hedyotis diffusa* on human endometrial carcinoma cell line Ishikawa co-cultured with tumor-associated macrophages** (150)
LI Liuye, XING Yu, BAO Xiaoxia, XUE Xiaou.

中国妇产科临床杂志 吴阶平题图

CHINESE JOURNAL OF CLINICAL OBSTETRICS AND GYNECOLOGY

双月刊 2000 年 5 月创刊 第 16 卷 第 2 期 2015 年 3 月 15 日出版

主 管

中华人民共和国教育部

主 办

北京大学

编 辑

中国妇产科临床杂志编辑委员会

100044 北京市西城区西直门南大街 11 号

电话:(010)88324270、88324179

传真:(010)88324179

Email:zgog@163.net

主 编

魏丽惠

编辑部主任

崔 恒

出 版

北京大学医学出版社

100191 北京市海淀区学院路 38 号

电话:(010)82801249

传真:(010)82801249

Email:bjb@mail.bjmu.edu.cn

印 刷

北京佳信达欣艺术印刷有限公司

广告经营许可证

京西工商广字第 0420 号(1-1)

订购

全国各地邮电局

邮发代号:80-248

定 价

每期 15.00 元,全年 90.00 元

中国标准刊号

ISSN 1672-1861

CN 11-4967/R

2015 年本刊所载文章版权归《中国妇产科临床杂志》社所有

本刊如有印装质量问题,可向本刊编辑部调换

本刊网址:www.obgyncn.com

目 次

述评

盆底功能障碍性疾病诊治中辅助检查的规范应用 孙秀丽 王建六(97)

论著

改良曼氏手术治疗重度盆腔器官脱垂伴宫颈延长的短期疗效
..... 张立芳 段爱红 盛洁 魏薇 黄亮
张亚兰 郑萍 武明辉 侯东敏 卢丹(100)

硅胶子宫托治疗盆腔器官脱垂的临床疗效分析
..... 魏继红 詹雪梅 房昭(105)

三层缝合处女膜修补术 131 例临床疗效观察
..... 魏蜀一 李强 李森恺 周传德 李峰永 周宇(108)

会阴体修复联合阴道黏膜皱褶缝合阴道紧缩术的疗效
..... 赵阳 李强 李森恺 周传德 李峰永
周宇 丁健 曹玉娇 张思娅 魏蜀一(112)

西地那非改善反复移植失败患者子宫内膜血流的研究
..... 李华 李蓉 王丽娜 王丽颖 甄秀梅
徐东晓 乔杰(115)

早发型和晚发型重度子痫前期的异常补体激活
..... 徐冰凝 赫英东 陈倩(119)

活跃期起始点改变对产程处理的影响
..... 章小维 林秀峰 殷平平(123)

胎儿游离 DNA 用于无创产前检测 21、18、13 三体
综合征的临床研究
..... 李燕芳 张兰珍 田耕 张宏英 张红云(126)

早期子宫内膜癌盆腔淋巴结切除的意义探讨
..... 刘怡 杨佳欣 刘石萍 单莹 李晓燕(130)

IA ~ II B 期子宫颈鳞癌预后影响因素的临床分析
..... 刘昱 赵丽君 李明珠 李明霞 王建六 魏丽惠(133)

左炔诺孕酮宫内缓释系统预防子宫内膜息肉复发的
疗效分析
..... 秦玲 杨俊娟 王艳红 刘彩霞 边爱平 赵倩(136)

全子宫切除术后盆腔包块 38 例临床分析	王娟 王志启 王建六(139)
体外受精-胚胎移植前妇女情绪、社会支持状态对疾病应对方式影响的调查	史潇 全松(142)
雄激素受体(CAG) _n 基因多态性与多囊卵巢综合征相关性的 Meta 分析	余瑞梅 邱娜璇 陈春敏(145)
白花蛇舌草黄酮和多糖对与肿瘤相关巨噬细胞共培养的人子宫内膜癌 Ishikawa 细胞的影响	李柳叶 邢玉 包晓霞 薛晓鸥(150)
短篇论著	
环形带支撑子宫托治疗盆腔器官脱垂的临床研究	王东晖 黄平 刘丹彤 高洁凡(154)
不同同步放化疗方案治疗中晚期宫颈癌临床分析	刘沙 王明坤 王顺(156)
结肠镜下钛夹治疗直肠阴道瘘 4 例临床分析	刘佰纯 宋莹 白东梅(158)
综合治疗中重度宫腔粘连的疗效观察	黄燕明 王燕 郎雁 余炜昶 邢琦 董毅 刘玉兰 陈璐 方琳(160)
妊娠早期单纯甲状腺自身抗体阳性孕妇妊娠结局分析	黄晶晶 李琼华 叶华珍 赵航(162)
不同断脐时间新生儿结局的临床分析	刘月改 梁琛 柳伟伟 朱锐(165)
米非司酮联合米索前列醇在瘢痕子宫中期引产中的疗效分析	王新茹 胡晓燕(167)
超声引导下甲氨蝶呤囊内注射联合宫腔镜治疗剖宫产瘢痕妊娠的临床研究	张清伟 宋佳玉 赵晓 王慧芬 付秀虹(169)
合并绒毛膜下血肿先兆流产患者的妊娠结局分析	岳红云 李引弟(171)
孝感地区 7 所县市级医院妊娠期血小板减少症流行病学特征	熊琼英 杨晓红 刘懿 代小红 刘岚 徐秀丽(173)
体外受精-胚胎移植患者治疗前后心理调查	李艳梅 李梦洁 黄玉 陈盈 陈细璜 罗妮(175)
营养干预对妊娠期糖尿病高危孕妇生活质量的影响	王璇 陈廷美 于德纯 朱华英 徐陈瑜(177)
miRNA - 21 在子宫颈鳞癌组织中表达的初步研究	韩英 张蓉 俞丹华 刘萃萃 彭薇(179)
病例报告	
妊娠晚期腹腔内出血两例及文献复习	蔡晓辉 蔺莉(181)
GnRH - a 治疗子宫内膜异位症“点火效应”导致严重痛经一例	彭二玄 杨欣 梁旭东(183)
综述	
EZH2 基因在妇科恶性肿瘤中的研究进展	蒋勇军 桂涛 黄美华 成臣 万贵平(185)
妊娠期糖尿病发病相关因素的研究进展	俞巧稚 张文颖(187)
人工流产社会影响因素的研究进展	郭洪花 张彩虹 池琳琳(190)
读者·作者·编者	
关于作者单位著录的要求	本刊编辑部(99)
消息	
2015 年第十二届全国子宫颈癌前期病变及子宫颈癌热点研讨会通知	(184)
北京大学人民医院女性盆底疾病诊疗中心第九期“盆底疾病手拉手培训班”通知	(184)
本刊稿约见本卷第 1 期第 I 页	

责任编辑:王建六 魏丽惠
责任编辑:李静然
英文编辑:孙秀丽

步长® 红核妇洁洗液

呵护

杀灭致病微生物，重建阴道微生态环境

疗效

有效止痒

成份

山楂核干馏液。

功能主治

解毒祛湿，杀虫止痒。用于湿毒下注之阴痒、带下，霉菌性阴道炎和非特异性阴道炎见上述症候者。

规格

每瓶装150ml、100ml，或袋装10ml/袋。盒内赠送冲洗器。

用法用量

外用。用药前，用水清洗阴部后擦干，取10ml药液于稀释瓶中，加温开水至100ml，摇匀，用稀释后的药液冲洗外阴和阴道，一日2次，连用七天。重症患者用药应遵医嘱

不良反应

尚不明确。

禁忌

尚不明确。

注意事项

注意保持冲洗器的清洁。

