

ISSN 2095-9958

CN 10-1316/R

中国科技论文统计源期刊(中国科技核心期刊)

2018年8月 第11卷第8期 Volume 11 Number 8 August 2018

中华骨与关节外科杂志

ZHONGHUA GU YU GUANJIE WAIKE ZAZHI

Chinese
Journal of
Bone and
Joint
Surgery

ISSN 2095-9958



9 772095 995189

08

主管：国家卫生和计划生育委员会

主办：中国医学科学院



中华骨与关节外科杂志

ZHONGHUA GU YU GUANJIE WAIKE ZAZHI

月刊 2008年4月创刊 第11卷 第8期 2018年8月

主 管

国家卫生和计划生育委员会

主 办

中国医学科学院

主 编 邱贵兴

编辑部主任 高 鹏(代)

编辑出版

中国协和医科大学出版社

《中华骨与关节外科杂志》编辑部

北京东单三条9号(100730)

电话:010-65281306

E-mail:guguanjie@126.com

投稿网址:www.cjbj.com

印 刷

北京联合互通彩色印刷有限公司

中国标准连续出版物号

ISSN 2095-9958

CN 10-1316/R

广告许可证

京东工商广字第0342号

广 告

《中华骨与关节外科杂志》市场部

发 行

中国协和医科大学出版社期刊中心

地址:北京东单三条9号

邮 发

全国各地邮电局

邮发代号:82-735

定 价

每期15.00元,全年12期180.00元

本期责任编辑 孙 维

本期英文编辑 李丹阳,刘亦男

本刊版权归《中华骨与关节外科杂志》编辑部所有

目 次

临床论著

- 改良 Weil 截骨合并软组织平衡治疗第2趾锤状趾畸形的疗效分析
.....王旭,耿翔,张超,等 (561)
- 3D打印导航模板在 Sanders II 型跟骨骨折中的应用
.....崔建强,孙德麟,曲军杰,等 (566)
- 锁定加压钩接骨板治疗第5跖骨基底骨折
.....刘建全,李文翠,熊建义,等 (570)
- 后正中经跟腱入路结合锁定接骨板行胫距跟关节融合术的临床应用
.....鹿军,温晓东,梁晓军,等 (574)
- 双固定锚钉内固定融合术治疗成人 II 型足副舟骨临床观察
.....聂宇,徐海林,周纳新 (578)
- 硅胶人工跖趾关节置换治疗2~5跖趾关节疾病的疗效分析
.....陈启旺,魏珂,李跃红,等 (581)
- Photoshop 软件在踝外翻术式选择及方案优化中的应用
.....李昕宇,祁印泽,陈兆军 (584)
- 第1跖楔关节融合联合踝距 Akin 截骨治疗中重度踝外翻的疗效观察
.....刁乃成,刘凤岐,杨波,等 (588)
- 改良 Chevron 截骨术联合软组织松解术治疗中度踝外翻
.....曹波,刘强,张恒,等 (591)
- 全髌关节置换术治疗保髌失败的非创伤性股骨头缺血性坏死的中期
随访结果褚亚明,张亮,张金庆,等 (596)
- 中文版 KOOS 和 OKS 在评估膝骨关节炎患者多模式非手术治疗中的
对比研究陈墅,曹嘉,蔡筑韵,等 (600)

骨髓水肿与膝骨关节炎疼痛程度的相关性分析	苗贵强,高立华,臧学慧,等 (606)
外侧闭合胫骨高位截骨桥接组合式内固定结合关节镜清理治疗膝内翻型膝骨关节炎的临床研究	张海峰,王树平,梁鹏,等 (609)
腹主动脉内球囊阻断在骨盆及骶骨肿瘤切除重建术中的应用	卢炜,向阳,庄景义,等 (614)
接骨板系统治疗同侧股骨干合并股骨近端骨折	吴进,郭小微,宋伟,等 (617)
腰椎退行性疾病 Dynesys 非融合内固定治疗的临床疗效	张浩沙强,郭瑞,王志刚,等 (622)

病例报道

合并血友病 A 的胸椎管狭窄症 1 例报道	姜宇,孙垂国,齐强,等 (625)
-----------------------------	-------------------

综述

踝外翻远端软组织平衡术的研究进展	王晓康,施忠民 (629)
老年髌部骨折术后发生对侧骨折的影响因素分析	杨轶飞,张嘉 (634)
直接前入路在老年人工股骨头置换中的应用	王方曦,曾晖,王德利,等 (637)



欢迎关注《中华骨与关节外科杂志》微信公众号

Chinese Journal of Bone and Joint Surgery

Monthly Established in April 2008 Volume 11, Number 8 August 2018

Responsible Institution

National Health and Family Planning
Commission of the People's Republic of China

Sponsor

Chinese Academy of Medical Sciences

Editor-in-Chief

QIU Guixing (邱贵兴)

Acting Director

GAO Peng (高鹏)

Editing & Publishing

Editorial Office of
Chinese Journal of Bone and Joint Surgery,
No.9, Dong Dan San Tiao, Beijing 100730, China
Tel: 0086-10-65281306
E-mail: guguanjie@126.com
http: //www.cjbjs.com

Printing

Beijing Lianhehutong Color Printing Co., Ltd.

CSSN

ISSN 2095-9958
CN 10-1316/R

Copyright©2018 by the Editorial Office of Chinese Journal of Bone and Joint Surgery

No content published by the Chinese Journal of Bone and Joint Surgery may be reproduced or abridged without authorization. Please do not use or copy the layout and design of the Journal without permission.

All articles published represent the opinions of the authors, and do not reflect the official policy of the Editorial Board, unless this is clearly specified.

Contents

Clinical Research

- Outcome of modified Weil osteotomy combined with soft tissue balancing for the second hammer toe deformity
.....WANG Xu, GENG Xiang, ZHANG Chao, et al (561)
- Application of three dimensional printing navigation template in Sanders II calcaneal fractureCUI Jianqiang, SUN Delin, QU Junjie, et al (566)
- Locking compression hook plate fixation for the fifth metatarsal base fracture
.....LIU Jianquan, LI Wencui, XIONG Jianyi, et al (570)
- Application of posterior trans-Achilles tendon approach in tibiototalcalcaneal arthrodesis with locking plate
.....LU Jun, WEN Xiaodong, LIANG Xiaojun, et al (574)
- Clinical observation of internal fixation with twin fix anchor for adult type II accessory navicular bonesNIE Yu, XU Hailin, ZHOU Naxin (578)
- Curative effect of arthroplasty with silicone implant on 2-5 metatarsophalangeal joint diseasesCHEN Qiwan, WEI Ke, LI Yuehong, et al (581)
- Application of Photoshop in preoperative design and procedure selection of osteotomy for hallux valgusLI Xinyu, QI Yinze, CHEN Zhaojun (584)
- Efficacy of the first tarsometatarsal arthrodesis combined with Akin osteotomy in the treatment of moderate to severe hallux valgus
.....DIAO Naicheng, LIU Fengqi, YANG Bo, et al (588)
- Effect of modified Chevron metatarsal osteotomy combined with lateral soft-tissue release on moderate hallux valgus
.....CAO Bo, LIU Qiang, ZHANG Heng, et al (591)
- A mid-term follow-up outcomes of total hip arthroplasty in the treatment of patients with non-traumatic avascular necrosis of femoral head failing in core decompression therapy
.....CHU Yaming, ZHANG Liang, ZHANG Jinqing, et al (596)

- Comparison of Chinese KOOS and OKS in multimodal non-surgical treatment of knee osteoarthritis
.....CHEN shu, LI zhangji, DU Jie, et al (600)
- Correlation analysis of bone marrow edema and knee pain in elderly patients with osteoarthritis
.....MIAO Guiqiang, GAO Lihua, ZANG Xuehui, et al (606)
- Lateral high tibial osteotomy combined with arthroscopic debridement and bridge combined fixation system in the treatment
of knee varus osteoarthritisZHANG Haifeng, WANG Shuping, LIANG Peng, et al (609)
- Application of abdominal aorta blockade in pelvic sacral tumor resection and reconstruction
.....LU Wei, XIANG Yang, ZHUANG Jingyi, et al (614)
- Efficacy of plate system in the treatment of ipsilateral proximal femur and shaft fractures
.....WU Jin, GUO Xiaowei, SONG Wei, et al (617)
- Clinical observation of Dynesys non-fusion fixation for lumbar spine degeneration
.....ZHANG Haoshaqiang, GUO Rui, WANG Zhigang, et al (622)

Case Report

- Surgical treatment of thoracic spinal stenosis combined with hemophilia A: a case report
.....JIANG Yu, SUN Chuiguo, QI Qiang, et al (625)

Review

- Progress in distal soft tissue procedure in hallux valgusWANG Xiaokang, SHI Zhongmin (629)
- Analysis of risk factors for the second contralateral hip fracture in the elderlyYANG Yifei, ZHANG Jia (634)
- Progress of direct anterior approach in hip hemiarthroplasty in the elderlyWANG Fangxi, ZENG Hui, WANG Deli, et al (637)



抗凝 从未如此简便

- ◆ 口服，一日一次，无需注射
- ◆ 有效预防静脉血栓栓塞症发生率
- ◆ 降低肺栓塞风险

【适应症】：

用于择期髋关节或膝关节置换手术成年患者，以预防静脉血栓形成。

【用法用量】：

推荐剂量为口服利伐沙班10mg，每日1次。如伤口已止血，首次用药时间应于手术后6-10小时之间进行。

【禁忌】：

禁用于对利伐沙班或片剂中任何辅料过敏的患者、有临床明显活动性出血的患者、具有凝血异常和临床相关出血风险的肝病患者、孕妇及哺乳期妇女。详见说明书。

【不良反应】：

不良反应主要包括：出血、伤口分泌物、四肢疼痛、肌肉痉挛、晕厥、瘙痒、水疱、粒细胞缺乏症、血小板减少、腹膜后出血、黄疸、胆汁淤积、肝炎（含肝细胞损伤）、超敏反应、过敏反应、过敏性休克、血管性水肿、轻偏瘫、Stevens-Johnson综合征。

【进口药品注册证号】：

H20140132

【生产企业】：

企业名称：Bayer Pharma AG 拜耳医药保健有限公司

京药广审（文）第 2017010014 号

本广告仅供医学药学专业人士阅读

关于本产品完整的处方信息请参阅产品说明书

