



中国实用儿科杂志[®]

ZHONGGUO SHIYONG ERKE ZAZHI

2018年3月 第33卷 第3期

CHINESE
JOURNAL
OF
PRACTICAL
PEDIATRICS

Volume 33 Number 3

March 2018



防治左卡尼汀缺乏

【适应症】用于防治左卡尼汀缺乏。

【规格】10ml: 1g

【用法用量】口服，用餐时服用。成人每日1-3g（1-3支），分2-3次服用；儿童起始剂量每公斤体重50mg，根据需要和耐受性缓慢加大剂量，通常剂量为每公斤体重50-100mg（最大剂量一天不超过3g）。

【禁忌、注意事项】详见说明书。

【生产企业】东北制药集团沈阳第一制药有限公司

【国药准字】H19990372

东维力
左卡尼汀口服溶液



辽药广审（文）第2017100181号
本广告仅供医学药学专业人士阅读！

ISSN 1005-2224




中国实用医学杂志社



中国实用儿科杂志

Zhongguo Shiyong Erke Zazhi

月刊 1986年创刊 第33卷 第3期 2018年3月6日



杂志官网

本刊微信

主管

中华人民共和国国家卫生和
计划生育委员会

主办

中国医师协会
中国实用医学杂志社

编辑出版

中国实用医学杂志社
110001,沈阳市和平区南京南街9号
网址:www.zgsyz.com

社长兼总编辑

翟 城

《中国实用儿科杂志》编辑部

110001,沈阳市和平区南京南街9号
电话(传真):(024)23866457
E-mail:zgsyek@163.com

主编

薛辛东

编辑部主任

吴洋意

广告经营许可证

辽2101001500105

商标注册号

第1572587号

印刷

辽宁新华印务有限公司
110041,沈阳市经济技术开发区六号路14甲3号

发行

国内:辽宁省报刊发行局
国外:中国国际图书贸易集团
有限公司
100048,北京市车公庄西路35号
邮发代号:M6355

订购

全国各地邮政局
邮发代号 8-171

邮购

《中国实用儿科杂志》编辑部
110001,沈阳市和平区南京南街9号
电话:(024)23866457

定价

每期13.00元,全年156.00元

中国标准连续出版物号

ISSN 1005-2224
CN 21-1333/R

除非特别声明,本刊刊出的所有
文章不代表本刊编委会的观点

目 次

指南·标准·共识

- 抗组胺H₁受体药在儿童常常见过敏性疾病中应用的
专家共识 中华医学会变态反应学分会儿童过敏和哮喘学组,
中华医学会儿科学分会呼吸学组哮喘协作组 161

述 评

- 认识和合理处理儿童气道黏液高分泌 鲍一笑,张平波 171

专题笔谈

- 儿童气道黏液高分泌
儿童气道黏液高分泌及清除机制 卢燕鸣,周文静 175
病毒诱导气道黏液高分泌机制 张惠琴,孙 新 179
儿童气道黏液高分泌疾病 张海邻,吕芳芳 184
非药物排痰措施利弊评价 张亚芥,潘家华 188

专家论坛

- 儿童呼吸和哮喘控制测试(TRACK)改良中文版
及其临床价值 洪建国 192
国内儿童治疗药物监测临床现状 王广飞,李 静,卢金森,等 196

论 著

- 儿童肺炎克雷伯菌感染临床分布及
耐药性分析 胡海贊,王 春,姚剑杰,等 202
联合降阶梯方案治疗婴幼儿
喘息临床研究 刘海沛,鲍一笑,田 野,等 209
儿童耐药结核病5例临床分析 刘 辉,刘金荣,杨海明,等 214
纤维支气管镜诊断活动性
肺结核病临床分析 翟 嘉,邹映雪,郭永盛,等 219
5~14岁哮喘患儿呼出气一氧化氮检测与
气道可逆性相关性研究 刘 欣,尚云晓,冯 雍,等 224

敬告读者:如杂志有印刷装订问题请寄本刊编辑部进行调换

潮气呼吸肺功能与呼出气一氧化氮检测对2~5岁

- 哮喘患儿临床价值研究 张惠琴, 张静静, 陶小娟, 等 229
咯血患儿25例临床诊治分析 赵梦姣, 马 静, 刘 霞, 等 233

病例报告

- 二氢蝶啶还原酶缺乏症1例报告 李凤侠, 刘鸿丽, 张 晶, 等 237
Temple-Baraitser综合征1例报告 郑江珍, 孙 萍, 胡小云, 等 239

继续医学教育专栏

- 力欣奇继续医学教育园地——思考病例系列(3)答案 223

读者·作者·编者

- 本期主要审稿专家 170
更正 208
《中国实用儿科杂志》2018年第4期重点内容介绍 238

消息

- “新生儿肺脏疾病临床管理与超声诊断学习班”招生通知 218

本期广告目次 201

2018年《中国实用儿科杂志》征订启事见本期彩页

力欣奇继续医学教育园地见本期彩页

本刊稿约见本卷第1期彩页

Chinese Journal of Practical Pediatrics

Monthly Established in 1986 Vol. 33 No. 3 Mar. 6, 2018

Administration

National Health and Family
Planning Commission of the
People's Republic of China

Sponsors

Chinese Medical Doctor Association
Publishing House of Chinese Journals of
Practical Medicine

Editing and Publishing

Publishing House of Chinese Journals of
Practical Medicine
<http://www.zgsyz.com>

President and Editor-in-chief

ZHAI Cheng

Editing Committee

Editorial Board of Chinese Journal of
Practical Pediatrics
No.9 South Nanjing Street, Heping District,
Shenyang 110001, China
Tel(Fax):(86-24)23866457
E-mail:zgsyek@163.com

Editor-in-Chief

XUE Xin-dong

Director of Editorial Department

WU Yang-yi

Printing

Liaoning Xinhua Printing Co., Ltd
Shenyang 110041

Overseas Distributor

China International Book Trading Corporation,
Beijing 100048, China
Code No.M6355

Order by Mail

Editorial Department of Chinese Journal of
Practical Pediatrics
No.9 South Nanjing Street, Heping District,
Shenyang 110001, China
Tel:(86-24)23866457

CSSN

ISSN 1005-2224
CN 21-1333/R

CONTENTS IN BRIEF

GUIDELINES, STANDARDS AND CONSENSUS

Expert consensus on clinical application of antihistamine H₁ receptor drugs for common allergic diseases in children ··· *Pediatric Allergy and Asthma Group of Allergic Reaction Branch of Chinese Medical Association, Asthma Cooperation Group of Respiration Group of Pediatric Branch of Chinese Medical Association* 161

EDITORIAL

Recognition and reasonable therapy of airway mucus hypersecretion in children *BAO Yi-xiao, ZHANG Ping-bo* 171

SYMPOSIUM

Airway mucus hypersecretion in children
Mechanism of airway mucus hypersecretion and airway clearance in children *LU Yan-ming, ZHOU Wen-jing* 175
Mechanism of virus-induced airway mucus hypersecretion *ZHANG Hui-qin, SUN Xin* 179
Diseases associated with airway mucus hypersecretion in children *ZHANG Hai-lin, LÜ Fang-fang* 184
Advantages and disadvantages of non-drug expectoration measures *ZHANG Ya-jie, PAN Jia-hua* 188

EXPERT FORUM

Modified Chinese version of the Test for Respiratory and Asthma Control in Kids(TRACK) and its clinical value *HONG Jian-guo* 192
Clinical situation of therapeutic drug monitoring in Chinese children *WANG Guang-fei, LI Jing, LU Jin-miao, et al* 196

ORIGINAL CONTRIBUTION

Clinical distribution and resistance analysis of Klebsiella pneumoniae in children *HU Hai-yun, WANG Chun, YAO Jian-jie, et al* 202
Clinical study of combined de-escalation therapy in the treatment of infant wheezing *LIU Hai-pei, BAO Yi-xiao, TIAN Ye, et al* 209
Clinical analysis of 5 cases of drug-resistant tuberculosis *LIU Hui, LIU Jin-rong, YANG Hai-ming, et al* 214

Clinical value of fiberoptic bronchoscopy in diagnosis of active pulmonary tuberculosis	ZHAI Jia, ZOU Ying-xue, GUO Yong-sheng, et al	219
Correlation between fraction of exhaled nitric oxide and airway reversibility in asthmatic children aged 5 to 14	LIU Xin, SHANG Yun-xiao, FENG Yong, et al	224
Clinical value of the test of tidal breathing lung function and exhaled nitric oxide in asthmatic children aged 2 to 5	ZHANG Hui-qin, ZHANG Jing-jing, TAO Xiao-juan, et al	229
Clinical diagnosis and treatment of hemoptysis in 25 children	ZHAO Meng-jiao, MA Jing, LIU Xia, et al	233

CASE REPORT

Dihydropteridine reductase deficiency: A report of 1 case	LI Feng-xia, LIU Hong-li, ZHANG Jing, et al	237
Temple-Baraitser syndrome: A report of 1 case	ZHENG Jiang-zhen, SUN Ping, HU Xiao-yun, et al	239

CONTINUING MEDICAL EDUCATION COLUMN

Executive Members of Editorial Committee: BAO Yi-xiao, CHEN Zhi-min

Duty Editor: GUO Ji-long

喜炎平注射液

XI YAN PING ZHU SHE YE

广告批准文号：赣药广审（文）第 2017070124 号

本广告仅供医学药学人士阅读

清热解毒

止咳止痢

支气管炎

扁桃体炎

细菌性痢疾



【成 份】穿心莲内酯总磺化物。

【功能主治】清热解毒，止咳止痢。用于支气管炎、扁桃体炎，细菌性痢疾等。

【用法用量】肌内注射：成人一次50~100mg，一日2~3次；小儿酌减或遵医嘱。

静脉滴注：成人：一日250~500mg，以5%葡萄糖注射液或0.9%氯化钠注射液稀释后静脉滴注；或遵医嘱。

儿童：一日按体重5~10mg/kg (0.2~0.4ml/kg)，最高剂量不超过250mg，以5%葡萄糖注射液或0.9%氯化钠注射液100ml~250ml稀释后静脉滴注，控制滴速每分钟30~40滴，一日1次；或遵医嘱。

【不良反应】根据上市后监测，本品引起的不良反应较少。不良反应表现有过敏反应、皮肤及其附件、全身性、消化系统、呼吸系统、心血管系统、神经精神系统、用药部位等（具体详见说明书）。

【禁 忌】1、对本品或含有穿心莲内酯总磺化物制剂过敏或有严重不良反应病史者禁用。
2、孕妇禁用。
3、1岁以下儿童禁用。



江西青峰药业有限公司

JIANGXI QINGFENG PHARMACEUTICAL CO., LTD.