

中国实用妇科与产科杂志[®]

ZHONGGUO SHIYONG FUKE YU CHANKE ZAZHI

2020年2月 第36卷 第2期

CHINESE
JOURNAL
OF
PRACTICAL GYNECOLOGY
AND OBSTETRICS

Volume 36 Number 2
February 2020



琪宁 黄体酮软胶囊

广告
国药准字H20031099
浙药广审(文)第2019120496号

孩子是祖国的未来
用与自体黄体酮结构一致的孕酮

特点

- 与自体黄体酮结构一致，分子结构没有经过任何修饰。
- 不打针，更方便，口服黄体酮100mg相当于注射10mg。

✓ 调经

✓ 保胎



100mg×6粒/盒 100mg×12粒/盒

【适应症】

先兆流产和习惯性流产、经前期紧张综合症、无排卵型功血和无排卵型闭经、与雌激素联合使用治疗更年期综合症。

【禁忌】、【不良反应】、【注意事项】详见说明书；



招商热线：18969068267(姚经理)

浙江爱生药业有限公司

生产地址：杭州经济技术开发区二号大街8号 邮编：310018
电话：0571-86917999-1 传真号码：0571-86910104
网址：<http://www.asen-pharm.com/>

ISSN 1005-2216

028



中国医师协会

中国实用妇科与产科杂志

Zhongguo Shiyong Fuke Yu Chanke Zazhi

月刊 1985年创刊 第36卷 第2期 2020年2月2日



订阅二维码



微信二维码

主 管
国家卫生健康委员会

主 办
中国医师协会
中国医科大学

出 版
实用医学杂志社
(实用医学音像出版社)
110001,沈阳市和平区南京南街9号
网址:www.zgsyz.com

社长兼总编辑
翟 城

编 辑
《中国实用妇科与产科杂志》
编辑部
110001,沈阳市和平区南京南街9号
电话:(024)23866489
网址:www.zgsyz.com
E-mail:fck23394474@sina.com

主 编
张淑兰

编辑部主任
魏正强

广告发布登记
编号(2101022018007)

商标注册号
第9507850号

印 刷
辽宁新华印务有限公司
110041,沈阳市经济技术开发区六号路14甲3号

发 行
国内:辽宁省报刊发行局
110013,沈阳市沈河区北站路111号
国外:中国国际图书贸易集团
有限公司
100048,北京市海淀区车公庄西路35
号邮发代号 M6363

订 购
全国各地邮政局
邮发代号 8-172

邮 购
《中国实用妇科与产科杂志》
编辑部
110001,沈阳市和平区南京南街9号
电话:(024)23866489

定 价
每期 15.00 元,全年 180.00 元

中国标准连续出版物号
ISSN 1005-2216
CN 21-1332/R

除非特别声明,本刊刊出的所有
文章不代表本刊编委会的观点

目 次

述 评

二孩时代高龄产妇面临的问题赵扬玉,原鹏波,陈 练 97

专题笔谈

高龄产妇面临的问题

双胎妊娠产前诊断取样技术评估蔡璐璐,孙路明 101

瘢痕子宫妊娠的孕期保健与分娩期

处理栗 娜,刘彩霞 104

前置胎盘合并胎盘植入的认识及

处理张丽姿,毕石磊,陈敦金,等 107

早产的诊治现状和面临的问题罗 欣,漆洪波 111

双胎妊娠的孕期管理张舒沁,王 静,魏 琰 114

妊娠期高血糖的诊断及管理魏玉梅,杨慧霞 117

子痫前期的干预与管理顾蔚蓉,李笑天 120

产后出血的预防和处理刘兴会,何 镛 123

专家共识

辽宁省新型冠状病毒感染流行期间孕产妇管理

指导意见辽宁省产科专业质控中心,

辽宁省危重孕产妇抢救中心,

辽宁省母胎医学中心 127

指南解读

《2020 NCCN 子宫颈癌临床实践指南(第1版)》

解读周 晖,刘昀昀,罗 铭,等 131

2019年英国妇科内镜学会/英国皇家妇产科医师学会

《妊娠期腹腔镜手术指南》解读陆 琦,王玉东 139

ACOG“孕前咨询(2019)”解读董艳玲,漆洪波 145

论 著

2004—2015年中国部分地区子宫颈癌腹腔镜

手术情况调查及分析沈 伟,赵卫东,郭建新,等 150

胎儿镜激光治疗后双胎输血综合征活产儿神经发育

预后分析尹少尉,孟伊琳,贾宝龙,等 154

敬告读者:如杂志有印刷装订问题请寄至本刊编辑部进行调换

妊娠合并心脏病剖宫产患者围手术期容量管理相关研究	葛 静,单莉莉,安 娜,等	159
金英胶囊治疗盆腔炎性疾病(湿热蕴结证)的随机、双盲双模拟、阳性药平行对照、多中心临床研究	刘艳霞,刘朝晖,周德平,等	163
高强度聚焦超声消融治疗子宫肌瘤后妊娠结局及影响因素分析	江昭颖,朱小刚,薛 敏	168
子宫内膜不典型增生及早期子宫内膜样腺癌患者保留生育功能治疗的研究	魏琳萍,裴 澄,唐宇星,等	173
妊娠期补充复合维生素与妊娠结局的回顾性队列研究	史 珉,刘兴会,陈 鹏,等	177
功能失调性子宫出血不同治疗时间疗效观察研究	郭玉峰,罗 新,张 颖	182

综述与讲座

混合性阴道炎与阴道微生态	张 展,刘朝晖	185
--------------	---------	-----

病案报告

妊娠合并视神经脊髓炎1例报告并文献复习	魏 婧,熊智慧,黄 皎,等	190
---------------------	---------------	-----

读者·作者·编者

《中国实用妇科与产科杂志》订阅方法	167
-------------------	-----

本期广告目次 189

《中国实用妇科与产科杂志》稿约见本卷第1期封三

Chinese Journal of Practical Gynecology and Obstetrics

Monthly Established in 1985

Vol.36 No.2 Feb. 2, 2020

Responsible Institution

National Health Commission of the
People's Republic of China

Sponsors

Chinese Medical Doctor Association
China Medical University

Publishing

Publishing House of Journals and
Audiovisuals of Practical Medicine
9 Nanjingnan Street, Shenyang, 110001
<http://www.zgsyz.com>

President and Editor-in-chief

Zhai Cheng(翟城)

Editoring

Editorial Department of Chinese Journal
of Practical Gynecology and Obstetrics
9 Nanjingnan Street, Shenyang, 110001
Tel: (86-24)23866489
<http://www.zgsyz.com>
E-mail: fck23394474@sina.com

Director of Editorial Committee

Zhang Shulan(张淑兰)

Director of Editorial Department

Wei Zheng-qiang(魏正强)

Printing

Liao Ning Xinhua Printing Co., Ltd
Shenyang 110041

Overseas Distributor

China International Book Trading Corporation
P.O.Box 399, Beijing 100048, China
Code No.M6363

Mail-Order

Editorial Department of Chinese Journal
of Practical Gynecology and Obstetrics
9 Nanjingnan Street, Shenyang, 110001
Tel: (86-24)23866489

CSSN

ISSN 1005-2216
CN 21-1332/R

All articles published represent the opinions
of the authors, do not reflect the official
policy of the Editorial Board, unless this is
clearly specified

CONTENTS IN BRIEF

Problems facing the advanced maternal age at the two-child times ZHAO Yang-yu, YUAN Peng-bo, CHEN Lian	97
Assessment of prenatal diagnosis testing in twin pregnancies CAI Lu-yao, SUN Lu-ming	101
Prenatal care and management during delivery of re-pregnancy with scarred uterus LI Na, LIU Cai-xia	104
Recognition and management of placenta implantation complicated with placenta previa ZHANG Li-zi, BI Shi-lei, CHEN Dun-jin, et al	107
Current research and existed problems on diagnosis and treatment of preterm birth LUO Xin, QI Hong-bo	111
Gestational management of twin pregnancy ZHANG Shu-qin, WANG Jing, WEI Yuan	114
Diagnosis and management strategies for hyperglycemia in pregnancy WEI Yu-mei, YANG Hui-xia	117
Intervention and management of preeclampsia GU Wei-rong, LI Xiao-tian	120
Prevention and management of postpartum hemorrhage LIU Xing-hui, HE Lei	123
Instructions on maternal management during epidemic period of novel coronavirus infection in Liaoning Province Obstetrical Quality Control Center of Liaoning, Critical Maternal Emergency Center of Liaoning, Maternal and Fetal Medical Center of Liaoning	127
Interpretation of the NCCN Clinical Practice Guidelines for Cervical Cancer (2020) ZHOU Hui, LIU Yun-yun, LUO Ming, et al	131
Interpretation of BSGE/RCOG guidelines to laparoscopy in pregnancy (2019) LU Qi, WANG Yu-dong	139
Interpretation of ACOG prepregnancy counseling (2019) DONG Yan-ling, QI Hong-bo	145
Study on the situation of laparoscopic surgery for cervical cancer in China from 2004 to 2015 SHEN Wei, ZHAO Wei-dong, GUO Jian-xin, et al	150
Prognosis analysis of neurodevelopment of infants with twin-to-twin transfusion syndrome after fetoscopic laser treatment YIN Shao-wei, MENG Yi-lin, JIA Bao-long, et al	154
Study on peri-operative fluid management of pregnant patients with heart disease undergoing cesarean section GE Jing, SHAN Li-li, AN Na, et al	159

Executive member of committee: QI Hong-bo (漆洪波)

Editor in chief: LIU Jin(刘瑾)

English editor: SUN Tao(孙涛)

全自动化学发光免疫分析仪

检测通量高：Kaeser 6600/1000 360/120 测试/小时
 检测精度高：重复性≤8% 具有自动稀释样本的功能



全自动化学发光免疫分析仪Kaeser1000 注册证号：渝械注准20192220173
 生产企业：重庆科斯迈生物科技有限公司
 渝械广审（文）第2019100293号


全自动化学发光免疫分析仪Kaeser6600 注册证号：渝械注准20192220146

性激素检测全方位解决方案



溯源标准高

小分子项目(E2,PROG,TESTO)
 可溯源至ID-GC/MS



线性范围宽

康润TotalβHCG的线性
 范围是2.7-15000mIU/mL



检测精度高

检测结果稳定可靠，重复性CV≤8%



检测项目全

性六项、AMH、SHBG
 TotalβHCG

产品信息：

促卵泡生成素(FSH)测定试剂盒(化学发光免疫分析法)	注册证号：粤械注准20192400843	泌乳素(PRL)测定试剂盒(化学发光免疫分析法)	注册证号：粤械注准20192400693
促黄体生成素(LH)测定试剂盒(化学发光免疫分析法)	注册证号：粤械注准20192400844	性激素结合球蛋白(SHBG)测定试剂盒(化学发光免疫分析法)	注册证号：粤械注准20192400782
雌二醇(E2)测定试剂盒(化学发光免疫分析法)	注册证号：粤械注准20192400846	抗缪勒氏管激素(AMH)测定试剂盒(化学发光免疫分析法)	注册证号：粤械注准20192400409
孕酮(PROG)测定试剂盒(化学发光免疫分析法)	注册证号：粤械注准20192400847	总β人绒毛膜促性腺激素(TotalβHCG)测定试剂盒(化学发光免疫分析法)	注册证号：粤械注准20192400845
睾酮(TESTO)测定试剂盒(化学发光免疫分析法)	注册证号：粤械注准20192400672		

粤械广审（文）第2019114716号
 注意事项详见说明书。

万方数据

ISSN 1005-2216 CN 21-1332/R 邮发代号 8-172 定价：15.00元



广州市康润生物科技有限公司

地址：广州市番禺区南村镇塘步东村登云大道8号之二505、506、507、508、601、602、603、604、7号之四102、108
 电话：020-28662744