

中国卫生工程学

CHINESE JOURNAL OF PUBLIC HEALTH ENGINEERING

双月刊 1992年8月创刊 2010年第9卷(总第19卷)第3期 2010年6月20日出版

主管

中华人民共和国卫生部

主办

中华预防医学会

100009,北京市西城区鼓楼西大街154号

吉林省预防医学会

130062,吉林省长春市景阳大路3145号

编辑

《中国卫生工程学》杂志编委会

130062,吉林省长春市景阳大路3145号

电话(传真):(0431)87980203

E-mail: jlpma@163.com

http://zgwx.chinajournal.net.cn

主编 邵强

常务副主编 侯祥

编辑部主任 曲莉

出版

《中国卫生工程学》杂志编辑部

130062,吉林省长春市景阳大路3145号

电话(传真):(0431)87980203

广告经营许可证

吉工商广字2200004000098

印刷

长春市新颖印业有限公司

发行

国内 吉林省报刊发行局

国外 中国国际图书贸易总公司
(100044北京399信箱,BM8207)

订阅

全国各地邮政局

邮发代号12-126

邮购

《中国卫生工程学》杂志编辑部

定价

每期7.00元 全年42.00元

中国标准刊号

ISSN 1671-4199 CN 22-1333/R

2010年版权归中华预防医学会、吉

林省预防医学会所有

本刊刊出的所有文章不代表中华预防医学会和本刊编委会的观点,除非特别声明

本刊如有印装质量问题,请向本刊编辑部调换

目次

专家论坛

医院洁净手术部工程招标书技术要求篇章分析与编制 ... 谢景欣(163)

论著

苯系物现场快速检测仪的研制及其应用

..... 于永,王兴华,苏蕊,等(167)

燃煤污染型氟中毒病区型煤固氟技术的研究及应用

..... 靳争京,安冬,何平,等(170)

基于模糊综合评价法的公共场所集中空调送风品质评价

..... 辜少虹,黄锦叙,麦哲恒,等(173)

气球升空法在城市区域高空电磁场强度分布测量中的应用

..... 窦燕生,王媛媛(177)

移动式电焊烟尘治理效果分析 刘天敏(180)

利用 Visual Basic 编程计算等效声级 杨虎,李香玲,赵容(181)

某新建2×600 MW火电项目职业病危害控制效果评价

..... 向能强,沈月华(184)

某铀矿山井下作业职业病危害预评价

..... 刘建军,余志林,陈东辉,等(188)

造纸行业职业病危害识别与关键控制点分析

..... 肖晓琴,王致,张海,等(191)

某锂电池制造项目职业病危害控制效果评价

..... 张金龙,秦宏(194)

某五金塑胶厂职业病危害控制效果评价

..... 姜立民,严燕,赖洪飘,等(197)

某本体ABS扩建项目职业病危害预评价 王健,安刚,张力(201)

调查研究

- 广州市公共场所集中空调通风系统卫生质量调查分析 郭重山,张健,李小晖,等(205)
- 某作业场所计算机超高频辐射和工频电场强度检测结果分析 袁方(208)
- 2006-2009年潍坊市农村生活饮用水水质状况分析 官洪国,刘本先,张丽,等(210)
- 鸭绿江中上游水中70株非O₁群霍乱弧菌的血清学分型和药敏分析 徐作玲,边学武,侯梅(211)

技术与方法

- 工作场所空气中邻氯苯乙烯热解吸气相色谱测定方法的研究 何彩(214)
- 分光光度法测定保健食品中总皂甙的不确定度评定 刘利亚,王娅芳,张卫国,等(217)
- 海产品中副溶血弧菌变性高效液相色谱检测技术研究 廖亮,刘宏生(220)
- 超高效液相色谱-串联质谱法测定水体中微囊藻毒素 张晓梅,张竹青,黄文鹏(223)
- 梯度洗脱法测定消炎片中黄芩苷的含量 齐彩缤(225)

述评与综述

- 网吧卫生监测现状 章英,冯小武(227)

疾病控制

- 吉林省哨点医院2008年伤害监测资料分析 朱颖俐,刘畅,丁冬,等(230)
- 辽源市西安区15岁及以上居民慢性病流行特征 孙立新,王向东(236)
- 松原市2008年布鲁杆菌病流行病学调查 李宝和(237)

经验交流

- 2008年吉林省饮用水卫生监测能力调查 倪亚杰,徐明莉,李兆辉,等(234)
- 一起急性甲醇中毒事故调查与职业防护 王玲安,邢军,王彦,等(238)
- 吉林市船营区农村食品安全现状及对策 王吉,王世宏(239)

- 读者·作者·编者 (176)(207)

本期责任编辑 杨杰 英文编辑 唐旭

CHINESE JOURNAL OF PUBLIC HEALTH ENGINEERING

Bimonthly

Established in August 1992

Vol. 9 (total: 19), No. 3

Jun. 20, 2010

Responsible Institution

Ministry of Health, P. R. China

Sponsors

Chinese Preventive Medicine Association

No. 154, West Gulou Street, Xicheng District, Beijing, 100009

Jilin Provincial Preventive Medicine Association

No. 3145, Jinyang Road, Changchun, 130062, China

Editing

Editorial Committee of Chinese Journal of Public Health Engineering

No. 3145, Jinyang Road, Changchun, 130062, China

Tel (fax) 0431 - 87980203

Email jlpma@163.com

http://zgwx.chinajournal.net.cn

Editor - in - Chief

SHAO Qiang

Executive Associate Editor - in - Chief

HOU Xiang

Managing Director

QU Li

Publishing

Editorial Board of Chinese Public Health Engineering

Advertisement Certificate

Jilin Provincial Business Commercial Number: 2200004000098

Printing

Changchun Xinying Printing Limited Company

Domestic Distributor

Jilin Provincial Bureau for Distribution of Newspapers and Magazines

Overseas Distributor

China International Book Trading Corporation (P. O. B. 399, Beijing, 100044, China Code No. BM8207)

Issue Number

12 - 126

Mail - Order

Editorial Board of Chinese Public Health Engineering

Price

7 Yuan/Issue, 42 Yuan/Volume

CSSN

CN 22-1333/R ISSN 1671-4199

Copyright 2010 by Chinese Preventive Medicine Association and Jilin Provincial Medicine Association

CONTENTS IN BRIEF

- Analysis and Preparation of Technical Requirements of Project Tender for Hospital Clean Operating Department** XIE Jing - xin (163)
- Development and Application of the Rapid Benzene Homologues Detector** YU Yong, WANG Xing - hua, SU Rui, et al (167)
- Technical Study of Fluoride Fixation in Burning Coal for Coal - Burning Endemic Fluorosis Regions** JIN Zheng - jing, AN Dong, HE Ping, et al (170)
- Assessment of the Supply - Air Outlet from Centralized Air Condition of the Pearl River Delta** GU Shao - hong, HUANG Jin - xu, MAI Zhe - heng, et al (173)
- Application of Measurement on High - Altitude Electromagnetic Intensity Distribution in Urban Area** DOU Yan - sheng, WANG Yuan - yuan (177)
- Assessment of Treatment on Mobile Electric Welding Smoke** ... LIU Tian - min (180)
- Calculation of Equivalent Continuous A - Weighted Sound Pressure Level by Using Visual Basic Programming Software** YANG Hu, LI Xiang - ling, ZHAO Rong (181)
- Control Effect of Occupational Hazards for New Thermal Power Project** XIANG Neng - qiang, SHEN Yue - hua (184)
- Pre - Evaluation of Occupational Radiological Hazards in Uranium Mine** LIU Jian - jun, YU Zhi - lin, CHEN Dong - hui, et al (188)
- Identification on Occupational Hazards and Analysis of Key Control Points in Paper - Making Process** XIAO Xiao - qin, WANG Zhi, ZHANG Hai, et al (191)
- Control Effect of Occupational Hazard for Lithium Batteries Production Project** ZHANG Jin - long, QIN Hong (194)
- Pre - Evaluation of Occupational Hazards for ABS Resin Modification Project** WANG Jian, AN Gang, ZHANG Li (201)
- Investigation on Sanitary Quality of Centralized Air Conditioning - Ventilating Systems of Public Places in Guangzhou** GUO Chong - shan, ZHANG Jian, LI Xiao - hui, et al (205)
- Analysis on Ultra High Frequency Radiation and Power Frequency Electric Field Intensity of Computers in Workplace** YUAN Fang (208)
- Experimental Study on 70 Strains of Non O₁ Group of Vibrio Cholera in Water of the Upper and Middle Reaches of Yalu River** XU Zuo - ling, BIAN Xue - wu, HOU Mei (211)
- Determination of O - Chlorostyrene in Workplace Air by Thermal Desorption Gas Chromatographic** HE Cai (214)
- Uncertainty Evaluation of Total Ginsenosides Measurement in Health Foods by Spectrophotometry** ... LIU Li - ya, WANG Ya - fang, ZHANG Wei - guo, et al (217)