



ISSN 1671-4199

CN 22-1333/R

中国卫生工程学

ZHONGGUO WEISHENG GONGCHENGXUE

2014年6月 第13卷 第3期

Jun.2014 Vol.13 No.3

CJPH

CHINESE
JOURNAL OF
PUBLIC HEALTH ENGINEERING

国家卫生和计划生育委员会主管

中华预防医学会主办

吉林省预防医学会

中国核心期刊(遴选)数据库收录期刊

美国《化学文摘》(CA)及数据库期刊

中国知网《中国学术期刊》网络出版总库

中国期刊全文数据库(CJFD)收录期刊

中文科技期刊数据库收录期刊

中国生物医学期刊引文数据库-CMCI收录期刊

中文生物医学期刊文献数据库-CMCC收录期刊

2011-2012年度中华预防医学会优秀期刊

吉林省一级期刊

3

ISSN 1671-4199



中华预防医学会系列杂志

SERIAL JOURNAL OF CHINA PREVENTIVE MEDICINE ASSOCIATION

2014

中国卫生工程学

CHINESE JOURNAL OF PUBLIC HEALTH ENGINEERING

双月刊 1992 年 8 月创刊 2014 年第 13 卷(总第 23 卷)第 3 期 2014 年 6 月 20 日出版

主 管

国家卫生和计划生育委员会
北京市西城区西直门外南路 1 号
100044

主 办

中华预防医学会
北京市西城区鼓楼西大街 154 号
100009
吉林省预防医学会
吉林省长春市景阳大路 3145 号
130062

编 辑

《中国卫生工程学》杂志编委会
出 版
《中国卫生工程学》杂志编辑部
吉林省长春市景阳大路 3145 号
130062
电话(传真):(0431)87980203
<http://zgwx.chinajournal.net.cn>
E-mail:jlpma@163.com

主 编 邵 强

常务副主编 范 明

执行副主编 曲 莉

编辑部主任

广告经营许可证

吉工商广字 2200004000098

印 刷

长春市新颖印业有限公司
长春市朝阳区清和街 23 号

发 行

国内 吉林省报刊发行局
国外 中国国际图书贸易总公司
100044 北京 399 信箱,
BM207

订 阅

全国各地邮政局
邮发代号 12-126

邮 购

《中国卫生工程学》杂志编辑部
定 价

每期 10.00 元 全年 60.00 元

中国标准连续出版物号

ISSN 1671-4199

CN 22-1333/R

2014 年版权归中华预防医学会、吉林省预防医学会所有

本刊刊出的所有文章不代表中华预防医学会和本刊编委会的观点,除非特别声明

本刊如有印装质量问题,请向本刊编辑部调换

目 次

论 著

- 小分子化合物多克隆抗体纯化方法优化及比较研究 王丹, 周爽, 赵云峰, 等(177)
2006-2012 年哈尔滨市放射工作人员个人剂量监测结果分析 乔士春, 那晓琳, 孟广奇, 等(181)
3 种风险评价方法在化学毒物职业危害风险评价与管理中的应用与分析 温翠菊, 陈建雄, 李荣忠, 等(184)
荧光增白剂技改工程的尘毒危害关键控制点分析 张静, 刘勇, 沈航, 等(187)
火龙果对高血脂模型大鼠的降脂作用实验研究 刘佳, 马玉华, 刘泳廷, 等(190)
某电子有限公司建设项目职业病危害控制效果评价 刘芳君, 汤小鸥, 邱士起(193)
汽车模具制造企业卫生工程学评价 王宏峰, 孙永欣, 陈彬, 等(197)
某铝型材企业职业病危害警示标识调查与评价 黄浩, 罗统泉, 罗广福, 等(200)
某铅锌矿职业卫生工程控制措施及评价 张洪信, 斯金伦, 孙永欣, 等(203)
某生化科技公司无蛋白淀粉提取项目职业病危害预评价 张丽, 张晓欧(206)
某医院 PET/CT 项目放射性职业病危害分析与评价 张奇, 张震, 朱卫国, 等(210)
输血质量管理暨输血资质评审辅导在输血质量管理中的应用研究 陈兴智, 许建荣, 英健民, 等(213)
某汽车制造厂噪声危害特征分析 徐国勇, 吴煦杲, 黎丽春, 等(218)

调查研究

- 忻州市 8~10 岁儿童碘营养调查结果分析 王白石,赵晓丽,赵俊兰,等(222)
江门市新会区水源水监测结果分析 韩世丽,赵伟良,陈日暖,等(225)
2011~2013 年大连市达沃斯年会公共场所卫生监测结果分析 蒋馥阳,张毅,郭琦(230)
2012 年大连市部分医疗机构消毒灭菌效果监测 孙亚慧,朱笠,姜杰(235)
长春市南关区 2012 年死因监测数据分析 王珂(242)
“十二运”辽阳赛区突发公共卫生事件风险评估 龙泉(245)
大连市 2013 年部分学校饮用水监测结果分析 黄丹,徐小冬,范雪松(247)

技术与方法

- 电感耦合等离子体发射光谱法测定鱼粉中镉 张冠英,郭金芝,王蕴馨,等(227)
肠道病毒 71 型手足口病病毒 3 种检测技术比较研究 慕毅敏,代岩石,孙伟,等(232)
工作场所空气中苯并(a)芘测定方法的研究 冯斌,邵华,张志虎(237)
二甲酚橙分光光度法测定工作场所空气中铬不确定度评定 王君,李钟玮,刘永强(239)

疾病控制

- 血清胃蛋白酶原检测对慢性萎缩性胃炎的诊断价值 谢康生,苏建平(249)
2008~2012 年公主岭市风疹流行特征分析 宋晓飞,李新民,于秀艳(251)
通过枸橼酸抗凝应用 CVVH 对重型流行性出血热的控制效果 同百灵,王少坤,邢吉红(252)
高龄高血压患者 136 例临床特征的分析 徐新献,李鑫,姚武位,等(259)

述评与综述

- 国内外食品安全风险预警比较研究 高秀芬,杨大进(254)

经验交流

- 在协同办公系统应用中办公室的定位与展望 刘芳,刘世亮,齐妍(257)
不同种类水质处理器净化细菌的效果评价 丁培,丁理,李霞,等(261)
读者·作者·编者 (189)(229)

本期责任编辑 张弘 英文编辑 唐旭

[期刊基本参数] CN 22-1333/R * 1992 * b * A4 * 88 * zh * P * 10.00 * 5 000 * 31 * 2014-03

CHINESE JOURNAL OF PUBLIC HEALTH ENGINEERING

Bimonthly

Established in August 1992

Vol. 13 (Total:23), No. 3

Jun. 20, 2014

Responsible Institution

National Health and Family
Planining Commission of the
People's Republic of China
1st Xizhimenwai Nanlu, Xicheng
District, Beijing 100044

Sponsors

Chinese Preventive Medicine
Association
154 Gulouxitia Street, Xicheng
District, Beijing, 100009
Jilin Provincial Preventive Medicine
Association
3145, Jingyang Road,
Changchun, 130062

Editing

Editorial Committee of Chinese Journal
of Public Health Engineering

Publishing

Editorial Board of Chinese Public
Health Engineering
3145, Jingyang Road,
Changchun, 130062
Tel (fax) 0431 - 87980203
Email jlpma@163.com
http://zgwx.chinajournal.net.cn

Editor-in-Chief

SHAO Qiang

Managing Deputy Editor-in-Chief

FAN Ming

Executive Deputy Editor-in-Chief, Managing Director

QU Li

Advertisement Certificate

Jilin Provincial Business Commercial Number: 2200004000098

Printing

Changchun Municipal Hongmin
Printing House

Domestic Distributor

Jilin Provincial Bureau for Distribution
of Newspapers and Magazines

Overseas Distributor

China International Book Trading
Corporation (P. O. B. 399, Beijing,
100044, China Code No. BM8207)

Issue Number

12 - 126

Mail-Order

Editorial Board of Chinese Public
Health Engineering

Price

10 Yuan/Issue, 60 Yuan/Volume

CSSN

CN 22-1333/R ISSN 1671-4199

Copyright 2014 by Chinese Preventive Medicine Association and Jilin Provincial Medicine Association

CONTENTS IN BRIEF

- Optimization and comparison of polyclonal antibody purification strategies WANG Dan, ZHOU Shuang, ZHAO Yun-feng, et al(177)
- Analysis of personal dose monitoring results of radiation workers in Harbin city 2006 - 2012 QIAO Shi-chun, NA Xiao-lin, MENG Guang-qi, et al(181)
- Application of three risk assessment methods on chemicals risk assessment and management WEN Cui-ju, CHEN Jian-xiong, LI Rong-zhong, et al(184)
- Hazard analysis and critical control point of dusts and toxicants in the fluorescent brightener technological transformation project ZHANG Jing, LIU Yong, SHEN Hang, et al(187)
- Experimental study on reducing serum lipid of pitaya on rats of hyperlipidemic mode LIU Jia, MA Yu-hua, LIU Yong-ting, et al(190)
- Control effect of occupational hazards in the construction project of an electronic company LIU Fang-jun, TANG Xiao-ou, QIU Shi-qi(193)
- Evaluation of sanitary engineering for an automobile mould manufacturing enterprise WANG Hong-feng, SUN Yong-xin, CHEN Bin, et al(197)
- Investigation and evaluation of warning signs for occupational hazards in an aluminum workplace HUANG Hao, LUO Tong-quan, LUO Guang-fu, et al(200)
- Evaluation and control measure of occupational health engineering in a lead-zinc mine ZHANG Hong-xin, JIN Jin-lun, SUN Yong-xin, et al(203)
- Pre-evaluation of occupational hazards in protein-free extract project of a bio-chemical technology company ZHANG Li, ZHANG Xiao-ou(206)
- Analysis and evaluation of radioactive occupational disease hazard in PET/CT project of a hospital ZHANG Qi, ZHANG Zhen, ZHU Wei-guo, et al(210)
- Application of transfusion quality management and review guidance of transfusion qualification in blood transfusion in quality management CHEN Xing-zhi, XU Jian-rong, YING Jian-min, et al(213)
- Analysis on the characteristics of noise hazard in an automobile factory XU Guo-yong, WU Xu-gao, LI Li-chun, et al(218)
- Monitoring results of source water in Xinhui district of Jiangmen city HAN Shi-li, ZHAO Wei-liang, CHEN Ri-nuan, et al(222)
- Determination of cadmium in fish-powder by inductively coupled plasma mass spectrometry ZHANG Guan-ying, GUO Jin-zhi, WANG Yun-xin, et al(225)
- Hygienic monitoring and analysis of public places in Davos annual meeting of Dalian city from 2011 to 2013 JIANG Fu-yang, ZHANG Yi, GUO Qi(230)
- Comparative study of three techniques for the detection of EV71 virus MU Yi-min, DAI Yan-shi, SUN Wei, et al(232)
- Effect of disinfection and sterilization in partial medical institutions of Dalian in 2012 SUN YA-hui, ZHU Li, JIANG Jie(235)

关注室内空气污染 保障居民身体健康



- ◆ 室内空气污染的预防；
- ◆ 室内空气污染后应该怎样处理；
- ◆ 应怎样得知室内空气是否被污染；
- ◆ 出现不适症状后应怎样应对？



咨询电话: 0431-87977232

吉林省疾病预防控制中心
环境与健康危害因素预防控制所

地址: 长春市景阳大路3145号