



ISSN 1 Q K 1 8 2 0 0 4 4
CN 41-1192/R

中国卫生检验杂志

ZHONGGUO WEISHENG JIANYAN ZAZHI

2018年5月 第28卷 第9期

May.2018 Vol.28 No.9

国家卫生和计划生育委员会主管
中华预防医学会主办

CHINESE
JOURNAL OF HEALTH
LABORATORY TECHNOLOGY

CJ
HLT

RCCSE 中国核心学术期刊

中国生物医学源期刊

美国化学文摘(CA)源期刊

中国学术期刊综合评价数据库源期刊

9



ISSN 1004-8685



中华预防医学会系列杂志

SERIAL JOURNAL OF CHINESE PREVENTIVE MEDICINE ASSOCIATION

2018

万方数据

中国卫生检验杂志

ZHONGGUO WEISHENG JIANYAN ZAZHI

半月刊 1991 年创刊 第 28 卷 第 9 期 2018 年 5 月 10 日出版

主 管

中华人民共和国国家卫生和计划生育委员会
100044,北京市西城区西直门外南路 1 号

主 办

中华预防医学会
100021,北京市朝阳区华威里 25 号 5 层

社长总编

张绍武

副社长

张 甜 姜友珍

副总编

郁庆福 李桂英 张克荣

编辑部主任

杨 锋

编 辑

中国卫生检验杂志编委会

出 版

中国卫生检验杂志社
450003 郑州市经一路 12 号 2288 信箱

编辑部电话

0371 - 65978342
0371 - 65968289 (传真)

广告部电话

0371 - 65998851
15538110112

发 行

国内发行:北京市邮政局
邮发代号:80 - 152
国外发行:中国国际图书贸易总公司
(北京 399 信箱)
国外发行代号:M5752

中国标准连续出版物号

ISSN 1004 - 8685
CN 41 - 1192/R

广告经营许可证号

4100004000124

2018 年版权归中国卫生检验杂志社所有

定 价

每期 38 元

目 次

论 著

泛耐药鲍氏不动杆菌噬菌体的分离及生物学特性分析

..... 闫李侠,黄至澄,任应鹏,等 (1025)

陕西食品中蜡样芽胞杆菌毒力基因的分布及分子分型研究

..... 李文涓,刘东立,马琳,等 (1027)

高效液相色谱法同时测定化妆品中的 19 种防晒剂

..... 韩晓萍,周霏,李亚楠 (1032)

脑脊液检出马尔尼菲青霉菌的方法探讨

..... 刘永霞,潘亚萍,丁士标,等 (1038)

化学测定方法

柱后衍生 - 高效液相色谱法测定空气中甲醛

..... 冯耀基,黎少映,兰红军 (1041)

复合免疫亲和柱净化 - 超高效液相色谱 - 串联质谱法测定婴幼儿谷物

辅食中 10 种真菌毒素 和佳鹭,张春玲,蒲彦利,等 (1044)

海藻酸钠中糖醛酸含量测定方法的研究

..... 杨钊,周星彤,于甜甜,等 (1049)

本刊编委 （排名按笔画排列）

丁家华 仓公敦 方赤光 王 旻
王 哲 王大宁 王志玉 王京宇
王凯娟 王棚东 毋福海 冯晓燕
叶能权 毕永毅 刘玉龙 刘运德
刘秀梅 刘殿武 吕玉民 吕昌银
祁建城 任一平 孙长颢 孙成均
许春向 陈守建 何建国 何浙生
何晓青 李 蓉 李 磊 李明武
李晓虹 宋宏彬 吴清平 杨 元
张 蒙 张 曦 张贺秋 邹学贤
姜庆五 赵 卓 赵雁林 高永清
贾珍珍 栗文元 凌文华 栾 燕
徐东群 曹 佳 晁福寰 崔 巍
常风启 黄国伟 康 辉 康维钧
韩玉霞 韩学尧 曾现伟 窦志勇
溥 萍 阙 颢 廖百森 裴少军
裴晓方 谭晓东 熊 英 潘 慧
冀元棠 穆新林

Editorial Board Member

DING Jia - hua, CANG Gong - ao, FANG Chi -
guang, WANG Min, WANG Zhe, WANG Da -
ning, WANG Zhi - yu, WANG Jing - yu, WANG
Kai - juan, WANG Xu - dong, WU Fu - hai,
FENG Xiao - yan, YE Neng - quan, BI Yong -
yi, LIU Yu - long, LIU Yun - de, LIU Xiu - mei,
LIU Dian - wu, LV Yu - min, LV Chang - yin,
QI Jian - cheng, REN Yi - ping, SUN Chang -
hao, SUN Cheng - jun, XU Chun - xiang, CHEN
Shou - jian, HE Jian - guo, HE Zhe - sheng,
HE Xiao - qing, LI Rong, LI Lei, LI Ming - wu,
LI Xiao - hong, SONG Hong - bin, WU Qing -
ping, YANG Yuan, ZHANG Meng, ZHANG Xi,
ZHANG He - qiu, ZOU Xue - xian, JIANG Qing -
wu, ZHAO Zhuo, ZHAO Yan - lin, GAO Yong -
qing, JIA Zhen - zhen, LI Wen - yuan, LING
Wen - hua, LUAN Yan, XU Dong - qun, CAO
Jia, CHAO Fu - huan, CUI Wei, CHANG Feng -
qi, HUANG Guo - wei, KANG Hui, KANG Wei -
jun, HAN Yu - xia, HAN Xue - yao, ZENG
Xian - wei, DOU Zhi - yong, PU Ping, KAN Biao,
LIAO Bai - sen, PEI Shao - jun, PEI Xiao - fang,
TAN Xiao - dong, XIONG Ying, PAN Hui, JI
Yuan - tang, MU Xin - lin

网 址

www. zgwsjy. cn

投稿电子信箱

wsjyzz@126. com

印 刷

鑫宏源印刷包装有限责任公司

来稿咨询电话

010 - 84030401

微波消解 - 原子荧光光谱法测定气雾罐型香体露中的砷

..... 蒋莎,何冬梅,刘桂兴,等 (1051)

微生物检测方法

湘西自治州 HIV 抗体免疫印迹试验不确定结果分析

..... 龙春平,彭瑾瑜,张昌芝,等 (1054)

丙型肝炎病毒感染和 HLA - DQB1 基因多态性的相关性研究

..... 杨志明 (1057)

2011 年 - 2016 年石家庄地区食物中毒株沙门菌的多位点序列分型

..... 牛莉娅,徐保红,王燕,等 (1060)

某地区耐碳青霉烯类抗菌药物肠杆菌科细菌的临床感染状况及耐药性分析

..... 支晓阳,林雪峰 (1063)

肿瘤患者革兰阴性杆菌感染的耐药变迁

..... 何小帆,江明凤,马彦俊 (1067)

天津地区革兰阳性球菌耐药情况分析

..... 郭丽香,李雪,刘运德 (1071)

临床检验

梅毒抗体反应性献血者筛查方案和归队策略研究

..... 秦龑丽,冯惟萍,戴田,等 (1076)

血浆糖原磷酸化酶同功酶 BB、肌红蛋白和 B 型尿钠肽水平预测化疗药物致心脏毒性对临床护理的指导价值	姚萍丽,嵇利芳 (1079)
血清高迁移率蛋白 B1 在急性阑尾炎诊断中的意义	章燕青,沈观樵,金海勇,等 (1082)
中性粒细胞指数、降钙素原和 C - 反应蛋白在四肢闭合性骨折术后早期感染中的诊断价值	范亮全,徐天波,候振海 (1084)
子痫前期孕妇白细胞分化抗原可溶性 CD40 配体和肿瘤坏死因子 - α 水平变化及其与部分生化指标的相关性分析	许锴,张东矗,李君,等 (1087)
脑外伤患者血清中 MIP - 1 α 含量及其与病情的相关关系	王广涛 (1090)
新生儿败血症炎症因子、降钙素原、淀粉酶 A 蛋白及 CD64 含量的检测分析 ...	张文莉,孙萍,沈红燕,等 (1093)
血清同型半胱氨酸和 C - 反应蛋白联合检测在冠心病患者诊断中的价值分析	李诺飞 (1096)
中性粒细胞与淋巴细胞比值与糖尿病并发急性冠脉综合征的关系	张钦怡,朱光俊 (1099)
心电图运动负荷血清骨保护素变化对冠心病的诊断及预后的评价	汤双榕 (1102)
新生儿肺炎免疫功能及心肌酶谱变化的临床意义	狄薇,姜涛,康波,等 (1105)

调查·监测

烟台市 2014 年 - 2016 年市政供水水质状况分析	王松松,刘磊,徐建军,等 (1108)
慢性阴道炎患者与女性健康体检者 HPV 感染情况的比较	张腊红,周长军,陈怡文,等 (1111)
134 例耐多药肺结核耐药情况分析	余旭良,金菊仙,陆军,等 (1114)
2016 年 - 2017 年宁夏市售鸡蛋和鸡肉中四环素类抗生素残留监测分析	杨欢春,刘峰,徐飞,等 (1117)

金黄色葡萄球菌感染儿童的现状调查和耐药性分析	郑蓓佳,陈贤君,陈慧红,等	(1120)
食品检验报告常见问题分析与修改建议	薛云浩	(1123)
北京市昌平区成人血脂异常流行及相关因素分析	白云,耿坤,徐志鑫	(1126)
新疆乌鲁木齐市 2011 年 - 2015 年流感监测分析	蒲玉娇,樊旭成,韩志国,等	(1130)
2016 年武汉市硚口区食品安全监督抽检结果分析	蔡亮,胡廷皓,吴春江,等	(1133)
上海市 6 区食用菌中铅、镉、总汞、总砷污染状况调查与评估	柏品清,邵祥龙,罗宝章,等	(1137)
血栓弹力图与常规凝血检测项目的相关性分析	朱光俊,金先富,张钦怡,等	(1140)
生活饮用水三项指标的实验室检测与快速检测结果比较	陈建琳,刘明辉	(1143)
2013 年 - 2016 年襄阳市手足口病病原学监测结果分析	童芳莉,闵国平,胡玉洁,等	(1145)
妊娠期妇女血清同型半胱氨酸水平的变化	王小芳,何艳红,奉万盛,等	(1148)

教学与实验室管理

基于全面质量控制的带教方法在分子生物学检验实习带教中的应用	陈占国,余坚,丁红香,等	(1150)
-------------------------------------	--------------	--------

责任编辑 张舒 责任校对 陈欣欣 英文编辑 张蒙

CHINESE JOURNAL OF HEALTH LABORATORY TECHNOLOGY

Semimonthly Established in 1991, Volume 28 Number 9 May 10, 2018

Managed by
National Health and Family Planning Commission
of the People's Republic of China
No. 1, Xizhimen Wainan Road, Xicheng District, Beijing, 100044

Sponsored by
Chinese Preventive Medicine Association
Floor 5, No. 25 Huaweili, Chaoyang District, Beijing, 100021

Editor in Chief
ZHANG Shao - wu

Deputy Chairman
ZHANG Tian, JIANG You - zhen

Associate Editor in Chief
YU Qing - fu, LI Gui - ying, ZHANG Ke - rong

Director of Editorial Department
YANG Feng

Edited by
Editorial Board of Chinese Journal of Health Laboratory Technology

Published by
Editorial Department of Chinese Journal of Health Laboratory Technology
Mailbox 2288, No. 12, Jingyi Road, Zhengzhou, 450003

Editorial office telephone
0371 - 65978342
0371 - 65968289 (Fax)

Advertising department telephone
0371 - 65998851
15538110112

Domestic Distributor
Beijing Post Bureau
Code: 80 - 152

Overseas Distributor
China International Book Trading Corporation
(P. O. Box 399, Beijing, China)
Code: M5752

Website
www. zgwsjy. cn

E - mail
wsjyzz@126. com

Standard Series Number
ISSN 1004 - 8685
CN 41 - 1192/R

Advertising Management License
4100004000124

Copyright 2018 by Editorial Department of
Chinese Journal of Health Laboratory Technology

Price
RMB ¥ 38

CONTENTS IN BRIEF

Original Articles

Isolation and biological character analysis of pandrug resistant *Acinetobacter*

baumannii bacteriophages

..... YAN Li - xia, HUANG Zhi - cheng, REN Ying - peng, *et al* (1025)

Distribution and molecular typing of virulence genes of *Bacillus cereus* in food

of Shaanxi LI Wen - juan, LIU Dong - li, MA Lin, *et al* (1027)

Simultaneous determination of 19 UV filters in cosmetics by high performance

liquid chromatography ... HAN Xiao - ping, ZHOU Pei, LI Ya - nan (1032)

Methods exploration in detecting *Penicillium marneffei* in cerebrospinal fluid

..... LIU Yong - xia, PAN Ya - ping, DING Shi - biao, *et al* (1038)

Chemical Detection Method

Determination of formaldehyde in air by high efficiency liquid chromatography

with post - column derivation

..... FENG Yao - ji, LI Shao - ying, LAN Hong - jun (1041)

Determination of 10 mycotoxins in cereal - based complementary foods for in-

fants and young children by composite immunoaffinity column cleanup - ultra -

performance liquid chromatography - tandem mass spectrometry

..... HE Jia - yuan, ZHANG Chun - ling, PU Yan - li, *et al* (1044)

Study on determination method of uronic acid content in sodium alginate	
.....	YANG Zhao, ZHOU Xing - tong, YU Tian - tian, <i>et al</i> (1049)
Determination of arsenic in aerosol tank type deodorant by microwave digestion – atomic fluorescence spectrometry	
.....	JIANG Sha, HE Dong - mei, LIU Gui - xing, <i>et al</i> (1051)
Microbe Detection Method	
Uncertainty results analysis of Western blot test for HIV antibody in Xiangxi Autonomous Prefecture	
.....	LONG Chun - ping, PENG Jin - yu, ZHANG Chang - zhi, <i>et al</i> (1054)
Relationship study between hepatitis C virus infection and HLA - DQB1 gene polymorphism	YANG Zhi - ming (1057)
Multilocus sequence typing of <i>Salmonella</i> strains isolated from food poisoning in Shijiazhuang during 2011 – 2016	
.....	NIU Li - ya, XU Bao - hong, WANG Yan, <i>et al</i> (1060)
Analysis of infection status and drug resistance to clinically isolated carbapenem – resistant <i>Enterobacteriaceae</i>	
.....	ZHI Xiao - yang, LIN Xue - feng (1063)
Antimicrobial resistance changes of gram – negative bacilli in patients with tumor	
.....	HE Xiao - fan, JIANG Ming - feng, MA Yan - jun (1067)
Antimicrobial resistance analysis of gram – positive cocci in Tianjin	GUO Li - xiang, LI Xue, LIU Yun - de (1071)
Clinical Laboratory Test	
Study on screening program and reentry strategy of syphilis antibody donors	
.....	QIN Yan - li, FENG Wei - ping, DAI Tian, <i>et al</i> (1076)
Value of plasma glycogen phosphorylase isoenzyme BB, myoglobin, and brain natriuretic peptide levels in predicting cardiotoxicity by chemotherapy drugs on clinical care	YAO Ping - li, JI Li - fang (1079)
Significance of high mobility groupbox – B1 in diagnosis of acute appendicitis	
.....	ZHANG Yan - qing, SHEN Guan - qiao, JIN Hai - yong, <i>et al</i> (1082)

Diagnostic value of procalcitonin, neutrophil index and C – reactive protein in early postoperative infection of closed limb fractures	
.....	FAN Liang – quan, XU Tian – bo, HOU Zhen – hai (1084)
Changes of sCD40L and TNF – α levels in preeclampsia women and their correlation with some biochemical indexes	
.....	XU Kai, ZHANG Dong – chu, LI Jun, <i>et al</i> (1087)
Monitoring of serum macrophage inflammatory protein content in patients with traumatic brain injury and its correlation with severity of the disease	
.....	WANG Guang – tao (1090)
Detection and analysis of inflammatory factors, procalcitonin, amylase A protein and CD64 in neonatal septicemia	
.....	ZHANG Wen – li, SUN Ping, SHEN Hong – yan, <i>et al</i> (1093)
Diagnostic value of combined detection of serum Hcy and CRP in patients with coronary heart disease	
.....	LI Nuo – fei (1096)
Relationship between neutrophil to lymphocyte ratio and diabetes complicated with acute coronary syndrome	
.....	ZHANG Qin – yi, ZHU Guang – jun (1099)
Evaluation of serum osteoprotegerin levels in diagnosis and prognosis of coronary heart in disease electrocardiogram exercise test	
.....	TANG Shuang – rong (1102)
Clinical significance of changes of immune function and myocardial zymogram in neonatal pneumonia	
.....	DI Wei, JIANG Tao, KANG Bo, <i>et al</i> (1105)
Investigation and Monitoring	
Analysis of municipal drinking water quality in Yantai during 2014 – 2016	
.....	WANG Song – song, LIU Lei, XU Jian – jun, <i>et al</i> (1108)
Comparison of cervical human papilloma virus infection between gynecological outpatients with chronic vaginitis and healthy examination women	
.....	ZHANG La – hong, ZHOU Chang – jun, CHEN Yi – wen, <i>et al</i> (1111)
Analysis of drug susceptibility in 134 cases of multidrug – resistant tuberculosis	
.....	YU Xu – liang, JIN Ju – xian, LU Jun, <i>et al</i> (1114)

Analysis of detection results of tetracycline antibiotics residue in eggs and chicken in Ningxia during 2016 –2017
..... YANG Huan – chun, LIU Feng, XU Fei, *et al* (1117)

Current status and drug resistance analysis of *Staphylococcus aureus* infection in children
..... ZHENG Bei – jia, CHEN Xian – jun, CHEN Hui – hong, *et al* (1120)

Analysis and discussion of problem cases in food test report XUE Yun – hao (1123)

Analysis of dyslipidemia and related factors in Changping District of Beijing ... BAI Yun, GENG Kun, XU Zhi – xin (1126)

Surveillance analysis of influenza in Urumqi, Xinjiang during 2011 –2015
..... PU Yu – jiao, FAN Xu – cheng, HAN Zhi – guo, *et al* (1130)

Analysis of food safety supervision inspection results in Qiaokou District of Wuhan in 2016
..... CAI Liang, HU Ting – hao, WU Chun – jiang, *et al* (1133)

Investigation and evaluation on pollution of lead, cadmium, total mercury and total arsenic in edible fungi from six districts of Shanghai BAI Pin – qing, SHAO Xiang – long, LUO Bao – zhang, *et al* (1137)

Correlation analysis of thrombelastography and routine blood coagulation assays
..... ZHU Guang – jun, JIN Xian – fu, ZHANG Qin – yi, *et al* (1140)

Detection results comparison of three indexes in drinking water between by laboratory test and by rapid detection
..... CHEN Jian – lin, LIU Ming – hui (1143)

Analysis of etiological monitoring results of hand – foot – mouth disease in Xiangyang from 2013 to 2016
..... TONG Fang – li, MIN Guo – ping, HU Yu – jie, *et al* (1145)

Changes of serum homocysteine levels in pregnant women
..... WANG Xiao – fang, HE Yan – hong, FENG Wan – sheng, *et al* (1148)

ACCELERATE YOUR RESEARCH

with Bio-Plex® Multiplex Immunoassay System



Bio-Plex® 悬液芯片技术

- 多重检测 —— 同时检测 100 种生物靶标
- 节省样品 —— 只需低至 12.5 μ l 的样品体积
- 节省时间 —— 3 小时即可获得海量数据
- 非常灵敏 —— 精确定量下限低至 0.1 pg/mL

Bio-Rad 是 Bio-Rad Laboratories, Inc. 在特定区域的商标。

更多详情, 请登录 www.bio-rad.com/bio-plex

BIO-RAD