

中华临床实验室管理电子杂志

ZHONGHUA LINCHUANG SHIYANSHI GUANLI DIANZI ZAZHI

2018年5月 第6卷 第2期

CHINESE JOURNAL OF CLINICAL LABORATORY MANAGEMENT

(Electronic Edition)

Volume 6 Number 2

May 2018



官方网站二维码



官方微信二维码

ISSN 2095-5820



9 772095 582181

05>



中华医学会

CHINESE
MEDICAL
ASSOCIATION

中华临床实验室管理电子杂志

CHINESE JOURNAL OF CLINICAL LABORATORY MANAGEMENT (Electronic Edition)

季刊 2013年11月创刊 第6卷 第2期 2018年5月28日出版

主管

中华人民共和国国家
卫生健康委员会

主办

中华医学会
100710, 北京东四西大街42号

出版

中华医学电子音像出版社有限责任公司
100710, 北京东四西大街42号
电话: 0086-10-85158537

编辑

中华临床实验室管理电子杂志
编辑委员会
510005, 广州国际生物岛螺旋三路10号
金域检验大楼南楼328室
电话: 0086-20-28078315; 28078296
传真: 0086-20-28078422
Email: clinlab@cma.org.cn

总编辑

陈文祥

编辑部主任

李连青

广告代理

中华医学电子音像出版社有限责任公司
100710, 北京东四西大街42号
电话: 0086-10-85158537

广告经营许可证

京东工商广字第0233号

发行

国内外公开发行

邮购与赠送

中华临床实验室管理电子杂志编辑部
510005, 广州国际生物岛螺旋三路10号
金域检验大楼南楼328室
电话: 0086-20-28078315; 28078296
传真: 0086-20-28078422
Email: clinlab@cma.org.cn

光盘定价

每期28元, 全年112元

中国标准连续出版物号

ISSN 2095-5820
CN 11-9340/R

2018年版权归中华医学会所有

未经授权, 不得转载、摘编本刊文章,
不得使用本刊的版式设计

除非特别声明, 本刊刊出的所有文章不
代表中华医学会和本刊编委会的观点

光盘如有质量问题, 请向编辑部调换

目 次

述评

髓系肿瘤精准诊断的检测体系和

质控体系要略 田欣 刘恩彬 汝昆等 65

专家论坛

高通量测序技术在五类疾病分子诊断中的

应用及质量管理策略 鲍芸 肖艳群 王华梁 69

综 述

肿瘤干细胞的研究进展 詹晓勇 朱庆义 74

临床分子病理检测质控品的研究进展

..... 王雪亮 肖艳群 王华梁 80

实验研究

肾细胞癌患者血清外泌体 miR-181a-3p

表达水平的临床价值 王成 田亚萍 丁梦等 84

基于 TCGA 数据库构建肺腺癌预后相关的

微小 RNAs 风险模型 林康 潘蓓 徐雪妮等 89

Elecsys 与 HPLC-MS/MS 检测骨髓移植患者

环孢素 A 血药浓度的相关性及其

应用意义 王磊 孙文利 李培余等 99

质量控制

上海地区 BRAF 基因突变检测

室内质量评价 蒋玲丽 王雪亮 鲍芸等 104

参加美国病理家学会抗磷脂抗体能力验证

活动效果分析 张蜀澜 胡朝军 李萍等 109

病例讨论

- 全血细胞减少症诊断分析一例 王洪春 叶静静 赵川莉等 115
母细胞性浆细胞样树突细胞肿瘤一例诊疗分析 周剑峰 陈建春 常娟等 118

经验交流

- 对 ISO 15189 医学实验室认可技术要素实施的体会 李明勇 张娟 李焱鑫等 122

精益求精

- 运用精益管理开展病理技术工作 张淑正 曹鹏 刘艳青等 126


视 频

- 肿瘤个体化伴随诊断研究进展 主讲 韩晓红 光盘

消 息

- 中华临床实验室管理电子杂志 2018 年征订启事 本刊编辑部 125

中华临床实验室管理电子杂志稿约见本卷第 1 期 62 页



中 华 医 学 会

CHINESE JOURNAL OF CLINICAL LABORATORY MANAGEMENT (Electronic Edition)

Quarterly Established in November 2013 Volume 6, Number 2 May 28, 2018

Responsible Institution

National Health and Commission of the People's Republic of China

Sponsor

Chinese Medical Association
42 Dongsi Xidajie, Beijing 100710, China

Publishing

Chinese Medical Multimedia Press Co., Ltd.
42 Dongsi Xidajie, Beijing 100710, China
Tel: 0086-10-85158537

Editing

Editorial Board of Chinese Journal of Clinical Laboratory Management (Electronic Edition)
No.10 Luoxuan 3rd Road, Guangzhou International Biotech Island, Guangdong 510005, China
Tel: 0086-20-28078315; 28078296
Fax: 0086-20-28078422
Email: clinlab@cma.org.cn

Editor-in-Chief

Chen Wenxiang (陈文祥)

Managing Director

Li Lianqing (李连青)

Mail-Order and Per sent

Chinese Journal of Clinical Laboratory Management (Electronic Edition)
No.10 Luoxuan 3rd Road, Guangzhou International Biotech Island, Guangdong 510005, China
Tel: 0086-20-28078315; 28078296
Fax: 0086-20-28078422
Email: clinlab@cma.org.cn

CSSN

ISSN 2095-5820
CN 11-9340/R

Copyright © 2018 by the Chinese Medical Association

No content published by the journals of Chinese Medical Association may be reproduced or abridged without authorization. Please do not use or copy the layout and design of the journals without permission.

All articles published represent the opinions of the authors, and do not reflect the official policy of the Chinese Medical Association or the Editorial Board, unless this is clearly specified.

CONTENTS IN BRIEF

Editorial

- Diagnostic system and quality control system for precise diagnosis of myeloid neoplasms 65
Tian Xin, Liu Enbin, Ru Kun, et al

Fepersts Forum

- Application and quality management of high-throughput sequencing in clinical molecular diagnosis of five kinds of diseases 69
Bao Yun, Xiao Yanqun, Wang Hualiang

Reviews

- Development of research on cancer stem cells 74
Zhan Xiaoyong, Zhu Qingyi
Research progress in quality control materials used for clinical molecular pathological testing 80
Wang Xueliang, Xiao Yanqun, Wang Hualiang

Clinical Research

- The clinical value of serum exosomal miR-181a-3p levels in patients with renal cell carcinoma 84
Wang Cheng, Tian Yaping, Ding Meng, et al
Construction of risk model associated with prognosis of lung adenocarcinoma based on a set of microRNAs by analyzing TCGA database 89
Lin Kang, Pan Bei, Xu Xueni, et al
Correlation of Elecsys and HPLC-MS/MS method in the determination of blood Cyclosporine A concentration in bone marrow transplant patients and its application 99
Wang Lei, Sun Wenli, Li Peiyu, et al

Quality Control

- External quality assessment of BRAF mutation detection in Shanghai area 104
Jiang Lingli, Wang Xueliang, Bao Yun, et al

Analysis of the antiphospholipid antibodies testing results from College of American Pathologists proficiency testing	109
<i>Zhang Shulan, Hu Chaojun, Li Ping, et al</i>	

Cases Study

Diagnosis and analysis of pancytopenia: a case report	115
<i>Wang Hongchun, Ye Jingjing, Zhao Chuanli, et al</i>	
Clinical analysis of a case of Blastic plasmacytoid dendritic cell neoplasm	118
<i>Zhou Jianfeng, Chen Jianchun, Chang Juan, et al</i>	

Experience Exchange

Experience of technical elements in ISO 15189 medical laboratory accreditation	122
<i>Li Mingyong, Zhang Juan, Li Yanxin, et al</i>	

Excelsior

Application of lean management in pathology work	126
<i>Zhang shuzheng, Cao peng, Liu yanqing, et al</i>	

Vedio

Companion diagnostic for cancer personalized medicine	CD-ROM
<i>Han Xiaohong</i>	