

中华医学会系列杂志

ISSN 0254-1785

CN 42-1203/R

中华器官移植杂志[®]

ZHONGHUA QIGUAN YIZHI ZAZHI

2017年1月 第38卷 第1期



QK1704111

CHINESE JOURNAL OF ORGAN TRANSPLANTATION

Volume 38 Number 1

January 2017



中华医学学会

CHINESE
MEDICAL
ASSOCIATION

ISSN 0254-1785



9 770254 178176

中华器官移植杂志[®]

CHINESE JOURNAL OF ORGAN TRANSPLANTATION

月刊 1980 年 10 月创刊 第 38 卷 第 1 期 2017 年 1 月 20 日出版

主 管
中国科学技术协会

主 办
中华医学学会
100710, 北京市东四西大街 42 号

编 辑
中华器官移植杂志编辑委员会
430014, 武汉市江岸区胜利街 155 号
电话: 027-82806143
传真: 027-82806143
投稿网址: <http://www.cma.org.cn>
<http://zhggzzz.yigle.com/>
Email: 2215966868@qq.com
cjt@163.com
QQ: 2215966868

总编辑
陈忠华

编辑部主任
喻俊

出 版
《中华医学杂志》社有限责任公司
100710, 北京市东四西大街 42 号
电话(传真): 010-85158180
Email: office@cma.org.cn

广告发布登记号
武工商广登字[2017]035号

印 刷
长江空间信息技术工程有限公司
(武汉)航测信息制印分公司

发 行
范围: 公开
国内: 武汉市邮政局
国外: 中国国际图书贸易集团有限公司
(北京 399 信箱, 100044)
代号 M309

订 购
全国各地邮政局
邮发代号 38-27

邮 购
中华器官移植杂志编辑部
430014, 武汉市江岸区胜利街 155 号
电话: 027-82806143
传真: 027-82806143
Email: 2215966868@qq.com

定 价
每期 9.00 元, 全年 108.00 元

中国标准连续出版物号
ISSN 0254-1785
CN42-1203/R

2017 年版权归中华医学学会所有

未经授权, 不得转载、摘编本刊文章, 不得使用本刊的版式设计

除非特别声明, 本刊刊出的所有文章不代表中华医学学会和本刊编委会的观点

如有印装质量问题, 请向本刊编辑部调换

目 次

临床研究

- 2 型糖尿病合并终末期肾病行胰肾联合移植 付迎欣 宋文利 莫春柏等 1
73 例的临床分析 付迎欣 宋文利 莫春柏等 1
急性肾损伤供肾移植 37 例的
临床疗效 蓝恭斌 许名杰 方春华等 6
肾移植后尿路大肠杆菌感染特征
及毒力因子的检测 王晓 王清海 岳怡明等 11
使用他汀类药物导致肾移植受者横纹肌
溶解症二例 刘光军 吴建永 王逸民等 15
单位体重补液量对肝硬化患者肝移植后新发
肺部并发症的影响 张龙辉 李照 王刚等 18
脑死亡后器官捐献供肝肝移植 66 例
疗效分析 叶啟发 张秋艳 王彦峰等 24
一例高致敏尿毒症受者行肾移植联合脾窝异位
辅助性肝移植的预后观察 马帅军 张更 朱元宏等 30

实验研究

- 白细胞介素 35 抑制小鼠心脏移植
排斥反应的研究 李宝柱 赵娜 何向辉等 34
低剂量免疫抑制剂诱导人脐带间充质干细胞
自噬并促进 CXCR4 的分泌 雷艳 赵红州 李荣春等 39

标准与指南

中国成人小肠移植临床诊疗指南

(2016 版) 中华医学会器官移植学分会 中国医师协会器官移植医师分会 45

研究报告

- 体外肺修复技术在供肺修复中的应用二例 刘峰 毛文君 陈静瑜等 51
小儿肝移植后新发婴幼儿哮喘一例 王兴强 李娜 于立新等 53

综 述

- 新型超声技术在移植肾中的应用进展 张伟韬 杨橙 许明等 55
造血干细胞移植后并发肾相关性血栓性微血管病的研究进展 李枫林 任雨 王萍 58

安斯泰来专栏

- 优化免疫抑制方案 改善移植植物的肾功能 62

消 息

- 《中华器官移植杂志》第九届编辑委员会第一次工作会议在武汉成功召开 10

《中华器官移植杂志》第九届编辑委员会名单 23
《中华器官移植杂志》第九届编辑委员会通讯编委名单 50
《中华器官移植杂志》稿约 63

本期执行编委 王长希 刘修恒 曾凡军 陈实 周平 陈刚 陈忠华

本期责任编辑 喻俊 魏炯 胡莹

本期英文审校 张孝平

CHINESE JOURNAL OF ORGAN TRANSPLANTATION

Monthly Established in October 1980 Volume 38, Number 1 January 20, 2017

Responsible Institution

China Association for Science
and Technology

Sponsor

Chinese Medical Association
42 Dongsi Xidajie, Beijing 100710, China

Editing

Editorial Board of Chinese
Journal of Organ Transplantation
155 Shengliji, Wuhan 430014, Hubei
Province, China
Tel: 0086-27-82806143
Fax: 0086-27-82806143
Email: 2215966868@qq.com
cjot1980@163.com
http://zhqgyzzz.yiigle.com/
QQ: 2215966868

Editor-in-Chief

Chen Zhonghua(陈忠华)

Managing Director

Yu Jun (喻俊)

Publishing

Chinese Medical Journals
Publishing House Co., Ltd.
42 Dongsi Xidajie, Beijing 100710, China
Tel(Fax): 0086-10-85158180
Email: office@cma.org.cn

Printing

Changjiang Spatial Information
Technology Engineering Co.,
Ltd. (Wuhan) Hangce Informa-
tion Cartography Printing Filial

Overseas Distributor

China International Book
Trading Corporation
P. O. Box 399, Beijing 100044, China
Code No. M309

Mail-Order

Editorial Department of Chinese
Journal of Organ Transplantation
155 Shengliji, Wuhan 430014, Hubei
Province, China
Tel: 0086-27-82806143
Fax: 0086-27-82806143
Email: 2215966868@qq.com

CSSN

ISSN 0254-1785
CN 42-1203/R

Copyright © 2017 by the Chinese Medical Association

No content published by the journals of
Chinese Medical Association may be
reproduced or abridged without
authorization. Please do not use or copy
the layout and design of the journals
without permission

All articles published represent the
opinions of the authors, and do not
reflect the official policy of the Chinese
Medical Association or the Editorial
Board, unless this is clearly specified

CONTENTS IN BRIEF

Clinical research

- Simultaneous pancreas-kidney transplantations for type 2 diabetes mellitus with end stage renal disease—73 cases report 1
Fu Yingxin, Song Wenli, Mo Chunbai, et al

- Clinical efficacy of 37 cases of kidney transplantation from donors with acute kidney injury 6
Lan Gongbin, Xu Mingjie, Fang Chunhua, et al

- The infection characteristics of urinary *E. coli* after kidney transplantation and virulence factor detection 11
Wang Xiao, Wang Qinghai, Yue Yiming, et al

- Statin-induced rhabdomyolysis in renal transplant recipients:
two cases reports 15
Liu Guangjun, Wu Jianyong, Wang Yiming, et al

- Effects of infusion per unit of weight on emerging pulmonary complications in patients with cirrhosis after liver transplantation 18
Zhang Longhui, Li Zhao, Wang Gang, et al

- Study of 66 liver transplantations from donation after brain death 24
YE Qifa, Zhang Qiuyan, Wang Yanfeng, et al

- A case of highly sensitized recipient after combined kidney transplantation and splenic fossa auxiliary heterotopic liver transplantation in a 28-months follow-up and review 30
Ma Shuaijun, Zhang Geng, Zhu Yuanhong, et al

Experimental research

- Inhibitive effect of IL-35 on cardiac allograft rejection in mice 34
Li Baozhu, Zhao Na, He Xianghui, et al

- Promotion of autophagy and the secretion of CXCR4 of human umbilical cord mesenchymal stem cells induced by low-dose immunosuppressive drugs 39
Lei Yan, Zhao Hongzhou, Li Rongchun, et al

Standards and Guidelines

- Clinical practice guideline of adult intestinal transplantation in China
(Version 2016) 45
*The Transplantation Society of Chinese Medical Association,
The Transplantation Society of Chinese Medical Doctor Association*



平稳缓释，护航生存

【适应症】

预防肾脏移植后的移植物排斥反应。预防肝脏移植术后维持期的移植物排斥反应。治疗肾脏或肝脏移植术后应用其他免疫抑制药物无法控制的移植物排斥反应。

【禁忌】

对他克莫司或其他大环内酯类药物过敏者、对胶囊中其他成份过敏者禁用。

【用法用量】

口服，一日一次，清晨服用。应空腹或至少在饭前1小时或饭后2~3小时服药。本品从泡罩包装取出后应立即用水送服。若清晨忘记服药，应当天迅速补服，不要在第二天同时服用两倍剂量。

成人术后接受本品治疗推荐起始剂量：肾移植患者，预防排斥起始剂量为按体重每日0.15~0.3mg/kg，每天清晨口服，于手术后24小时内开始给药。

他克莫司胶囊治疗的病人转换为本品治疗的推荐剂量：他克莫司胶囊治疗（1日2次给药）的患者转换为本品治疗（1日1次给药），必须按日总剂量1:1 (mg:mg) 转换。转换药物后，应监测他克莫司的血药谷浓度，如有需要应进行剂量调整，以确保相似的全身血药水平。

肾脏或肝脏移植：状况稳定的患者由其他的免疫抑制剂转换为本品治疗时，肾移植患者推荐的起始剂量为每日0.06~0.16mg/kg，全血谷浓度维持范围为5~10ng/ml；肝移植患者推荐的起始剂量为每日0.03~0.11mg/kg，全血谷浓度维持范围为2~10ng/ml，其他详见说明书。

【注意事项】 【不良反应】 【用法用量】

详见说明书

【规格】

(1)0.5mg (2)1mg

【包装】

透明的PVC/PVDC铝塑泡罩并加带干燥剂，包装在铝箔袋内。

50粒/盒，30粒/盒

【批准文号】

0.5mg 国药准字：J20150055

1mg 国药准字：J20150056

【进口药品注册证号】

H20150030(0.5mg); H20150032(1mg)

辽药广审(文)第2016060075号

本广告仅供医学药学专业人士阅读，禁忌、注意事项和不良反应等详见说明书。

北京分公司

地址：北京市朝阳区建国门外大街8号IFC大厦27层 邮编：100022 电话：010-85216666 传真：010-85214904

上海分公司

地址：上海市黄浦区延安东路618号上海东海商业中心II期6层ABCDEF 邮编：200001 电话：021-61353666 传真：021-61353600

万方数据 0254-1785 CN 42-1203/R 邮发代号：38-27 国内定价：9.00 元