

中华医学会系列杂志



ISSN 1006-7876
CN 11-3694/R

中华神经科杂志®

ZHONGHUA SHENJINGKE ZAZHI

2017年12月 第50卷 第12期

CHINESE JOURNAL OF NEUROLOGY

Volume 50 Number 12
December 2017



ISSN 1006-7876



9 771006 787172



中华医学会

CHINESE
MEDICAL
ASSOCIATION

中华神经科杂志[®]

CHINESE JOURNAL OF NEUROLOGY

月刊 1955年3月创刊 第50卷 第12期 2017年12月8日出版



本刊微信

主管

中国科学技术协会

主办

中华医学会

100710,北京市东四西大街42号

编辑

中华神经科杂志

编辑委员会

100710,北京市东四西大街42号

电话:(010)85158210

传真:(010)85158380

Email:zhnjkzz@126.com

http://www.ecjn.org.cn

http://www.medline.org.cn

http://www.cma.org.cn/html/main/

ywxz.html

总编辑

崔丽英

编辑部主任

汪谋岳

出版

《中华医学杂志》社有限责任公司

100710,北京市东四西大街42号

电话(传真):(010)85158180

Email:office@cma.org.cn

广告代理

北京华康广告公司

100710,北京市东四西大街42号

电话(传真):(010)85158184

Email:hua_kang@vip.163.com

广告发布登记号

京东工商广登字20170015号

印刷

北京柏力行彩印有限公司

发行

范围:公开

国内:中国邮政集团公司北京

报刊发行局

国外:中国国际图书贸易集团

有限公司

(北京399信箱,100044)

代号M1304

订购

全国各地邮政局

邮发代号82-703

邮购

中华医学会杂志社市场营销部

100010,北京东四邮局100010-58信箱

电话:(010)85158299,85158339

Email:info@cma.org.cn

定价

每期22.00元,全年264.00元

中国标准连续出版物号

ISSN 1006-7876

CN 11-3694/R

2017年版权归中华医学会所有

未经授权,不得转载、摘编本刊文章,不得使用本刊的版式设计

除非特别声明,本刊刊出的所有文章不代表中华医学会和本刊编委会的观点

本刊如有印装质量问题,可向中华医学会杂志社市场营销部调换

目次

专论

我国脑卒中流行状况及其防控策略..... 孙海欣 王文志 881

脑血管病

中重度脑白质疏松对急性脑梗死静脉溶栓

患者出血转化及预后的影响..... 刘艳艳 张敏 恽文伟等 885

合并糖尿病的缺血性卒中患者数字减影

血管造影术后对比剂肾病的危险

因素..... 程媛媛 张云东 尹俊雄等 892

自发性颅内低压并发硬膜下血肿相关

因素研究..... 方瑶 王谨 龚向阳 899

侧支循环开放程度对颅外段颈动脉狭窄

患者支架置入术后预后的

影响..... 阿力木·吾甫尔 马建华 吐尔逊·沙比尔等 904

临床研究

糖调节受损对周围神经大小纤维功能的

影响..... 刘娜 张哲成 田丽等 907

质子磁共振波谱与脑电图在无病灶颞叶

癫痫定侧诊断中的价值对照研究..... 宋双双 李伟 张丕宁等 912

夜间各时段睡眠质量与副交感神经强度的

相关性研究..... 陈博 朱宇清 龙杞等 917

颅内压增高伴原发性血小板增多症七例

临床分析..... 孟超 景筠 王佳伟 922

胚胎弯曲杆菌所致脑膜炎一例分析并

文献复习..... 李倩 赵玉 王义义等 927

病例报告

青年反复卒中合并 Castleman 病一例..... 王蕾 张海宁 鞠维娜等 931

表现为短暂性局灶性神经系统发作的

烟雾病二例..... 马红玲 赵鑫 刘力峰等 932

表现为静脉窦血栓形成和上腔静脉闭塞的

白塞病一例..... 任金岩 王东明 郑娟等 935

快发性肌张力障碍-帕金森综合征一例..... 马俊 范思远 柳青等 938

以共济失调及周围神经损害为主要表现的军团菌感染二例	郭琳琳 矫黎东 王向波	941
---------------------------------	-------------	-----

综 述

隐源性卒中的研究进展	付琳 陈晓霞 王晓蓉等	943
环状 RNA 在神经系统疾病中的研究	杨燕 孙大芳 孙祖真等	947
良性颞叶癫痫研究进展	陈聪 汪珊 王爽	953

学术动态

中华医学会第 19 次全国神经病学学术会议纪要	张悦 彭斌 蒲传强	956
第 11 次全国神经肌肉病学术会议纪要	罗月贝 杨欢	958

启 事

本刊对文稿中缩略语的书写要求	中华神经科杂志编辑部	884
本刊关于论文发表后撤稿的规定	中华神经科杂志编辑部	884
中华医学会杂志社对一稿两投和一稿两用问题处理的声明	中华医学会杂志社	891
本刊对文稿中参考文献书写格式的要求	中华神经科杂志编辑部	926
欢迎关注中华神经科杂志微信公众号平台	中华神经科杂志编辑部	926
本刊对来稿中统计学处理的要求	中华神经科杂志编辑部	952
本刊有关文稿中法定计量单位的书写要求	中华神经科杂志编辑部	957
关于学术论文申请“快速通道”发表的规定	中华神经科杂志编辑部	960

消 息

第 11 届全国帕金森病及运动障碍疾病高级讲授班及 学术研讨会征文通知	中华医学会神经病学分会帕金森病及运动障碍学组	940
中华神经科杂志 2016 年核心影响因子创历史新高	中华神经科杂志编辑部	952

中华神经科杂志第五届编辑委员会成员及通讯编委名单	前插 9
--------------------------------	------

中华神经科杂志稿约见本卷第 1 期第 79 页、第 7 期第 559 页

本期责任编辑 汪谋岳 责任排版 杜颖

欢迎登录本刊网站:<http://www.ecjn.org.cn>

CHINESE JOURNAL OF NEUROLOGY

Monthly Established in March 1955 Volume 50, Number 12 December 8, 2017

Responsible Institution

China Association for Science
and Technology

Sponsor

Chinese Medical Association
42 Dongsi Xidajie, Beijing 100710, China

Editing

Editorial Board of Chinese
Journal of Neurology
42 Dongsi Xidajie, Beijing 100710, China
Tel: 0086-10-85158210
Fax: 0086-10-85158380
Email: zhsjkzz@126.com
http://www.ecjn.org.cn
http://www.medline.org.cn
http://www.cma.org.cn/html/main/
ywzx.html

Editor-in-Chief

Cui Liying (崔丽英)

Managing Director

Wang Mouyue (汪谋岳)

Publishing

Chinese Medical Journals
Publishing House Co., Ltd.
42 Dongsi Xidajie, Beijing 100710, China
Tel (Fax): 0086-10-85158180
Email: office@cma.org.cn

Printing

Beijing Paramount Color
Printing Co., Ltd.

Overseas Distributor

China International Book
Trading Corporation
P. O. Box 399, Beijing 100044, China
Code No. M1304

Mail-Order

Marketing Department,
Publishing House,
Chinese Medical Association
Mail-box No. 100010-58, Dongsi Post Office,
Beijing 100010, China
Tel: 0086-10-85158299, 85158339
Email: info@cma.org.cn

CSSN

ISSN 1006-7876
CN 11-3694/R

Copyright © 2017 by the Chinese Medical Association

No content published by the journals of
Chinese Medical Association may be
reproduced or abridged without
authorization. Please do not use or copy
the layout and design of the journals
without permission.

All articles published represent the
opinions of the authors, and do not
reflect the official policy of the Chinese
Medical Association or the Editorial
Board, unless this is clearly specified.

CONTENTS IN BRIEF

Editorial

- The epidemiological situation of stroke in China and its prevention and control strategy** 881
Sun Haixin, Wang Wenzhi

Cerebrovascular Diseases

- Influence of moderate to severe leukoaraiosis on hemorrhagic transformation and prognosis of acute ischemic stroke patients after intravenous thrombolysis** 885
Liu Yanyan, Zhang Min, Yun Wenwei, et al
- Risk factors of contrast-induced nephropathy after digital subtraction angiography in patients with acute ischemic stroke and diabetes** 892
Cheng Yuanyuan, Zhang Yundong, Yin Junxiong, et al
- Related factors for the development of subdural haematoma in patients with spontaneous intracranial hypotension** 899
Fang Yao, Wang Jin, Gong Xiangyang
- Effects of collateral circulation on outcomes in patients with extracranial carotid artery stenosis after carotid artery stenting** 904
Alimu · Wufuer, Ma Jianhua, Tuerxun · Sabier, et al

Clinical Researches

- Effects of impaired glucose regulation on large and small fibers in peripheral nerve** 907
Liu Na, Zhang Zhecheng, Tian Li, et al
- Comparison of the localization diagnosis between ¹H-magnetic resonance spectroscopy and electroencephalogram in temporal lobe epilepsy without lesion** 912
Song Shuangshuang, Li Wei, Zhang Pining, et al
- Correlation between sleep quality and parasympathetic intensity at nighttime** 917
Chen Bo, Zhu Yuqing, Long Qi, et al
- Clinical analysis of seven cases of intracranial hypertension with essential thrombocythemia** 922
Meng Chao, Jing Yun, Wang Jiawei
- Campylobacter fetus meningitis in adults: report of one case and review of the literature** 927
Li Qian, Zhao Yu, Wang Yiyi, et al

Case reports

- One case of a young adult with recurrent stroke and Castleman's disease** 931
Wang Lei, Zhang Haining, Ju Weina, et al
- Two cases of moyamoya disease manifested as transient focal neurological events** 932
Ma Hongling, Zhao Xin, Liu Lifeng, et al
- Behcet's disease presenting as cerebral venous thrombosis and vena cava thrombosis: one case report** 935
Ren Jinyan, Wang Dongming, Zheng Juan, et al
- Rapid-onset dystonia-parkinsonism: a case report** 938
Ma Jun, Fan Siyuan, Liu Qing, et al

Ataxia and peripheral neuropathy as the main neurological manifestations in legionellosis: two cases report	941
<i>Guo Linlin, Jiao Lidong, Wang Xiangbo</i>	
Reviews	
Research progress in cryptogenic stroke	943
<i>Fu Lin, Chen Xiaoxia, Wang Xiaorong, et al</i>	
Circular RNAs and their roles in neurologic disorders	947
<i>Yang Yan, Sun Dafang, Sun Zuzhen, et al</i>	
Research progress in benign temporal lobe epilepsy	953
<i>Chen Cong, Wang Shan, Wang Shuang</i>	
Academic Trends	
Minutes of 19th National Conference of Chinese Society of Neurology	956
<i>Zhang Yue, Peng Bin, Pu Chuanqiang</i>	
Summary of the 11th National Congress of Neuromuscular Diseases	958
<i>Luo Yuebei, Yang Huan</i>	
Member List of the Fifth Editorial Board and Communication Board of <i>Chinese Journal of Neurology</i>	
	insert 9

本刊编辑部工作人员及联系方式

编辑部联系方式: 010-85158210, Email: zhsjkzz@126.com

汪谋岳: 010-85158326, Email: cmawmy@cma.org.cn

郑晴: 010-85158379, Email: zhengqing@cma.org.cn

许倩: 010-85158263, Email: xuqian@cma.org.cn

任琳: 010-85158210, Email: renlin_79@126.com

阿乐[®] ALE

阿托伐他汀钙片

Atorvastatin Calcium



降低低密度脂蛋白胆固醇（LDL-C），预防动脉粥样硬化性心脑血管疾病

京药广审（文）第2017060253号·本广告仅供医学药学专业人士阅读

阿托伐他汀钙片 简明处方资料

【通用名称】阿托伐他汀钙片。

【适应症】高胆固醇血症，冠心病或冠心病等危症。

【用法用量】口服，常用的起始剂量为10mg，每日一次。最大剂量为80mg，每日一次。可在一日内的任何时间服用，并不受进餐影响。

【禁忌】1、活动性肝脏疾病，可包括原因不明的肝脏转氨酶持续升高 2、已知对本品中任何成分过敏。3、妊娠。本品禁止孕妇或可能受孕的育龄女性用药。孕妇服用本品时可能对胎儿造成损害。正常怀孕状态下体内血清胆固醇和甘油三酯水平升高，而胆固醇或胆固醇衍生物是胎儿发育的必需物质。动脉粥样硬化是慢性病变过程，因此原发性高胆固醇血症患者在怀孕期间停用降脂药物治疗对动脉粥样硬化疾病长期转归影响甚微。目前缺乏足够的有关孕妇服用阿托伐他汀的对照研究；但偶有报告观察到宫内暴露于他汀类药物时可能出现胎儿先天异常。大鼠与家兔繁殖研究未观察到阿托伐他汀具有致畸的证据。对于育龄期妇女，只有那些极不可能受孕而且已被告知潜在危害者可以被处方阿托伐他汀。患者用药期间受孕需立即停药，并考虑药物对胎儿的潜在危害（见【孕妇及哺乳期妇女用药】）。4、哺乳期妇女：阿托伐他汀能否从人类乳汁中分泌尚未可知；但该类其他药物可少量分泌到乳汁中。因为他汀类药物可能对接受哺乳的新生儿具有潜在的严重不良反应，因此服用本品的女性禁止哺乳（见【孕妇及哺乳期妇女用药】）。

【不良反应】在不考虑因果关系的情况下，在安慰剂对照试验中阿托伐他汀（n=8755）最常见的（≥2%）且发生率高于安慰剂的不良反应依次为：鼻咽炎（8.3%）、关节痛（6.9%）、腹泻（6.8%）、四肢痛（6.0%）和泌尿道感染（5.7%）。

在安慰剂对照研究中报告的其他不良反应包括：全身：身体不适、发热；消化系统：腹部不适、嗝气、胃肠胀气、肝炎、胆汁淤积；肌肉骨骼系统：骨骼肌痛、肌肉疲劳、颈痛、关节肿胀；营养和代谢系统：转氨酶升高、肝功能检查异常、血碱性磷酸酶升高、肌酸磷酸激酶升高、高血糖；神经系统：梦魇；呼吸系统：鼻咽；皮肤及附属物：荨麻疹；特殊感觉：视物模糊、耳鸣；泌尿生殖系统：尿白细胞阳性。

在不考虑因果关系的情况下，阿托伐他汀上市后未在上述列出的相关不良反应包括：过敏反应，血管神经性水肿，大疱疹（包括多形性红斑，Stevens-Johnson综合征和中毒性表皮坏死松解），横纹肌溶解，疲劳感，肌腱断裂，肝功能衰竭，头晕，记忆力减退，抑郁及外周神经病变。

【规格】（1）10mg；（2）20mg。

【包装】双铝泡罩包装，7片/板。

【有效期】36个月。

【批准文号】（1）国药准字H19990258；（2）国药准字H20093819。



嘉林药业
JIALIN PHARMACEUTICAL

地址：北京市朝阳区双桥东路
万方数据

邮编：100121

电话：010-85392752 010-85392755

北京嘉林药业股份有限公司

ISSN 1006-7876

CN 11-3694/R

邮发代号：82-703

国内定价：22.00