


中华医学会系列杂志



中华外科杂志[®]

ZHONGHUA WAIKE ZAZHI

2018年7月 第56卷 第7期

CHINESE JOURNAL OF SURGERY

Volume 56 Number 7

July 2018



中华医学会

CHINESE
MEDICAL
ASSOCIATION

ISSN 0529-5815



07>

9 770529 581182

中华外科杂志®

CHINESE JOURNAL OF SURGERY

月刊 1951年1月创刊 第56卷 第7期 2018年7月1日出版

主管
中国科学技术协会

主办
中华医学会
100710,北京市东四西大街42号

编辑
中华外科杂志编辑委员会
100710,北京市东四西大街42号
电话(传真):(010)85158224
Email:cmaj@cmaj.org.cn
http://zhwzzz.yiigle.com
http://www.medline.org.cn

总编辑
赵玉沛

编辑部副主任
李静

出版
《中华医学杂志》社有限责任公司
100710,北京市东四西大街42号
电话(传真):(010)85158180
Email:office@cmaj.org.cn

广告独家代理
北京泽桥传媒科技股份有限公司
100176,北京经济开发区荣华南路荣华
国际大厦1909
电话:(010)53269195 13911726708
传真:(010)53269095
Email:zqgg@vip.sina.com

广告发布登记号
京东工商广登字20170015号

印刷
北京博海升彩色印刷有限公司

发行
范围:公开
国内:中国邮政集团公司北京
报刊发行局
国外:中国国际图书贸易集团
有限公司
(北京399信箱,100044)
代号M90

订购
全国各地邮政局
邮发代号2-59

零售
中华医学会杂志社发行部
网站:www.medline.org.cn
微信:微信公众号“青医汇”
Email:info@cmaj.org.cn
电话:010-85158388,85158299

定价
每期30.00元,全年360.00元

中国标准连续出版物号
ISSN 0529-5815
CN 11-2139/R

2018年版权归中华医学会所有
未经授权,不得转载、摘编本刊
文章,不得使用本刊的版式设计
除非特别声明,本刊刊出的所有
文章不代表中华医学会及本刊
编委会的观点
本刊如有印装质量问题,可向中华
医学会杂志社发行部调换

目次

指南与规范

- 胰腺癌综合诊治指南(2018版) 481
中国抗癌协会胰腺癌专业委员会
成人腹股沟疝诊断和治疗指南(2018年版) 495
中华医学会外科学分会疝与腹壁外科学组 中国医师协会外科医师分会
疝和腹壁外科医师委员会
腹壁切口疝诊断和治疗指南(2018年版) 499
中华医学会外科学分会疝与腹壁外科学组 中国医师协会外科医师分会
疝和腹壁外科医师委员会

专家论坛

- 试论脊柱外科微创理念与技术的共识和争议 503
吕国华

临床新技术

- 多用途模块化胸骨重建组合假体系统行胸骨重建的
临床应用效果 507
王海峰 肖勇 金宇星等

论著

- 感染性胰腺坏死清创引流术后脓腔不灌洗的
临床效果 512
高崇崇 曹锋 刘殿刚等
同时性结直肠癌肝转移腹腔镜同期切除术与开腹手术的
比较研究 516
马克 王祥宇 陈进宏
腹腔镜胰十二指肠切除时邻近器官病变的处理策略 522
金巍巍 鲁超 牟一平等
颈丛阻滞麻醉下分期手术治疗继发性甲状旁腺功能
亢进症的初步探索 528
胡亚 花苏榕 王梦一等
基于倾向性评分匹配法的胸腔镜与开放袖式肺叶切除术
近期与远期疗效比较 533
潘茂杰 高会江 蒋志慧等

单纯性巨指(趾)症 <i>PIK3CA</i> 基因突变位点研究	538
武竞衡 田伟 田光磊等	
技术交流	
肝左静脉优先入路在活体肝移植腹腔镜左外叶供肝切取术中的应用	543
陆录 朱文伟 陶一峰等	
病例报告	
乳房神经鞘瘤一例	546
郭美琴 侯志超 宋伟等	
综 述	
合并破骨细胞样巨细胞的胰腺未分化癌诊治的研究进展	548
孙广明 孔瑞 杨士凤等	
青少年腰椎间盘突出症的病因学及治疗进展	551
叶小伟 刘少强 刘伯龄	
医学·人文	
先进的梅奥 伟大的祖国(三):医疗情况	556
成伟 尹新民	
医海拾贝	
“外科格言与引语”集萃	532
征文启事	
“勃拉姆斯”杯降钙素原优秀病例征文启事	521
本刊编辑部	
读者·作者·编者	
《中华外科杂志》对中文缩略语的使用要求	494
本刊编辑部	
《中华外科杂志》对英文缩略语的使用要求	506
本刊编辑部	
《中华外科杂志》对评论性和综述类文章增加中英文摘要的要求	511
本刊编辑部	
《中华外科杂志》关于临床研究类论文增加手术视频的通知	527
本刊编辑部	
关于投稿人自愿提供稿件支持原始数据的通知	545
本刊编辑部	
《中华外科杂志》订阅办法	555
本刊编辑部	
中华外科杂志第十三届编辑委员会组成人员	557
《中华外科杂志》稿约通则	558
本刊编辑部	

(责任编辑:李静 责任排版:刘晓萍)

CHINESE JOURNAL OF SURGERY

Monthly Established in January 1951 Volume 56, Number 7 July 1, 2018

Responsible Institution

China Association for Science
and Technology

Sponsor

Chinese Medical Association
42 Dongsi Xidajie, Beijing 100710, China

Editing

Editorial Board of Chinese
Journal of Surgery
42 Dongsi Xidajie, Beijing 100710, China
Tel (Fax): 0086-10-85158224
Email: cmacjs@cma.org.cn
http://zhwkzz.yiggle.com
http://www.medline.org.cn

Editor-in-Chief

Zhao Yupei (赵玉沛)

Deputy Managing Director

Li Jing (李静)

Publishing

Chinese Medical Journals
Publishing House Co., Ltd
42 Dongsi Xidajie, Beijing 100710, China
Tel (Fax): 0086-10-85158180
Email: office@cma.org.cn

Printing

Beijing BOHS Color Printing
Co., Ltd.

Overseas Distributor

China International Book
Trading Corporation
P.O. Box 399, Beijing 100044, China
Code No. M90

Retail

Customer Service Department,
Publishing House, Chinese
Medical Association
http://www.medline.org.cn
WeChat: cmayouth
Email: info@cma.org.cn
Tel: 0086-10-85158388, 85158299

CSSN

ISSN 0529-5815
CN 11-2139/R

Copyright © 2018 by the
Chinese Medical Association

No content published by the journals of
Chinese Medical Association may be
reproduced or abridged without
authorization. Please do not use or copy the
layout and design of the journals without
permission.

All articles published represent the
opinions of the authors, and do not reflect
the official policy of the Chinese Medical
Association or the Editorial Board, unless
this is clearly specified.

CONTENTS IN BRIEF

GUIDELINES

- Comprehensive guidelines for the diagnosis and treatment of
pancreatic cancer (2018 version)** 481
Pancreatic Cancer Committee of Chinese Anti-Cancer Association
- Guidelines for diagnosis and treatment on the adult groin
hernia (2018 edition)** 495
China Hernia Society, Chinese Hernia College of Surgeons
- Guidelines for diagnosis and treatment of abdominal wall
incisional hernia (2018 edition)** 499
China Hernia Society, Chinese Hernia College of Surgeons

FORUM

- Discussion on the consensus and controversies of the concept and
technique in minimally invasive spine surgery** 503
Lyu Guohua

CLINICAL NEW TECHNOLOGY

- Application of multi-functional modularized prosthesis in reconstruction
for sternal defect** 507
Wang Haifeng, Xiao Yong, Jin Yuxing, et al

ORIGINAL ARTICLES

- Clinical study of no necrotic cavity lavage after debridement and
drainage in patients with infected pancreatic necrosis** 512
Gao Chongchong, Cao Feng, Liu Diangang, et al
- Laparoscopic versus open surgery for simultaneous resection of
synchronous colorectal liver metastases** 516
Ma Ke, Wang Xiangyu, Chen Jinhong
- Strategy in management of adjacent organ lesion during
laparoscopic pancreaticoduodenectomy** 522
Jin Weiwei, Lu Chao, Mou Yiping, et al
- Sequential parathyroidectomy under cervical plexus anesthesia for
secondary hyperparathyroidism with renal function failure** 528
Hu Ya, Hua Surong, Wang Mengyi, et al
- Short-term and long-term survival in sleeve lobectomy by video-assisted
thoracic surgery versus thoracotomy basing on the propensity score
matching** 533
Pan Maojie, Gao Huijiang, Jiang Zhihui, et al
- PIK3CA mutation analysis in isolated macrodactyly** 538
Wu Jingheng, Tian Wei, Tian Guanglei, et al

REVIEWS

- Advances in diagnosis and treatment of undifferentiated pancreatic
carcinoma with osteoclast-like giant cells** 548
Sun Guangming, Kong Rui, Yang Shifeng, et al
- Research progress on etiology and treatment of adolescent lumbar
disc herniation** 551
Ye Xiaowei, Liu Shaoqiang, Liu Boling



卡文®, 让肠外营养如此简单

处方费时

脂肪乳氨基酸(17)葡萄糖(11%)注射液

- 【适应症】** 本品用于不能或功能不全或被禁忌经口/肠道摄取营养的成人患者。
- 【用法用量】** 本品可经周围静脉或中心静脉进行输注。
使用前开通腔室间的可剥离封条, 使三腔内液体混合均匀, 混合液在25℃下可放置24小时。
本品输注速率按患者体重不宜超过一小时3.7ml/kg (相当于0.25g葡萄糖、0.09g氨基酸、0.13g脂肪/kg)。推荐输注时间为12~24小时。
- 【不良反应】** 本品与所有高渗性输液一样, 如采用周围静脉输注有可能发生静脉炎。导致静脉炎的因素很多, 包括输液管类型、直径与长度、输注时间长短、液体的pH和渗透压、感染/静脉穿刺的次数。因此建议已输注本品的静脉不再用于其它输液或添加剂注射使用, 并建议每日更换输液针刺入的位置。
输注英脱利匹特(脂肪乳注射液)可能会引起体温升高(发生率<3%), 偶见寒战、恶心/呕吐(发生率<1%)。另有输注过程中出现肝功能酶一过性身高的报道。
输注英脱利匹特产生其它不良反应更为罕见。超敏反应(过敏反应、皮疹、荨麻疹)、呼吸症状(如呼吸急促)、高/低血压、溶血、网织红细胞增多、腹痛、头痛、疲倦、阴茎异常勃起少见报道。
脂肪超载综合征: 脂肪廓清受损后会出现脂肪超载综合征, 脂肪超载综合征也会出现在虽以推荐剂量速率输注, 但由于临床情况突然发生改变的患者(如肾功能损伤与感染)。
脂肪超载综合征表现有: 高脂血症, 发热, 脂肪浸润, 肝肿大, 脾肿大, 贫血, 白细胞减少症, 血小板减少症、凝血机制障碍, 昏迷。若停止输注所有症状通常均可逆转。
- 【禁忌症】** 对鸡蛋、大豆蛋白或处方中任一成份过敏者; 重度高脂血症; 其他详见说明书。

本广告仅供医学药学专业人士阅读

进口药品注册证号H20130922

苏药广审(文)第2018020200号

江苏省无锡市滨湖区马山北闸路16号 邮政编码: 214092
电话: 0510-85960000 传真: 0510-85960001
北京市朝阳区太阳宫中路16号1号楼冠捷大厦16层 邮政编码: 100028
电话: 86 70 55632999 传真: 86 10 56632888

费森尤斯卡比华瑞制药有限公司
FRESENIUS KABI SSPC

ISSN 0529-5815

CN 11-2139/R

邮发代号: 2-59

国内定价: 30.00元