

中华医学会系列杂志



ISSN 1671-0290
CN H-4657/R

中华医学美学美容杂志®

ZHONGHUA YIXUEMEIXUE MEIRONG ZAZHI

2019年12月 第25卷 第6期(卷终)

CHINESE JOURNAL OF MEDICAL AESTHETICS AND COSMETOLOGY

Volume 25 Number 6
December 2019



中华医学会

CHINESE
MEDICAL
ASSOCIATION

ISSN 1671-0290



9 771671 029195

12>

中华医学美学美容杂志[®]

CHINESE JOURNAL OF MEDICAL AESTHETICS AND COSMETOLOGY

双月刊 1995 年 12 月创刊 第 25 卷 第 6 期(卷终) 2019 年 12 月 15 日出版

主管
中国科学技术协会

主办
中华医学会
100710, 北京市东四西大街 42 号

编辑
中华医学美学美容杂志
编辑委员会
北京市朝阳区小营北路 29 号
电话: 15010870692
微信: cmac99
邮箱: cmac9@vip.sohu.com
投稿网址: http://cmacs.medline.org.cn

总编辑
彭庆星

编辑部主任
杜太超

出版
《中华医学杂志》社
有限责任公司
100052, 北京市西城区东河沿街 69 号
电话(传真): (010)51322059
Email: office@cma.org.cn

广告代理
北京华康广告公司
100052, 北京市西城区东河沿街 69 号
电话(传真): (010)51322181
Email: hua_kang@vip.163.com

广告发布登记号
京东工商广登字 20170015 号

印刷
北京科信印刷有限公司

发行
范围: 公开
国内: 中国邮政集团公司北京
报刊发行局
国外: 中国国际图书贸易集团
有限公司
(北京 399 信箱, 100044)
代号: BM 6494

订购
全国各地邮政局
邮发代号 82-800

邮购
中华医学美学美容杂志编辑部
北京市朝阳区小营北路 29 号
电话: 15010870692
Email: cmac9@vip.sohu.com

定价
每期 25.00 元, 全年 150.00 元

中国标准连续出版物号

ISSN 1671-0290

CN 11-4657/R

2019 年版权归中华医学会所有

未经授权, 不得转载、摘编本刊文章, 不得使用本刊的版式设计

除非特别声明, 本刊刊出的所有文章不代表中华医学会和本刊编委会的观点

本刊如有印装质量问题, 请向本刊编辑部调换

目次

论著

- 新旋转推进法重建鼻唇对称性的临床效果 ... 李承浩 韩亚培 石冰 447
- 注射透明质酸引起视力受损
及脑梗死病例分析 李春花 马为梅 王润生等 452
- 联合筋膜鞘悬吊矫正额肌瓣及上睑提肌
缩短术后重度上睑下垂的临床效果 ... 刘超华 郝冬月 姚文德等 456
- 162 例重睑成形术的效果 洪帆 洪素庄 张婧婧等 459
- 改良肌皮瓣法矫正下睑松弛的疗效 赵敏 王丹丹 涂惠芳 462
- 小切口面部年轻化手术的改良包扎法的
手术效果观察 姜严明 于波 王咏民等 465
- 真皮筋膜肌肉悬吊在上睑皮肤提升
和隆眉弓中的应用 杨涛 刘立强 宋英杰 468
- 鼻成形中肋软骨蝶形鼻小柱支撑
移植物的效果 赵延峰 郝俊 郭东超等 471
- 个体化设计面动脉穿支皮瓣修复面中部
软组织缺损的治疗效果 沈华 戴心怡 章开衡等 474
- 可溶性透明质酸微针对眶下皱纹的
改善作用 赵琰 项蕾红 徐慧等 478
- 自体脂肪注射联合聚对二氧环己酮平滑线
埋置填充鼻唇沟的临床疗效 李树宝 李梦菲 张晶晶 482
- 自体脂肪浓缩物联合刃厚皮片移植修复
静脉性溃疡的可行性及效果 张剑 梁伟强 张金明等 485
- 局部注射 A 型肉毒毒素中毒 20 例的
电生理分析 金晓兰 蔡华英 吕文等 488
- 成人头面部带状疱疹早期治疗前后
皮损、神经痛及血压变化研究 张静 范文葛 王玲等 491
- 血管基质片段胶对颈部横纹精细
填充的效果 张胜昌 潘斌 于建刚等 496
- 飞机形皮瓣成形趾蹼修复第 4、5 趾
多并趾畸形 王有晶 沈卫民 崔杰等 500
- 埋线法改善轻度内眦赘皮的效果 贾淞淦 关几梦 秦宏智 504
- 倍舒痕硅凝胶和积雪苷霜治疗内眦赘皮
矫正术后瘢痕增生的疗效 高侠 林金德 孙露等 508

《中华医学美学美容杂志》 第五届编委会名单

(以汉语拼音排序)

顾问 高景恒 鲁开化
孙少宣 王 炜

名誉总编辑 张其亮

总 编 辑 彭庆星

副 总 编 辑 何 伦 李 东
刘洪臣 刘 玮
彭勤建 邢 新

编辑委员

包柏成 蔡 中 陈锦安
陈小平 程宁新 程新德
杜太超 樊 聪 樊东力
高建华 高天文 高兴华
归 来 郭树忠 郭天文
韩 岩 韩英红 郝 飞
郝 平 何 黎 何 伦
胡骄平 胡琼华 翦新春
姜 平 解永学 李 东
李红阳 李青峰 李世荣
林俊华 林晓曦 刘洪臣
刘林峰 刘 流 刘 宁
刘 玮 刘文阁 刘旭盛
柳春明 柳大烈 卢 忠
陆前进 栾 杰 罗盛康
马海欢 欧阳天祥 彭代智
彭海涛 彭勤建 彭庆星
亓发芝 曲剑华 任 军
孙宝珊 孙建方 孙玉萍
汪立川 王洪涛 王冀耕
王佳琦 王向义 王晓军
王学民 王志军 吴建明
吴景东 邢 新 徐 军
徐小珂 杨 斌 杨蓉娅
余占海 展 望 张 晨
张海钟 张怀亮 张建中
张兰成 赵美娟 赵天兰
赵小忠 郑永生 周展超
朱 武

本期编审 吴晓初

责任编辑 杨觉雄

英文编审 张建中

责任排版 蔡劲劲

责任校对 崔永平 黄效伟

小耳畸形基因的表型-基因分析

软件 Phenolyzer 分析 刘柳 王海涛 李辉正等 512

实验研究

中国人哨兵静脉和颞中静脉的解剖学特征 ... 赵焱 李婧宇 张磊等 516

经验总结

脂肪移植改善中面部年轻化的效果 谢振龙 梁晓光 毕建军等 521

再造耳修整与骨桥植入同步手术的护理 陆萌 孟庆芳 王晨等 522

病例报告

右颌结核包块误诊麦粒肿一例 侯文明 吴丹 524

结合乳头成形术治疗乳头乳晕

脂溢性角化病一例 胡佳圆 于亚威 张建平等 525

取耳软骨隆鼻后耳皮瓣坏死一例 徐子寒 范荣辉 王本峰等 526

学科建设

当代中国医学美学与美容医学

整体学科的兴起和发展 王向义 欧阳学平 丁亚宁等 528

综 述

重建唇裂鼻唇对称性理论与技术的进展 李承浩 石冰 530

自体血管化淋巴结移植治疗肢体

淋巴水肿的手术进展 刘士强 马显杰 532

皮肤老化的评价工具 郑慧颖 林彤 宗文凯 535

面部激光美容引起眼损伤的研究进展 杨青 殷悦 李潼等 538

读者·作者·编者

《医学与科学的哲思》出版 451

《医学美学与美容医学名词》出版 455

纪念“中华医学会医学美学与美容学分会”

成立 30 周年征文通知 495

本刊对文后参考文献著录格式的要求 499

关于中华医学会系列杂志投稿网址的声明 507

本刊对来稿中统计学处理的有关要求 511

本刊“医学美学”和“学科建设”栏目征稿 520

《中华医学美学美容杂志》第五届编委会名单见中文目次 2

《中华医学美学美容杂志》稿约 见第 1 期后插页或第 4 期后插 2

CHINESE JOURNAL OF MEDICAL AESTHETICS AND COSMETOLOGY

Bimonthly

Established in December 1995

Volume 25, Number 6

December 15, 2019

Responsible Institution

China Association for Science
and Technology

Sponsor

Chinese Medical Association
42 Dongsi Xidajie, Beijing 100710, China

Editing

Editorial Board of Chinese Journal of Medical Aesthetics and Cosmetology
Beijing City, Chaoyang District Road No. 29 Building, China
Tel: 0086-15010870692
Email: cmac9@vip.sohu.com
http://www.medline.org.cn
http://zhymxmrzz.yiigle.com

Editor-in-Chief

Peng Qingxing (彭庆星)

Managing Director

Du Taichao (杜太超)

Publishing

Chinese Medical Journals
Publishing House Co., Ltd.
69 Donghayan Street, Xicheng District, Beijing 100052, China
Tel (Fax): 0086-10-51322059
Email: office@cma.org.cn

Printing

Beijing Kexin Printing Co., Ltd

Overseas Distributor

China International
Book Trading Corporation
P. O. Box 399, Beijing, China
Code No. BM 6494

Mail-order

Editorial Office of Chinese Journal of Medical Aesthetics and Cosmetology
Beijing City, Chaoyang District Road No. 29 Building, China
Tel: 0086-15010870692
WeChat: cmac99

CSSN

ISSN 1671-0290

CN 11-4657/R

Copyright © 2019 by the
Chinese Medical Association

No content published by the Journals of Chinese Medical Association may be reproduced or abridged without authorization. Please do not use or copy the layout and design of the journals without permission.

All articles published represent the opinions of the authors, and do not reflect the official policy of the Chinese Medical Association or the Editorial Board, unless this is clearly specified.

CONTENTS IN BRIEF

Clinical Research

- Effect of a novel rotating advancing method on reconstruction of nasal lip symmetry Li Chenghao, Han Yapei, Shi Bing 447
- Retinal artery occlusion and cerebral infarction caused by injection of hyaluronic acid: a clinical case analysis Li Chunhua, Ma Weimei, Wang Runsheng, et al 452
- Treatment of recurrent severe blepharoptosis after frontal muscle flap suspension and levator palpebrae superioris shortening with conjoint fascia sheath suspension Liu Chaohua, Hao Dongyue, Yao Wende, et al 456
- Efficacy of double-eyelid plasty: a clinical analysis of 162 cases Hong Fan, Hong Suzhuang, Zhang Jingjing, et al 459
- Effect of modified myocutaneous flaps in treatment of lower eyelid relaxation Zhao Min, Wang Dandan, Tu Huifang 462
- Effect of modified bandaging method on facial rejuvenation with small incision Jiang Yanming, Yu Bo, Wang Yongmin, et al 465
- Application of suspension technique between dermal fascia and frontalis in upper lid lift and eyebrow augmentation Yang Tao, Liu Liqiang, Song Yingjie 468
- Clinical experience of butterfly costal cartilage as columella strut graft Zhao Yanfeng, Hao Jun, Guo Dongchao, et al 471
- Individualized design of facial artery perforator flap for reconstruction of soft tissue defects in the midface Shen Hua, Dai Xinyi, Zhang Kaiheng, et al 474
- Efficacy of soluble hyaluronic acid microneedle on removing suborbital wrinkles Zhao Yan, Xiang Leihong, Xu Hui, et al 478
- Clinical efficacy of injected autologous fat and buried polydioxanone threads for nasolabial fold filling Li Shubao, Li Mengfei, Zhang Jingjing, et al 482
- Application of autogenous adipose concentrate combined with split-thickness skin graft in repair of venous ulcer Zhang Jian, Liang Weiqiang, Zhang Jinming, et al 485
- Botulinum toxin A poisoning by local aesthetic injection: clinical and electrophysiological analyses of 20 cases Jin Xiaolan, Cai Huaying, Lyu Wen, et al 488
- Skin lesion, neuralgia and blood pressure before and after early formal treatment on herpes zoster of the head and face in adults: a quantitative study Zhang Jing, Fan Wenge, Wang Ling, et al 491
- Clinical effectiveness of SVF-gel injection for horizontal neck wrinkles Zhang Shengchang, Pan Er, Yu Jiangang, et al 496
- Plane-shaped flap for reconstruction of the web space in polysyndactyly of the fifth toe fused with the fourth toe Wang Youjing, Shen Weimin, Cui Jie, et al 500
- Improvement of mild epicanthus treated by continuous embedding method Jia Songgan, Guan Jimeng, Qin Hongzhi 504
- Clinical effects of Dermatrix Ultra silica gel and asiaticoside cream on hyperplastic scar tissue in patients after epicanthoplasty Gao Xia, Lin Jinde, Sun Lu, et al 508
- Phenotype-based gene analyzer applied to the genetics of microtia Liu Liu, Wang Haitao, Li Huizheng, et al 512

Experimental Research

- Sentinel vein and middle temporal vein in Chinese: an anatomic study Zhao Ye, Li Jingyu, Zhang Lei, et al 516

ཡུལ་པ་ཁྱེད་ཚོ་ཚུ།

【成份】 棘豆、亚大黄、铁棒锤、诃子（去核）、毛诃子、余甘子、安思香、宽筋藤、人工麝香。

【性状】 本品为浅黄至棕色软膏，气微、味苦、甘。

【功能主治】 藏医：活血化瘀，消炎止痛。用于痛风、风湿、类风湿性关节炎，热性“冈巴”、“黄水”病变引起的关节肿痛、扭挫伤肿痛、皮肤瘙痒、湿疹。

中医：活血化瘀，消肿止痛。用于风湿关节炎、类风湿关节炎、骨关节炎、痛风、急性慢性扭挫伤、肩周炎引起的关节、肌肉肿胀疼痛及皮肤瘙痒、湿疹。

【用法用量】 外用。取本品适量涂于患处，一日2次。

【不良反应】 1、偶见有局部痒疹、皮疹、红斑、红肿、灼热，十分罕见有眶周水肿。

2、偶见儿童用于皮肤薄嫩部位如眼周时有局部刺激症状。

【禁忌】 对本品中任何成份有过敏史的患者禁用。

【注意事项】

- 1、本品仅供皮肤给药，请勿口服，请勿用于眼、鼻、口等黏膜部位。
- 2、儿童用量请咨询医师或药师。
- 3、用药部位如有烧灼感、瘙痒、红肿等情况应停药。
- 4、破损皮肤禁用。
- 5、孕妇禁用。
- 6、儿童必须在成人监护下使用。
- 7、请将本品放在儿童触及不到之处。
- 8、对本品过敏者禁用。

【贮藏】 密封，置阴凉处。

【批准文号】 Z54020140（详细处方资料备索）



外



奇正藏药