

中华医学会系列杂志

ISSN 1006-9801

CN 11-5355 / R

肿瘤研究与临床®

ZHONGLIU YANJIU YU LINCHUANG

2014年5月 第26卷 第5期

CANCER RESEARCH AND CLINIC

Volume 26 Number 5

May 2014



中华医学会

CHINESE
MEDICAL
ASSOCIATION

ISSN 1006-9801



肿瘤研究与临床®

CANCER RESEARCH AND CLINIC

月刊 1986年3月创刊 第26卷 第5期 2014年5月28日出版

主 管

中华人民共和国国家卫生和计划生育委员会

主 办

中华医学会
100710,北京市东四西大街42号
山西省肿瘤研究所
030013,太原市职工新街3号
山西省肿瘤医院
030013,太原市职工新街3号

编 辑

肿瘤研究与临床杂志编辑委员会
030013,太原市职工新街3号
电话:(0351)4650389,4650386,4651416
传真:(0351)4651415
Email:zlyjylc@163.com
http://www.medline.org.cn
http://www.zlyjylc.com.cn

社 长

王国平

总编辑

梁小波

编辑部主任

贾力涛

出 版

《中华医学杂志》社有限责任公司
100710,北京市东四西大街42号
电话(传真):(010)85158180
Email:office@cma.org.cn

广告经营许可证

1400004000051

印 刷

太原红星印刷厂
030027,太原市兴华街九北路9号

发 行

范围:公开
国内:山西省邮政报刊发行局
国外:中国国际图书贸易集团有限公司
(北京399信箱,100044)
代号 MO4755

订 购

全国各地邮政局
邮发代号 22-137

邮 购

肿瘤研究与临床杂志编辑部
030013,太原市职工新街3号
电话:(0351)4650389,4650386,4651416
传真:(0351)4651415
Email:zlyjylc@163.com

定 价

每期6.00元,全年72.00元

中国标准连续出版物号

ISSN 1006-9801
CN 11-5355/R

2014年版权归中华医学会所有

未经授权,不得转载、摘编本刊文章,不得使用本刊的版式设计

除非特别声明,本刊刊出的所有论文不代表中华医学会和本刊编委会观点

本刊如有印装质量问题,请向本刊编辑部调换

目 次

论 著

热休克蛋白90 α 在人类肝癌细胞外的表达

及其对侵袭、迁移能力的影响 李卫华 陈广原 余湘文等 289

宝石能谱CT在孤立性肺结节鉴别诊断中的

价值 刘琪 张旭婷 靳宏星等 294

PEA-15真核表达载体的构建及表达

..... 张弘广 庄晓飞 王春利等 298

地西他滨联合柔红霉素对HL-60细胞株

凋亡作用的探讨 罗静 马梁明 王涛等 302

盆腔淋巴结CT检测对根治性放化疗

子宫宫颈癌患者生存的预测价值 谢文佳 周礼雅 高颜凤等 306

survivin-siRNA联合化疗药物对乳腺癌MCF-7

细胞凋亡及逆转耐药的研究 毕玮琳 王伏生 董红霖 310

磁共振成像结合血清CA125水平检测

在卵巢肿瘤诊断中的价值 毛明伟 杨露 李敏等 315

p73基因及其蛋白在鼻咽癌中表达的

临床意义 罗海清 杨东红 余忠华等 318

肝癌组织中Ki-67表达水平及微血管密度

与患者年龄的相关性 罗旻 曹颖 文安智 322

艾迪注射液改善年老体弱晚期癌症患者

生活质量的临床观察 杨钰贤 陈志明 张述耀等 325

细胞外基质蛋白Periostin、血管内皮生长因子

和基质金属蛋白酶-9在乳腺浸润性

导管癌中的表达及其临床意义 新美英 付小霞 田丽华等 328

腹腔镜全胃D2根治术与开腹手术治疗

胃上部癌的比较研究 林文霖 李志雄 许燕常等 332

威麦宁胶囊联合 XELOX 方案治疗晚期胃癌的效果观察	韩灵敏 杨琳 王萍萍	336
铂类单药化疗联合同期放疗治疗非手术食管癌的远期效果分析	林连兴 徐志渊	339

短篇论著

以视力丧失起病的多发性骨髓瘤一例并文献复习	肖镇 高大	342
肺炎性肌纤维母细胞肿瘤三例临床病理分析	王丽华 聂洪材	343
中药组方联合化疗治疗中晚期非小细胞肺癌效果观察	张永红 王玉强 郭全合	345
伊立替康联合顺铂二线治疗晚期胃癌 18 例	张素珍 胡彩平	347
外用重组人粒细胞-巨噬细胞集落刺激因子治疗肿瘤内科 常见并发症效果观察	焦玥 焦智民 王丽华等	349

综 述

同期放疗联合表皮生长因子受体-酪氨酸激酶抑制剂治疗非小细胞肺癌 脑转移的研究进展	殷力佳 钱屹峯	351
人类染色体端粒酶基因检测在子宫颈病变筛查中的研究进展	赵旭晔 李亚里	353
Ⅲ期非小细胞肺癌新辅助治疗的研究进展	李玉辉 寿伟臻	356
细胞自噬在肝癌发生发展中的作用	畅建平 杨艳梅 张新宇	358

读者·作者·编者

医学论文中有关实验动物描述的要求		297
本刊有关文稿中法定计量单位的书写要求		331
2014 年请登录中华医学会网站向本刊投稿		350

简讯·启事

本刊征订启事	中文目次二
中华医学会《肿瘤研究与临床》杂志稿约	英文目次后

本期执行编委 梁小波 刘端祺 林洪生 李绍林 本期责任编辑 贾力涛 英文编辑 熊义 责任排版 冯莉

本刊征订启事

《肿瘤研究与临床》是由中华人民共和国国家卫生和计划生育委员会主管,中华医学会、山西省肿瘤研究所、山西省肿瘤医院主办的肿瘤学专业学术期刊,是中华医学会系列杂志之一,被美国《化学文摘》(CA)、俄罗斯《文摘杂志》(AJ)、美国《乌利希期刊指南》(Ulrich PD)、“WHO 西太平洋地区医学索引(WPRIM)”等国际著名检索期刊及国内各大检索数据库收录,为中国科技核心期刊、中国生物医学核心期刊、中国肿瘤学类核心期刊。主要栏目:专论、专家讲坛、国际进展速递、论著、短篇论著、调查报告、讲座、综述、病例报告、消息等。

《肿瘤研究与临床》为月刊,大 16 开,72 页,随文插印彩图,每月 28 日出版。每期定价 6.00 元,全年 72.00 元。ISSN 1006-9801 CN 11-5355/R。邮发代号:22-137。国外发行代号:MO4755(中国图书贸易总公司),全国各地邮局(所)均可订阅。如邮局订阅延误,可直接汇款至编辑部补订。

联系地址:山西省太原市职工新街 3 号 邮编:030013 联系电话:0351-4650389,4650386 传真:0351-4651415
Email:zlyjylc@163.com,zlyjylc@sina.com 网址:http://www.cma.org.cn http://www.zlyjylc.com.cn

本刊编辑部

CANCER RESEARCH AND CLINIC

Monthly Established in March 1986 Volume 26, Number 5 May 28, 2014

Responsible Institution
National Health and Family Planning
Commission of the People's Republic
of China

Sponsor
Chinese Medical Association
42 Dongsi Xidajie, Beijing 100710, China
Shanxi Cancer Institute
3 Zhigong Xinjie, Taiyuan 030013, China
Shanxi Cancer Hospital
3 Zhigong Xinjie, Taiyuan 030013, China

Editing
Editorial Board of Cancer Research
and Clinic
3 Zhigong Xinjie, Taiyuan 030013, China
Tel: 0086-351-4650389, 4650386, 4651416
Fax: 0086-351-4651415
Email: zlyjylc@163.com
http://www.medline.org.cn
http://www.zlyjylc.com.cn

President
Wang Guoping (王国平)

Editor-in-Chief
Liang Xiaobo (梁小波)

Managing Director
Jia Litao (贾力涛)

Publishing
Chinese Medical Journals
Publishing House Co., Ltd.
42 Dongsi Xidajie, Beijing 100710, China
Tel(Fax): 0086-10-85158180
Email: office@cma.org.cn

Printing
Taiyuan Hongxing Printing House
9 Jiufenglu, Xinhua, Taiyuan 030027,
China

Overseas Distributor
China International Book
Trading Corporation
P.O.Box 399, Beijing 100044, China
Code No.M04755

Mail-Order
Editorial Board of Cancer Research
and Clinic
3 Zhigong Xinjie, Taiyuan 030013, China
Tel: 0086-351-4650389, 4650386, 4651416
Fax: 0086-351-4651415
Email: zlyjylc@163.com

CSSN
ISSN 1006-9801
CN 11-5355/R

**Copyright © 2014 by the
Chinese Medical Association**

No content published by the journals of
Chinese Medical Association may be
reproduced or abridged without
authorization. Please do not use or copy
the layout and design of the journals
without permission.

All articles published represent the
opinions of the authors, and do not reflect
the official policy of the Chinese Medical
Association or the Editorial Board, unless
this is clearly specified.

CONTENTS IN BRIEF

Original articles

Expression of extracellular heat shock protein 90α in human hepatocellular carcinoma cells and its effect on cells migratory and invasive capability	289
Li Weihua, Chen Guangyuan, Yu Xiangwen, et al	
The value of gemstone spectral CT imaging in characterizing the benign and malignant solitary pulmonary nodules	294
Liu Qi, Zhang Xuting, Jin Hongxing, et al	
Construction and expression of eukaryotic expression vector of PEA-15	298
Zhang Hongguang, Zhuang Xiaofei, Wang Chunli, et al	
Effect of decitabine combined with daunorubicin on apoptosis of HL-60 cell line	302
Luo Jing, Ma Liangming, Wang Tao, et al	
Prognostic value of lymph node status evaluated by computed tomography for patients with cervical cancer treated with radical chemoradiation therapy	306
Xie Wenjia, Zhou Liya, Gao Yanfeng, et al	
Study of survivin-siRNA combined with the chemotherapy drugs to enhance the breast cancer MCF-7 cells apoptosis and reverse drug resistance	310
Bi Weilin, Wang Fusheng, Dong Honglin	
The value of MRI combined with serum CA125 test in the diagnosis of ovarian tumor	315
Mao Mingwei, Yang Lu, Li Min, et al	
Clinical significance of expression of p73 gene and its protein in nasopharyngeal carcinoma	318
Luo Haiqing, Yang Donghong, Yu Zhonghua, et al	
Correlation between patient's age and expression of Ki-67 or microvessel density in the tissues of human hepatocellular carcinoma	322
Luo Min, Cao Ying, Wen Anzhi	
Clinical observation of Aidi injection on improving quality of life of the elderly and infirm patients with advanced cancer	325
Yang Yuxian, Chen Zhiming, Zhang Shuyao, et al	
Expression and clinical significance of Periostin, VEGF and MMP-9 in breast invasive ductal carcinoma	328
Jin Meiyong, Fu Xiaoxia, Tian Lihua, et al	
Comparative study of laparoscopic gastrectomy D2 radical surgery and open gastrectomy for upper stomach cancer	332
Lin Wenlin, Li Zhixiong, Xu Yanchang, et al	
Efficacy observation of the combination of Weimaining capsule and XELOX regimen in the treatment of advanced gastric cancer patients	336
Han Lingmin, Yang Lin, Wang Pingping	
Analysis of long-term effect of platinum alone chemotherapy combined with radiotherapy for esophageal carcinoma without operation	339
Lin Lianxing, Xu Zhiyuan	

Reviews

Research progress of radiotherapy combined with EGFR-TKI in the treatment of brain metastasis from lung cancer	351
Yin Lijia, Qian Yiyin	
Research progress of human telomerase RNA gene component genetic testing in the screening of cervical lesions	353
Zhao Xuye, Li Yali	
Research progress of neoadjuvant therapy for stage III non-small-cell lung cancer	356
Li Yuhui, Shou Weizhen	
The role of cell autophagy in the occurrence and development of hepatocarcinoma	358
Chang Jianping, Yang Yanmei, Zhang Xinyu	

注射用重组人白介素-11

Recombinant Human Interleukin-11 for Injection

特尔康®

预防血小板减少
远离出血风险



特尔康®采用肠激酶切割融合蛋白纯化工艺, 提升内源性血小板。

【批准文号】国药准字S20050037 (2mg/支)


闽药广审(文)第2013080054号

【适应症】治疗实体瘤、非髓性白血病化疗后的血小板减少症; 前一疗程化疗后发生血小板减少症的患者, 下一疗程化疗前使用本品, 以减少病人因血小板减少引起的出血和对血小板输注的依赖性。

【用法用量】化疗结束后24~48小时开始使用, 剂量为25~50 μ g/kg/d, 皮下注射, 疗程一般7~14天。血小板计数恢复后及时停药。

【禁忌】对rhIL-11及本品中其它成分过敏者慎用。

【注意事项】1. 本品不宜在化疗过程中使用。化疗结束后, 应间隔24~48小时方可使用本品。
2. 器质性心脏病患者, 尤其充血性心衰及房颤、房扑病史的患者慎用。



本广告仅供医学药学专业人士阅读

电话: (0592) 6889120 6889115
Http://www.amoytop.com



厦门特宝生物工程股份有限公司

万方数据

ISSN 1006-9801 CN 11-5355/R 邮发代号: 22-137 国内定价: 每期6.00元