

中华医学会系列杂志

ISSN 1006-9801

CN 11-5355 / R

肿瘤研究与临床®

ZHONGLIU YANJIU YU LINCHUANG

2016年5月 第28卷 第5期

CANCER RESEARCH AND CLINIC

Volume 28 Number 5

May 2016



中华医学会

CHINESE
MEDICAL
ASSOCIATION

ISSN 1006-9801



9 771006 980160

肿瘤研究与临床®

CANCER RESEARCH AND CLINIC

月刊 1986年3月创刊 第28卷 第5期 2016年5月28日出版

主管

中华人民共和国国家卫生和计划生育委员会

主办

中华医学会
100710,北京市东四西大街42号
山西省肿瘤医院
030013,太原市职工新街3号
山西省肿瘤医院
030013,太原市职工新街3号

编辑

肿瘤研究与临床杂志编辑委员会
030013,太原市职工新街3号
电话:(0351)4650389,4650386,4651416
传真:(0351)4651415
Email:zlyjylc@163.com
http://www.medline.org.cn
http://www.zlyjylc.com.cn

总编辑

梁小波

编辑部副主任

李旭清

出版

《中华医学杂志》社有限责任公司
100710,北京市东四西大街42号
电话(传真):(010)85158180
Email:office@cma.org.cn

广告经营许可证

1400004000051

印刷

太原红星印刷厂
030027,太原市兴华街九丰路9号

发行

范围:公开
国内:中国邮政集团公司山西省
报刊发行局
国外:中国国际图书贸易集团
有限公司
(北京399信箱,100044)
代号 MO4755

订购

全国各地邮政局
邮发代号 22-137

邮购

肿瘤研究与临床杂志编辑部
030013,太原市职工新街3号
电话:(0351)4650389,4650386,4651416
传真:(0351)4651415
Email:zlyjylc@163.com

定价

每期6.00元,全年72.00元

中国标准连续出版物号

ISSN 1006-9801
CN 11-5355/R

2016年版权归中华医学会所有

未经授权,不得转载、摘编本刊文章,不得使用本刊的版式设计

除非特别声明,本刊刊出的所有论文不代表中华医学会和本刊编委会观点

本刊如有印装质量问题,请向本刊编辑部调换

万方数据

目次

论著

纳米铁与多柔比星加体外磁场靶向杀伤

肿瘤细胞的动物实验 289

刘舒云 原辉东 袁玫 崔雪梅 睦翔

高学云 许文静 卢世璧 郭全义

早期子宫颈鳞状细胞癌中 Livin、Apaf-1

和 ARID1A 的表达及临床意义 294

徐义荣 陈振文 郝彦凤 张广衡 张朝霞

柴菲 董婧妍 蔡文慧 田林

肠病相关T细胞淋巴瘤21例临床病理特征分析 300

达娃卓玛 高子芬 林梦 刘翠苓 李敏

合并原发性消化道癌的胃间质瘤临床病理分析 304

孙林德 张晶 张昉 徐文通

低表达 miR-19a 对人脑胶质瘤细胞系 U251

增殖和凋亡影响的体外研究 307

杜瑞兵 王桂琴

CD147、血管内皮生长因子C在肺鳞状细胞癌

和腺癌中的表达及其临床意义 311

吴强 张祥海

p16、p27 蛋白与乳腺癌临床病理特征的关系

及预后价值 315

徐锦屏 沈卫达 周英姿 张芸

赵学军 李冰 王小捷

结直肠癌手术患者预后影响因素的时协变量

Cox回归分析 318

贺曼 索瑞鑫 仇玉兰

肝细胞生长因子及其受体 c-Met 在结直肠癌

中的表达及其意义 322

王全玉 何炜 王莉莉 蔺强

白蛋白结合型紫杉醇治疗复治晚期

非小细胞肺癌临床观察 325

李琳 张萍 王晖 张子瑾 武晓楠

唐山地区773例妇女乳腺钼靶摄影普查

结果分析 328

李玉柱 张玉敏 郑树成 林秋全 王洪峰

刘新唐 张海军

血清细胞角蛋白 19 片段 21-1 及鳞状细胞癌相关抗原联合检测 对鼻咽癌的诊断价值	331
黄彦泽 谢波	
慢性乙型肝炎患者临床转归影响因素分析	334
任卫东 任海花	

短篇论著

BRAF V600E 突变与经典型甲状腺乳头状癌患者临床病理特征的相关性	338
秦东广 李建民 高太虎 孟彦 秦彦超	
注射用重组人粒细胞巨噬细胞刺激因子含漱液在鼻咽癌 患者放射性口腔黏膜炎防治中的应用	340
杨吉帆 任洪波 李春梅 包中会 蒋义 李少林	
CD56 阳性鼻咽部原发性髓系肉瘤一例并文献复习	343
吴晓鸿 陈福桂 刘丹 覃鹏飞 谭获	
唑来膦酸联合化疗治疗非小细胞肺癌骨转移效果观察	345
梁研 郭进华	
腹腔镜胆囊切除术意外胆囊癌的防范与处理	347
李蛟 张海江 贺启贵	

综 述

立体定向体部放疗在早期非小细胞肺癌中的应用	350
刘雪 刘明 翟福山	
产气荚膜梭菌肠毒素羧基端多肽片段在肿瘤治疗中的研究进展	353
陈虹 王萌 管文贤	
晚期肺鳞状细胞癌内科治疗研究进展	357
刘晓学 牛润桂	

读者·作者·编者

本刊关于论文中基金目标注的新要求	360
------------------------	-----

中华医学会《肿瘤研究与临床》杂志稿约	英文目次后
--------------------------	-------

本期执行编委 梁小波 刘端祺 郭全义 符立梧 王钦红
本期责任编辑 郎华 本期英文编辑 郎华 本期责任排版 冯莉

CANCER RESEARCH AND CLINIC

Monthly Established in March 1986 Volume 28, Number 5 May 28, 2016

Responsible Institution

National Health and Family Planning
Commission of the People's Republic
of China

Sponsor

Chinese Medical Association
42 Dongsi Xidajie, Beijing 100710, China
Shanxi Cancer Institute
3 Zhigong Xinjie, Taiyuan 030013, China
Shanxi Cancer Hospital
3 Zhigong Xinjie, Taiyuan 030013, China

Editing

Editorial Board of Cancer Research
and Clinic
3 Zhigong Xinjie, Taiyuan 030013, China
Tel:0086-351-4650389,4650386,4651416
Fax:0086-351-4651415
Email:zlyjylc@163.com
http://www.medline.org.cn
http://www.zlyjylc.com.cn

Editor-in-Chief

Liang Xiaobo(梁小波)

Deputy Managing Director

Li Xuqing(李旭清)

Publishing

Chinese Medical Journals
Publishing House Co., Ltd.
42 Dongsi Xidajie, Beijing 100710, China
Tel(Fax):0086-10-85158180
Email:office@cma.org.cn

Printing

Taiyuan Hongxing Printing House
9 Jiufenglu, XinhuaJie, Taiyuan 030027,
China

Overseas Distributor

China International Book
Trading Corporation
P.O.Box 399, Beijing 100044, China
Code No.M04755

Mail-Order

Editorial Board of Cancer Research
and Clinic
3 Zhigong Xinjie, Taiyuan 030013, China
Tel:0086-351-4650389,4650386,4651416
Fax:0086-351-4651415
Email:zlyjylc@163.com

CSSN

ISSN 1006-9801
CN 11-5355 / R

Copyright © 2016 by the Chinese Medical Association

No content published by the journals of
Chinese Medical Association may be
reproduced or abridged without
authorization. Please do not use or copy
the layout and design of the journals
without permission.

All articles published represent the
opinions of the authors, and do not reflect
the official policy of the Chinese Medical
Association or the Editorial Board, unless
this is clearly specified.

CONTENTS IN BRIEF

Original articles

- Animal experiment on anti-tumor activity of magnetic
nanocarrier and doxorubicin with target simple
external magnetic fields** 289
*Liu Shuyun, Yuan Huidong, Yuan Mei, Cui Xuemei,
Sui Xiang, Gao Xueyun, Xu Wenjing, Lu Shibi,
Guo Quanyi*
- The expression of Livin, Apaf-1 and ARID1A in early
stage squamous cell carcinoma of cervix and their
clinical significances** 294
*Xu Yirong, Chen Zhenwen, Xi Yanfeng, Zhang Guangheng,
Zhang Zhaoxia, Chai Fei, Dong Jingyan, Cai Wenhui,
Tian Lin*
- Analysis of clinicopathological features of 21 patients
with enteropathy-associated T-cell lymphoma** 300
*Dawa Zhuoma, Gao Zifen, Lin Meng, Liu Cuiling,
Li Min*
- Clinicopathological analysis of gastric stromal tumor with
primary gastrointestinal carcinoma** 304
Sun Linde, Zhang Jing, Zhang Fang, Xu Wentong
- Effect of knocking down miR-19a on proliferation and
apoptosis of human glioma cell line U251 *in vitro*** 307
Du Ruibing, Wang Guiqin
- Expression of CD147, vascular endothelial growth factor C
in lung squamous cell carcinoma and adenocarcinoma
and their clinical significances** 311
Wu Qiang, Zhang Xianghai
- Relationship between p16, p27 proteins and clinicopathological
characteristics of breast cancer and their
prognostic value** 315
*Xu Jinping, Shen Weida, Zhou Yingzi, Zhang Yun,
Zhao Xuejun, Li Bing, Wang Xiaojie*
- Cox regression analysis of prognostic factors of operative
patients with colorectal cancer with time covariates** 318
He Man, Suo Ruixin, Qiu Yulan

Expression of hepatocyte growth factor and its receptor c-Met in colorectal cancer and their significances	322
<i>Wang Quanyu, He Wei, Wang Lili, Lin Qiang</i>	
Albumin bound paclitaxel for the treatment of recurrent advanced non-small-cell lung cancer	325
<i>Li Lin, Zhang Ping, Wang Hui, Zhang Zijin, Wu Xiaonan</i>	
Outcome analysis of breast diseases screening in 773 women in Tangshan area	328
<i>Li Yuzhu, Zhang Yumin, Zheng Shucheng, Lin Qiuquan, Wang Hongfeng, Liu Xintang, Zhang Haijun</i>	
The diagnostic value of detecting serum cytokeratin 19 fragmen 21-1 combined with squamous cell carcinoma antigen in nasopharyngeal carcinoma	331
<i>Huang Yanze, Xie Bo</i>	
Analysis of influencing factors for clinical outcomes of patients with chronic hepatitis B	334
<i>Ren Weidong, Ren Haihua</i>	
Brief communications	
Relationship between BRAF V600E mutation and the clinicopathological features of patients with classical papillary thyroid carcinoma	338
<i>Qin Dongguang, Li Jianmin, Gao Taihu, Meng Yan, Qin Yanchao</i>	
Application of rhGM-CSF gargles in the prevention and treatment of radiation-induced oral mucositis in patients with nasopharyngeal cancer	340
<i>Yang Jifan, Ren Hongbo, Li Chunmei, Bao Zhonghui, Jiang Yi, Li Shaolin</i>	
CD56-positive nasopharyngeal primary myeloid sarcoma: one case report and review of the literature	343
<i>Wu Xiaohong, Chen Fugui, Liu Dan, Tan Pengfei, Tan Huo</i>	
Efficacy observation of zoledronic acid combined with chemotherapy in the treatment of bone metastases of lung cancer	345
<i>Liang Yan, Guo Jinhua</i>	
The prevention and treatment of unexpected gallbladder carcinoma in laparoscopic cholecystectomy	347
<i>Li Jiao, Zhang Haijiang, He Qigui</i>	
Reviews	
Application of stereotactic body radiation therapy in early stage non-small-cell lung cancer	350
<i>Liu Xue, Liu Ming, Zhai Fushan</i>	
Research progress of carboxyl peptide fragment of clostridium perfringens enterotoxin in the treatment of tumors	353
<i>Chen Hong, Wang Meng, Guan Wenxian</i>	
Research progress of the medicine treatment of advanced lung squamous cell carcinoma	357
<i>Liu Xiaoxue, Niu Rungui</i>	

注射用重组人白介素-11

Recombinant Human Interleukin-11 for Injection

特尔康®

治疗血小板减少
远离出血风险



特尔康®采用肠激酶切割融合蛋白纯化工艺,提升内源性血小板。

【批准文号】国药准字S20050037 (2mg/支)


闽药广审(文)第2015070029号

【适应症】治疗实体瘤、非髓性白血病化疗后的血小板减少症;前一疗程化疗后发生血小板减少症的患者,下一疗程化疗前使用本品,以减少病人因血小板减少引起的出血和对血小板输注的依赖性。

【用法用量】化疗结束后24~48小时开始使用,剂量为25~50 μ g/kg/d,皮下注射,疗程一般7~14天。血小板计数恢复后及时停药。

【禁忌】对rhIL-11及本品中其它成分过敏者慎用。

【注意事项】1.本品不宜在化疗过程中使用。化疗结束后,应间隔24~48小时方可使用本品。
2.器质性心脏病患者,尤其充血性心衰及房颤、房扑病史的患者慎用。



本广告仅供医学药学专业人士阅读

电话: (0592) 6889120 6889115
Http://www.amoytop.com
万方数据



厦门特宝生物工程股份有限公司

ISSN 1006-9801 CN 11-5355/R 邮发代号: 22-137 国内定价: 每期6.00元